McKibben DSC520 Ex. 6.2

Makayla McKibben

2024-07-12

Iris Analysis

```
knitr::opts_chunk$set(echo = TRUE)
library(datasets)
new_iris <- data.frame(iris)</pre>
```

Average Sepal Length by Species


```
knitr::opts_chunk$set(echo = TRUE)
library(dplyr)
## Warning: package 'dplyr' was built under R version 4.4.1
## Attaching package: 'dplyr'
## The following objects are masked from 'package:stats':
##
##
       filter, lag
## The following objects are masked from 'package:base':
##
##
       intersect, setdiff, setequal, union
head(str(new_iris))
## 'data.frame':
                    150 obs. of 5 variables:
## $ Sepal.Length: num 5.1 4.9 4.7 4.6 5 5.4 4.6 5 4.4 4.9 ...
## $ Sepal.Width : num 3.5 3 3.2 3.1 3.6 3.9 3.4 3.4 2.9 3.1 ...
## $ Petal.Length: num 1.4 1.4 1.3 1.5 1.4 1.7 1.4 1.5 1.4 1.5 ...
## $ Petal.Width : num 0.2 0.2 0.2 0.2 0.4 0.3 0.2 0.2 0.1 ...
                : Factor w/ 3 levels "setosa", "versicolor", ...: 1 1 1 1 1 1 1 1 1 1 ...
## $ Species
## NULL
```

```
species_s1 <- select(new_iris, Sepal.Length, Species)</pre>
species_1 <- slice(species_s1,1:50)</pre>
setosa_avg_sl <- mean(species_1$Sepal.Length)</pre>
species_2 <- slice(species_s1,51:100)</pre>
versicolor_avg_sl <- mean(species_2$Sepal.Length)</pre>
species_3 <- slice(species_s1,101:150)</pre>
virginica_avg_sl <- mean(species_3$Sepal.Length)</pre>
setosa_avg_sl
## [1] 5.006
versicolor_avg_sl
## [1] 5.936
virginica_avg_sl
## [1] 6.588
knitr::opts_chunk$set(echo = TRUE)
species_sw <- select(new_iris, Sepal.Width, Species)</pre>
species 1 sw <- slice(species sw,1:50)</pre>
species_2_sw <- slice(species_sw,51:100)</pre>
species_3_sw <- slice(species_sw,101:150)</pre>
species_pl <- select(new_iris, Petal.Length, Species)</pre>
species_1_pl <- slice(species_pl,1:50)</pre>
species_2_pl <- slice(species_pl,51:100)</pre>
species_3_pl <- slice(species_pl,101:150)</pre>
species_pw <- select(new_iris, Petal.Width, Species)</pre>
species_1_pw <- slice(species_pw,1:50)</pre>
species_2_pw <- slice(species_pw,51:100)</pre>
species_3_pw <- slice(species_pw,101:150)</pre>
```


Visualizations

```
## Warning: Removed 2 rows containing missing values or values outside the scale range
## ('geom_bar()').
```


Setosa Sepal Length




Versicolor Sepal Length




Virginica Sepal Length



Setosa Sepal Width



Versicolor Sepal Width



Virginica Sepal Width 12.5 10.0 7.5 2.5 2.5 -

Warning: Removed 2 rows containing missing values or values outside the scale range
('geom_bar()').

2.5

3.0 Sepal Width


3.5

4.0


0.0 -

2.0


Setosa Petal Length




Versicolor Petal Length




Virginica Petal Length




Setosa Petal Width




Versicolor Petal Width




Virginica Petal Width

















Setosa Sepal Width




Versicolor Sepal Width



Virginica Sepal Width






1.50 Petal Length

1.75


1.25

-0.4 **-**


1.00




Virginica Petal Length



Notch went outside hinges
i Do you want 'notch = FALSE'?





Virginica Petal Width 0.2 -0.2 -0.4 1.50 1.75 2.00 2.25 2.50

Iris species Setosa has the shortest average sepal length of this data set while Virginica has the longest. Versicolor is in between these two. Average sepal width of Versicolor is the shortest, with Virginica in the middle, and Setosa being the longest. The average petal length increases from Setosa, the shortest, with Versicolor in the middle and Virginica as the longest. Average petal width increases from Setosa, the shortest, with Versicolor in the middle and Virginica being the longest.

Petal Width