DB Browser for SQLite - C:\Users\you\Documents\CharlesRiver_Work.sqlite

New Database | Open Database ▾ | Write Changes | Revert Changes

Database Structure | Browse Data | Edit Pragmas | **Execute SQL**

Open SQL file(s) | Save SQL file ▾ | **▶ Execute all/selected SQL**

Ex 10.1.sql

```
63  -- Requirement (4): the ledger against the invoice lines, side by side
64  -- Population: the totals of (2) and (3); expected: a difference of 4,582.37
65  SELECT t.Ledger, t.InvoiceLines,
66     ROUND(t.Ledger - t.InvoiceLines, 2) AS Difference
67  FROM (
68     SELECT
69        (SELECT ROUND(SUM(gl.Credit) - SUM(gl.Debit), 2)
70         FROM GLEntry AS gl
71            INNER JOIN Account AS a ON a.AccountID = gl.AccountID
72         WHERE gl.SourceDocumentType = 'SalesInvoice'
73            AND gl.FiscalYear = 2026
74            AND a.AccountNumber IN (4010, 4020, 4030, 4040, 4080)
75        ) AS Ledger,
76        (SELECT ROUND(SUM(sil.LineTotal), 2)
77         FROM SalesInvoiceLine AS sil
78            INNER JOIN SalesInvoice AS si
79               ON si.SalesInvoiceID = sil.SalesInvoiceID
80         WHERE si.InvoiceDate BETWEEN '2026-01-01' AND '2026-12-31'
81        ) AS InvoiceLines
82  ) AS t;
```

	Ledger	InvoiceLines	Difference
1	29761002.45	29756420.08	4582.37

Execution finished without errors.
Result: 1 rows returned
At line 65:
SELECT t.Ledger, t.InvoiceLines,

Outlined: the difference, $4,582.37, and the two lines that select the year. The ledger is selected by FiscalYear, which follows the posting date, and the invoice lines by InvoiceDate. Two selections by different dates can disagree without either being wrong; the next figure lists the invoices that fall on one side only.