LEFT JOIN: 3 rows, the unpaid registers

Audit.sql

```
87  LEFT JOIN PayrollPayment AS pay
88      ON pay.PayrollRegisterID = pr.PayrollRegisterID
89  WHERE pay.PayrollPaymentID IS NULL;
```

	PayrollRegisterID	JobTitle	EmployeeCenter
1	1	Chief Executive Officer	Executive
2	2646	Account Executive	Sales
3	5420	Account Executive	Sales

Execution finished without errors.
Result: 3 rows returned
At line 77:
SELECT pr.PayrollRegisterID, e.JobTitle,

INNER JOIN: 0 rows, a clean result that means nothing

Audit.sql

```
87  INNER JOIN PayrollPayment AS pay
88      ON pay.PayrollRegisterID = pr.PayrollRegisterID
89  WHERE pay.PayrollPaymentID IS NULL;
```

	PayrollRegisterID	JobTitle	EmployeeCenter

Execution finished without errors.
Result: 0 rows returned
At line 77:
SELECT pr.PayrollRegisterID, e.JobTitle,

Outlined: the join keyword, the only difference between the two tabs. Both show lines 87 to 89 of test L4 in Audit.sql, the join to the payments; the query selects the approved registers that have no payment. With LEFT JOIN it returns registers 1, 2646 and 5420. With INNER JOIN no register can lack a payment, so the same test returns no rows, the answer a clean population would give. Each grid is scrolled to its first three columns.