Chapter 14 Exercises - Solutions - Power BI Desktop

File Home Help

Format | Comment | Uncomment | Find | Replace | Command palette

Report
Table
Model
DAX query
TMDL

▶ Run | Update model with changes (0)

Tests | Ex 14.5 | **Control Totals** | Checks | +

```
1  // Control totals: each test must agree within one cent
2  EVALUATE
3  VAR Tests =
4     UNION (
       … lines 5 to 21 not shown: the seven tests, each a ROW
22    )
23 RETURN
24    ADDCOLUMNS (
25       Tests,
26       "Difference", ROUND ( [Actual] - [Expected], 2 ),
27       "Result", IF ( ABS ( [Actual] - [Expected] ) <= 0.01, "Pass", "Fail" )
28    )
```

Results

[Test]	[Expected]	[Actual]	[Difference]	[Result]
Invoice lines, fiscal 2026	9522	9522	0	Pass
Revenue, fiscal 2026	29756420.08	29756420.08	0	Pass
Net income, fiscal 2026	4503611.24	0	-4503611.24	Fail
Journal entry debits, all years	129860610.27	129860610.27	0	Pass
Manufacturing variance (5080), fiscal 2026	2265636.88	0	-2265636.88	Fail
Invoice revenue in the ledger, fiscal 2026	29761002.45	29761002.45	0	Pass
Ledger less invoice lines = SI-2026-013741 to 013743	4582.37	4582.37	0	Pass

5 columns, 7 rows

In Report view, the formula bar of GL Amount: the tutorial's (left) and with the closes kept (right)

```
GL Amount =
CALCULATE (
   SUM ( GLEntry[Debit] ) - SUM ( GLEntry[Credit] ),
   GLEntry[IsYearEndClose] = FALSE ()
)
```

```
GL Amount =
SUM ( GLEntry[Debit] ) - SUM ( GLEntry[Credit] )
```

The same tab after GL Amount keeps the closing entries, run again; the query is not touched, and the drawing leaves out its tests (lines 5 to 21, a gray bar). Outlined: the two tests that read GL Amount over every account, the net income of 2026 and the manufacturing variance, each with an Actual of 0 and a Difference of minus its expected value. The invoice lines and the revenue do not use GL Amount; the debit total uses SUM; the two ledger tests read sales invoice postings, which no closing entry touches. The right-hand formula is one way to write the change.