B10 | *fx* | =SUM(B5:B9)

Rows 1 to 3: the title and the note on normal capacity

	A	B	Basis
4	**Proposed standard conversion rate, per standard hour**	**Amount**	**Basis**
5	Direct labor at the straight-time rate with burden	30.38	26.62 x 1.1414
6	Overhead that varies with output (Factory Overhead entries per standard hour)	18.99	Requirement 2: varies with output at about the applied rate
7	Indirect labor at plan	5.47	0.18 hours per standard hour at the labor rate
8	Supervision	4.36	the plan's salaried staff with burden over the plan volume
9	Depreciation	4.26	the plan's depreciation over the plan volume
10	Proposed rate, normal capacity at the plan volume (1.18 hours per standard hour)	63.46	
11	Labor-content case: the proposed rate with no indirect hours (1.0 hours per standard hour)	58.00	
12	Current standard: conversion released per standard hour	47.40	
13	Time-driven, per standard hour	61.81	
14	The base year's actual cost per standard hour	78.77	
15	Normal capacity at the lower share of the plan volume (Assumptions): the proposed rate	64.42	
16	Normal capacity at the higher share of the plan volume (Assumptions): the proposed rate	62.68	

Rows 17 and below: the plan's figures against the records, the revised standards, the stock and its revaluation, and the model answer

Prices | **Standards** | Memo

Outlined in teal: the five components. Outlined in coral: the proposed rate, B10, their sum (its formula is in the bar). Below it come the labor-content case with no indirect hours, the current standard (the conversion released per standard hour), the time-driven rate, the base year's actual cost per standard hour, and the proposed rate with supervision and depreciation spread over 90% and 110% of the plan volume, the ends of the normal-capacity range. Labels are wrapped here; in the workbook a long label is cut at column B. Columns J to Q hold the Table OnHand and are not shown.