Audit.sql

```sql
-- Tutorial 12.1, test L3: postings and documents traced both ways
-- Population: four document types; expected: no rows
SELECT 'Posting with no payroll payment' AS Test,
    gl.GLEntryID AS RecordID, gl.SourceDocumentID AS DocumentID,
    gl.PostingDate AS RecordDate, gl.Debit + gl.Credit AS Amount
FROM GLEntry AS gl
    LEFT JOIN PayrollPayment AS pp
        ON pp.PayrollPaymentID = gl.SourceDocumentID
WHERE gl.SourceDocumentType = 'PayrollPayment'
    AND pp.PayrollPaymentID IS NULL
UNION ALL
SELECT 'Posting with no supplier payment', gl.GLEntryID,
    gl.SourceDocumentID, gl.PostingDate, gl.Debit + gl.Credit
FROM GLEntry AS gl
    LEFT JOIN DisbursementPayment AS dp
        ON dp.DisbursementID = gl.SourceDocumentID
WHERE gl.SourceDocumentType = 'DisbursementPayment'
    AND dp.DisbursementID IS NULL
UNION ALL
SELECT 'Sales invoice never posted', si.SalesInvoiceID,
    si.SalesInvoiceID, si.InvoiceDate, si.GrandTotal
FROM SalesInvoice AS si
```

	Test	RecordID	DocumentID	RecordDate	Amount
1	Posting with no payroll payment	7231	1	2024-01-19	7971.1
2	Posting with no payroll payment	7232	1	2024-01-19	7971.1
3	Posting with no payroll payment	12521	2646	2025-01-03	7971.1
4	Posting with no payroll payment	12522	2646	2025-01-03	7971.1
5	Posting with no payroll payment	18069	5420	2026-01-02	7971.1
6	Posting with no payroll payment	18070	5420	2026-01-02	7971.1

Execution finished without errors.
Result: 6 rows returned
At line 44:
SELECT 'Posting with no payroll payment' AS Test,

The editor shows the first two of the four tests; the query continues below. Outlined: every row comes from the first test, and the other three return none.