March 12, 2024, before the first surge day

Employee	Clock in	Clock out	Regular	Overtime	Overtime approved by
17	15:00	01:47	8.00	2.28	Production Manager, on the work date
18	07:02	12:46	5.74	0.00	no overtime
19	07:03	19:03	8.00	3.50	Production Manager, on the work date
20	07:00	12:29	5.49	0.00	no overtime
21	14:56	02:56	8.00	3.50	Production Manager, on the work date
22	07:00	12:57	5.95	0.00	no overtime

All 64 hourly manufacturing employees: 26 different clock-in times, 54 different numbers of hours; 21 recorded overtime, 40.0 hours in all.

June 10, 2026, a surge day

Employee	Clock in	Clock out	Regular	Overtime	Overtime approved by
17	**06:30**	**19:30**	**8.00**	**4.50**	Production Manager, on the work date
18	**06:30**	**19:30**	**8.00**	**4.50**	Production Manager, on the work date
19	**06:30**	**19:30**	**8.00**	**4.50**	Production Manager, on the work date
20	**14:30**	**03:30**	**8.00**	**4.50**	Production Manager, on the work date
21	**06:30**	**19:30**	**8.00**	**4.50**	Production Manager, on the work date
22	**06:30**	**19:30**	**8.00**	**4.50**	Production Manager, on the work date

All 64 hourly manufacturing employees: 2 different clock-in times, one number of hours; 64 recorded overtime, 288.0 hours in all.

The same six Assemblers on both days; a clock-out after midnight falls on the next day. Highlighted: the identical times and hours of the surge day, when the two shifts clocked in at the same minutes.