

```

#include <iostream>
using namespace std;

char board[3][3] = {
{'1', '2', '3'},
{'4', '5', '6'},
{'7', '8', '9'}
};

void drawBoard() {
cout << "\n";
for (int i = 0; i < 3; i++) {
cout << " ";
for (int j = 0; j < 3; j++) {
cout << board[i][j];
if (j < 2) cout << " | ";
}
cout << "\n";
if (i < 2) cout << "---|---|---\n";
}
cout << "\n";
}

bool checkWin() {
// Rows
for (int i = 0; i < 3; i++) {
if (board[i][0] == board[i][1] &&
board[i][1] == board[i][2])
return true;
}

// Columns
for (int i = 0; i < 3; i++) {
if (board[0][i] == board[1][i] &&
board[1][i] == board[2][i])
return true;
}
}

```

```

}

// Diagonals
if (board[0][0] == board[1][1] &&
board[1][1] == board[2][2])
return true;

if (board[0][2] == board[1][1] &&
board[1][1] == board[2][0])
return true;

return false;
}

bool isDraw() {
for (int i = 0; i < 3; i++) {
for (int j = 0; j < 3; j++) {
if (board[i][j] != 'X' && board[i][j] != 'O')
return false;
}
}
return true;
}

int main() {
int choice;
char player = 'X';

while (true) {
drawBoard();

cout << "Player " << player << ", enter a position (1-9): ";
cin >> choice;

int row = (choice - 1) / 3;
int col = (choice - 1) % 3;

if (choice < 1 || choice > 9 ||
board[row][col] == 'X' ||

```

```
board[row][col] == '0') {
    cout << "Invalid move! Try again.\n";
    continue;
}

board[row][col] = player;

if (checkWin()) {
    drawBoard();
    cout << "Player " << player << " Wins!\n";
    break;
}

if (isDraw()) {
    drawBoard();
    cout << "It's a Draw!\n";
    break;
}

player = (player == 'X') ? '0' : 'X';
}

return 0;
}
```