

## 02. BOOTSTRAP JS ALERT.

### JS Alert (alert.js)

The **alert** plugin include options and methods to close alert messages.

#### 2.1. The Alert Pluggin Classes

Class	Description
.alert	Creates an alert message box
.alert-danger	Red alert. Indicates a dangerous or potentially negative action
.alert-dismissible	Indicates a closable alert box. Together with the <code>.close</code> class, this class is used to close the alert (adds extra padding)
.alert-info	Light-blue alert. Indicates a neutral informative change or action
.alert-link	Used on links inside alerts to provide matching colored links
.alert-success	Green alert. Indicates a successful or positive action
.alert-warning	Yellow alert. Indicates caution should be taken with this action
.close	Styles the close button for the alert message (floats right with a specified font-size, color, etc.)

#### 2.2. Close Alerts Via data-\* Attributes

Add **data-dismiss="alert"** to a link or a button element to close the alert message.

**Example:**

```
<a href="#" class="close" data-dismiss="alert" aria-label="close">
    &times;
</a>
```

## 2.3. Close Alerts Via JavaScript

Close manually with:

**Example:**

```
$('.close').alert();
```

## 2.4. Alert Options

None.

## 2.5. Alert Methods

The following table lists all available alert methods.

Method	Description
<code>.alert("close")</code>	Closes the alert message

## 2.6. Alert Events

The following table lists all available alert events.

Event	Description
<code>close.bs.alert</code>	Occurs when the alert message is about to be closed
<code>closed.bs.alert</code>	Occurs when the alert message has been closed