

Class: BaseService

BaseService()

Base class service, Our services indicated what actions should be taken according to the data that we receive from the different requests to our api controller Class that contains a set of useful methods for the rest of the project's classes

Constructor

```
new BaseService()
```

Source: [src/services/base.service.js, line 6](#)

Methods

```
(async) create(entity) → {string}
```

Create an element

Parameters:

Name	Type	Description
entity	object	body of the element that brings the path

Source: [src/services/base.service.js, line 42](#)

Returns:

message

Type
string

```
(async) delete(id) → {string}
```

Delete by id

Home

Classes

AdminController
AdminService
ApiHeroController
ApiHeroService
AuthController
AuthService
BaseService
DBConexion
Hero
HeroController
HeroService
Server
Team
TeamController
TeamService
User
UserController
UserHero
UserHeroController
UserHeroService
UserService

Global

_config
conexion
config
container
cors
DB
express
generateToken
isAdmin
swaggerUi

Parameters:

Name	Type	Description
id	number	

Source: [src/services/base.service.js, line 67](#)

Returns:

message

Type
string

`(async) get(id) → {Array|null}`

Get by id

Parameters:

Name	Type	Description
id	number	

Source: [src/services/base.service.js, line 15](#)

Returns:

Type
Array | null

`(async) getAll() → {Array}`

Get all

Source: [src/services/base.service.js, line 33](#)

Returns:

Type
Array

`(async) update(id, entity) → {string}`

update an element

Parameters:

Name	Type	Description
id	number	
entity	object	of the element that brings the path

Source: [src/services/base.service.js, line 52](#)

Returns:

message

Type

string