## Class: AuthService

# AuthService(UserService, User)

Auth class service, Our services indicated what actions should be taken according to the data that we receive from the different requests to our api controller

## Constructor

new AuthService(UserService, User)

#### Parameters:

Name	Type	Description
UserService	class	
User	class	

Source: src/services/auth.service.js, line 14

## **Methods**

(async) signIn(user) → {object}

signIn user

#### Parameters:

Name	Туре	Description
user	Object	

Source: src/services/auth.service.js, line 44

#### Returns:

token

Type

## Home

#### Classes

AdminController

AdminService

ApiHeroController

ApiHeroService

AuthController

AuthService

BaseService

DBConexion

Hero

HeroController

HeroService

Server

Team

TeamController

TeamService

User

UserController

UserHero

UserHeroController

UserHeroService

UserService

### Global

\_config

conexion

config

container

cors

DB

express

generateToken

isAdmin

swaggerUi

(async) 
$$signUp(user) \rightarrow \{string\}$$

signUp user

#### Parameters:

Name	Туре	Description
user	Object	

Source: src/services/auth.service.js, line 24

#### **Returns:**

message

Type

string

Documentation generated by JSDoc 3.6.4 on Tue Jun 09 2020 08:31:48 GMT+0200 (GMT+02:00)