

Class: TeamService

TeamService(Team)

Team class service, Our services indicated what actions should be taken according to the data that we receive from the different requests to our api controller

Constructor

```
new TeamService(Team)
```

Parameters:

Name	Type	Description
Team	class	insert our Team class

Source: [src/services/team.service.js, line 12](#)

Methods

```
(async) addMember(idTeam, entity) →  
{string}
```

Add member

Parameters:

Name	Type	Description
idTeam	number	
entity	object	body of the element that brings the path

Source: [src/services/team.service.js, line 42](#)

Returns:

message

Type
string

Home

Classes

AdminController
AdminService
ApiHeroController
ApiHeroService
AuthController
AuthService
BaseService
DBConexion
Hero
HeroController
HeroService
Server
Team
TeamController
TeamService
User
UserController
UserHero
UserHeroController
UserHeroService
UserService

Global

_config
conexion
config
container
cors
DB
express
generateToken
isAdmin
swaggerUi

`(async) bestTeam() → {array}`

Best team

Source: [src/services/team.service.js, line 84](#)

Returns:

teams

Type

array

`(async) checkTeam(idTeam) → {boolean}`

check the number of members

Parameters:

Name	Type	Description
idTeam	number	

Source: [src/services/team.service.js, line 22](#)

Returns:

Type

boolean

`(async) deleteMember(idTeam, entity) → {string}`

Delete member

Parameters:

Name	Type	Description
idTeam	number	
entity	object	body of the element that brings the path

Source: [src/services/team.service.js, line 64](#)

Returns:

message

Type

string

```
(async) getTeamInfo(idUsu) → {object|null}
```

Get user's team info

Parameters:

Name	Type	Description
idUsu	number	

Source: [src/services/team.service.js, line 121](#)

Returns:

team or null

Type

object | null

```
(async) getTeamUsu(idUsu) → {Array|null}
```

Get user's team

Parameters:

Name	Type	Description
idUsu	number	

Source: [src/services/team.service.js, line 101](#)

Returns:

team or null

Type

Array | null

```
(async) getTeamWinner(idTeam1, idTeam2) →  
{object}
```

Get winner team

Parameters:

Name	Type	Description
idTeam1	number	

Name	Type	Description
idTeam2	number	

Source: [src/services/team.service.js, line 142](#)

Returns:

team

Type
object

(async) searchTeam(teamName) → {array|null}

Get team by name

Parameters:

Name	Type	Description
teamName	string	

Source: [src/services/team.service.js, line 164](#)

Returns:

team or null

Type
array | null