Class: AdminService

AdminService(Hero, User)

Admin class service, Our services indicated what actions should be taken according to the data that we receive from the different requests to our api controller

Constructor

`new AdminService(Hero, User)`

Parameters:

Name	Type	Description
Hero	class	insert our Hero class
User	class	insert our User class

Source: src/services/admin.service.js, line 13

Methods

(async) allUsers() → {Array}

Get all users from db

Source: src/services/admin.service.js, line 75

Returns:

users

Type

Array

(async) countAllHeroes() → {Array}

Get heroes count from db

Home

Classes

AdminController
AdminService
ApiHeroController
ApiHeroService
AuthController
AuthService
BaseService
DBConexion
Hero
HeroController
HeroService
Server
Team
TeamController
TeamService
User
UserController
UserHero
UserHeroController
UserHeroService
UserService

Global

_config
conexion
config
container
cors
DB
express
generateToken
isAdmin
swaggerUi

> Source: src/services/admin.service.js, line 120

Returns:

users

Type

  Array

(async) countAllTeams() → {Array}

Get teams count from db

> Source: src/services/admin.service.js, line 105

Returns:

users

Type

  Array

(async) countAllUsers() → {Array}

Get users count from db

> Source: src/services/admin.service.js, line 90

Returns:

users

Type

  Array

(async) deleteUser(idUsu) → {string}

Delete user

Parameters:

Name	Type	Description
idUsu	number	

> Source: src/services/admin.service.js, line 61

Returns:

message

Type
: string

(async) `modifyHero(idHero, entity) → {string}`

Modify hero

Parameters:

Name	Type	Description
`idHero`	number	
`entity`	object	

Source: src/services/admin.service.js, line 40

Returns:

message

Type
: string

(async) `newHero(entity) → {string}`

New hero in db

Parameters:

Name	Type	Description
`entity`	object	

Source: src/services/admin.service.js, line 24

Returns:

message

Type
: string

Documentation generated by JSDoc 3.6.4 on Tue Jun 09 2020 08:31:47 GMT+0200 (GMT+02:00)