frontend documentation

Type to search

- 1. Components
- 2. FightComponent
- <u>Info</u>
- <u>Source</u>
- <u>Template</u>
- Styles
- DOM Tree

File

src/app/components/fight/fight.component.ts

Description

Component to contain other fight component

Implements

OnInit

Metadata

```
selector app-fight
styleUrls ./fight.component.scss
templateUrl ./fight.component.html
```

Index

Methods

• ngOnInit

Constructor

```
constructor()
```

Defined in src/app/components/fight/fight.component.ts:14

Constructor in which we inject our services and different elements

Methods

ngOnInit

ngOnInit()

Defined in src/app/components/fight/fight.component.ts:25

Start when the component inits

Returns: void

```
import { Component, OnInit } from '@angular/core';
// import $ from "jquery";
// or
// import $ = require("jquery");
/**
 * Component to contain other fight component
 */
@Component({
   selector: 'app-fight',
   templateUrl: './fight.component.html',
   styleUrls: ['./fight.component.scss']
```

```
})
export class FightComponent implements OnInit {
  \,{}^\star Constructor in which we inject our services and different elements
 constructor (
 ) { }
  * Start when the component inits
 ngOnInit() {
 }
<div class="banner">
 <div id="barra"></div>
 <div class="shadow"></div>
 <img src="./../../assets/img/fight3.svg" class="imgcabeza" />
   src="./../../assets/img/fightBannerResponsive.png"
   class="imgcabeza2"
 />
</div>
<div class="selectF">
 <a
   class="buttonStyle"
   mat-raised-button
    [routerLink]="['fightHero']"
   routerLinkActive="active"
   <span>FIGHT HERO</span>
 </a>
  <a
   class="buttonStyle"
   mat-raised-button
   [routerLink]="['fightTeam']"
   routerLinkActive="active"
    <span>FIGHT TEAM</span>
 </a>
</div>
<router-outlet></router-outlet>
./fight.component.scss
.banner {
 position: relative;
 height: 37vw;
#barra {
 position: absolute;
 height: 100%;
 width: 100%;
 background: -webkit-linear-gradient(-45deg, #cc4224, #00a23eb6);
 background-size: 400% 400%;
 animation: Gradient 10s ease infinite;
.imgcabeza {
 position: absolute;
  width: 100%;
 height: 100%;
.imgcabeza2 {
 position: absolute;
  width: 100%;
 height: 100%;
.shadow {
 z-index: 1;
 height: 100%;
 width: 100%;
 position: absolute;
 box-shadow: inset Opx 10px 45px 19px black !important;
@-webkit-keyframes Gradient {
 0% {
   background-position: 0% 50%;
```

```
50% {
   background-position: 100% 50%;
 100% {
   background-position: 0% 50%;
.selectF {
 padding-top: 1vw;
 padding-bottom: 1vw;
 display: flex;
 flex-direction: row;
 justify-content: space-around;
.buttonStyle {
 font-family: "B612";
 outline: none;
 color: rgb(223, 221, 221);
 text-decoration: none;
.buttonStyle:hover {
 color: #00a23d;
 border-bottom: 5px solid #00a23d;
.active {
 color: #cc4224;
 border-bottom: 5px solid #cc4224;
.imgcabeza {
 display: none;
@media (min-width: 992px) {
 .banner {
   height: 13.4vw;
 .imgcabeza {
   display: inline;
 .imgcabeza2 {
   display: none;
 box-shadow: inset 0px 30px 83px 19px black !important;
```

Legend

Html element Component

Html element with directive

result-matching ""

No results matching ""