frontend documentation

Type to search

- 1. Components
- 2. FightTeamComponent
- <u>Info</u>
- Source
- <u>Template</u>
- <u>Styles</u>
- DOM Tree

File

src/app/components/fight/fight-team/fight-team.component.ts

Description

Component for Fight team

Implements

OnInit

Metadata

```
selector app-fight-team
styleUrls ./fight-team.component.scss
templateUrl ./fight-team.component.html
```

Index

Properties

- Public dialog
- Public <u>sessonTeam1</u>
- Public <u>sessonTeam2</u>
- Public <u>showName</u>
- Public <u>team</u>
- Public <u>TeamHeroes</u>

Methods

- <u>clearHerosSession</u>
- getSessionTeams
- getTeamWinner
- ngOnInit
- playAudio
- selectTeamDialog

Constructor

```
constructor(_TeamService: TeamService, dialog: MatDialog)
Defined in src/app/components/fight/fight-team/fight-team.component.ts:37
```

Constructor in which we inject our services and different elements

Parameters:

Name Type Optional
_TeamService TeamService No

dialog MatDialog No

Methods

clearHerosSession

clearHerosSession()

Defined in src/app/components/fight/fight-team/fight-team.component.ts:59

clear local storage

Returns: void
getSessionTeams
getSessionTeams()

Defined in src/app/components/fight/fight-team/fight-team.component.ts:74

Get teams in session storage

Returns: void
getTeamWinner

getTeamWinner()

Defined in src/app/components/fight/fight-team/fight-team.component.ts:82

Get winner team

Returns: void
ngOnInit
ngOnInit()

 $Defined\ in\ \underline{src/app/components/fight/fight-team/fight-team.component.ts:}48$

Start when the component inits

Returns: void
playAudio
playAudio()

Defined in src/app/components/fight/fight-team/fight-team.component.ts:66

Play audio

Returns: void
selectTeamDialog

selectTeamDialog(position)

 $Defined\ in\ \underline{src/app/components/fight/fight-team/fight-team.component.ts:100}$

Open modal to choose team

Parameters:

Name Optional position No **Returns:** void

Properties

Public dialog

Type: MatDialog

Defined in src/app/components/fight/fight-team/fight-team.component.ts:42

Public sessonTeam1

Type: Team

Defined in src/app/components/fight/fight-team/fight-team.component.ts:33

variable to store the team in local storage

Public sessonTeam2

Type: Team

Defined in src/app/components/fight/fight-team/fight-team.component.ts:37

variable to store the team in local storage

Public showName

Type: boolean

Default value: true

Defined in src/app/components/fight/fight-team/fight-team.component.ts:20

variable to show heroes in team

Public team

Type: any

Defined in src/app/components/fight/fight-team/fight-team.component.ts:29

variable to store the winner team

Public TeamHeroes

```
Type: number[]
Default value: [1, 2, 3, 4, 5]
```

Defined in src/app/components/fight/fight-team/fight-team.component.ts:25

variable to store team position

```
import { Component, OnInit } from '@angular/core'
import { Team } from 'src/app/models/team'
import { TeamService } from 'src/app/services/team.service'
import { MatDialog } from '@angular/material'
import { SelectTeamDialogComponent } from '../../modals/select-team-dialog/select-team-dialog.component'
\star Component for Fight team
@Component({
 selector: 'app-fight-team',
 templateUrl: './fight-team.component.html',
 styleUrls: ['./fight-team.component.scss']
export class FightTeamComponent implements OnInit {
  ^{\star} variable to show heroes in team \,
 public showName: boolean = true;
  \ensuremath{^{\star}} variable to store team position
 public TeamHeroes: number[] = [1, 2, 3, 4, 5];
  ^{\star} variable to store the winner team
 public team: any;
   * variable to store the team in local storage
 public sessonTeam1: Team
   * variable to store the team in local storage
 public sessonTeam2: Team
  /**
```

```
* Constructor in which we inject our services and different elements
 constructor(private TeamService: TeamService, public dialog: MatDialog) { }
   * Start when the component inits
 ngOnInit() {
    this.clearHerosSession()
    this.team = [];
   this.sessonTeam1 = new Team(0, 0, '', '', '', '', '', '')
this.sessonTeam2 = new Team(0, 0, '', '', '', '', '', '')
    console.log(this.sessonTeam2)
  /**
   * clear local storage
 clearHerosSession() {
   sessionStorage.clear()
  * Play audio
 playAudio() {
   let audio = <HTMLAudioElement>document.getElementById("myAudio");
    audio.play();
   * Get teams in session storage
 getSessionTeams() {
    this.sessonTeam1 = JSON.parse(sessionStorage.getItem('Team1'))
    this.sessonTeam2 = JSON.parse(sessionStorage.getItem('Team2'))
  * Get winner team
 getTeamWinner() {
    this. TeamService
     .getteamWinner(this.sessonTeam1.idTeam, this.sessonTeam2.idTeam)
      .subscribe(
       res => {
         this.team = res
        error => {
         console.log(error)
      )
 }
   * Open modal to choose team
   * @param {number} position
  * /
  selectTeamDialog(position) {
   const dialogRef = this.dialog.open(SelectTeamDialogComponent, {
     data: {
       position: position
    })
    dialogRef.afterClosed().subscribe(result => {
     this.getSessionTeams()
<div class="color2 padCom">
 <div class="titleFi">
    <h2>FIGHT TEAM: TEAM VS TEAM</h2>
    <h5>
      You can face <span>your team against <span>other players/span> or
      face other teams against each other. Select the first team by clicking on
      <span> Select first team</span> button and searching among the many Teams
      we have below select a second team in <span>Select second team</span> and
      then <span>click</span> the fight button! We will see
      <span> WHO IS THE BEST!!!</span>.
    </h5>
    The winner of the battle is calculated based on its stats.
  </div>
  <div class="selectTeam">
    <div class="firstTEAM">
```

```
<button
       type="button"
       class="UnfollowB"
       mat-raised-button
       (click) = "selectTeamDialog(1)"
       <span>Select first Team</span>
     </button>
     <div *ngIf="!sessonTeam1 || sessonTeam1.idTeam == 0">
       <h3 class="teamName">
         NO SELECT TEAM
       </h3>
       <div id="TeamContainer2">
         <div class="card5" *ngFor="let hero of TeamHeroes; index as i">
           <img class="img" src="./../../assets/img/nomember.jpg" />
           <div class="infoHero"></div>
           <div class="semiCircle"></div>
         </div>
       </div>
     </div>
     <div *ngIf="sessonTeam1" class="sessooonTeam">
       <app-team [idUsu]="sessonTeam1.idUsu" [showName]="showName"></app-team>
     </div>
   </div>
   <div class="fightB">
     <audio id="myAudio">
       <source
         src="./../../assets/sound/276254 dynajinn fight-voiceover-fight.wav"
         type="audio/wav"
       />
       Your browser does not support the audio element.
     </audio>
     <div class="BF">
       <ima
         class="iconBuuton"
         (click) = "getTeamWinner(); playAudio()"
         src="./../../assets/img/sword.svg"
         alt=""
       FIGHT!!!!
       </div>
   </div>
   <div class="firstTEAM">
     <button
       type="button"
       class="UnfollowB"
       mat-raised-button
       (click) = "selectTeamDialog(2)"
       <span>Select second Team
     </hitton>
     <div *ngIf="!sessonTeam2 || sessonTeam2.idTeam == 0">
       <h3 class="teamName">
         NO SELECT TEAM
       </h3>
       <div id="TeamContainer2">
         <div class="card5" *ngFor="let hero of TeamHeroes; index as i">
           <img class="img" src="./../../assets/img/nomember.jpg" />
           <div class="infoHero"></div>
           <div class="semiCircle"></div>
         </div>
       </div>
     </div>
     <div *ngIf="sessonTeam2" class="sessooonTeam">
       <app-team [idUsu]="sessonTeam2.idUsu" [showName]="showName"></app-team>
     </div>
   </div>
 </div>
</div>
<div *ngIf="team.idUsu" class="color1 teamwinner">
 <div class="contwinner">
   <div class="winnerT">
     <h1 class="h1Teamwin">
       THE WINNER IS: <span>{{ team.teamName }}</span>
     </h1>
     <img class="imgIconW" src="./../../assets/img/crown.svg" />
   </div>
   <app-team [idUsu]="team.idUsu"></app-team>
   <h4>
     Bv:
     <a [routerLink]="['/publicProfile', team.idUsu]"</pre>
       ><span class="Tred">{{ team.alias }} </span></a</pre>
   </h4>
 </div>
```

```
</div>
./fight-team.component.scss
.selectTeam {
 display: flex;
 align-items: center;
  justify-content: space-between;
  flex-direction: column;
 align-items: center;
.firstTEAM {
 display: flex;
 width: 100%;
 align-items: center;
 flex-direction: column;
.team1 {
 width: 50%;
::ng-deep .sessooonTeam #TeamContainer,
#TeamContainer2,
::ng-deep .teamwinner #TeamContainer {
  display: flex;
 width: 100% !important;
 flex-wrap: nowrap !important;
 justify-content: space-around !important;
.teamName {
 color: #cc4224;
  font-family: "B612";
 font-size: 0.75rem;
.teamName span {
 color: #00a23d;
.card5 {
 font-family: "B612";
 margin: 0.5em;
 display: flex;
 flex-direction: column;
 align-items: center;
 justify-content: center;
  text-align: center;
 box-shadow: 0 0 21px 9px rgba(8, 17, 10, 0.63);
 width: 16%;
 height: 20vw;
 background-color: #272727;
 overflow: hidden;
 position: relative;
 border-radius: 2%;
.card5 .imgCircle {
 cursor: pointer;
 margin-bottom: 5em;
 border-radius: 50%;
 overflow: hidden;
.semiCircle {
 width: 138%;
 height: 73%;
 bottom: -48%;
 z-index: 0;
 position: absolute;
 background: #00a23d;
 border-radius: 201px 201px 0 0;
 display: flex;
  flex-direction: row;
 justify-content: space-around;
.infoHero {
 font-family: "B612";
 height: 40%;
 width: 81%;
 z-index: 2;
 bottom: -25%;
 color: rgb(223, 221, 221);
 position: absolute;
```

```
.card5 .img {
 height: 100%;
 width: 100%;
.picsum-img-wrapper img {
 width: 100%;
.fightB {
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
 min-height: 6em;
 padding-top: 2em;
.text {
 opacity: 0;
.BF:hover .text {
 transform: translate(35%, 10px);
 opacity: 1;
 font-family: "B612";
 color: rgb(223, 221, 221);
.iconBuuton {
 cursor: pointer;
 height: 12vw;
 background-color: #f3d403;
 border-radius: 2%;
 width: 56vw;
 border: 2.5px solid #00a23d;
.iconBuuton:hover {
 transform: scale(1.1);
  -ms-transform: scale(1.1);
 -moz-transform: scale(1.1);
 -webkit-transform: scale(1.1);
 -o-transform: scale(1.1);
 background-color: #cc4224;
// button
$bg: #272727;
$fg: #f3d403;
$border-width: 0.2rem;
$corner-size: 3rem;
$dur: 0.3s;
.UnfollowB {
 margin: 0 0.5vw 3vw 0.5vw;
 outline: none;
 font-family: "B612";
 letter-spacing: 0.02rem;
 cursor: pointer;
 background: transparent;
 border: $border-width solid currentColor;
 padding: 0.1rem 0.5rem;
  font-size: 1rem;
 color: $fg;
 position: relative;
 transition: color $dur;
  &:hover {
   color: #cc4224;
    &::before {
     width: 0;
    &::after {
     height: 0;
    }
  &:active {
   border-width: $border-width / 2;
 span {
   position: relative;
    z-index: 2;
 &::before,
 &::after {
   content: "";
```

```
position: absolute;
   background: $bg;
    z-index: 1;
   transition: all $dur;
  &::before {
   width: calc(100% - #{$corner-size});
    height: calc(101\% + \#{\{\$border-width * 2\}\}};
   top: -$border-width;
   left: 50%;
    transform: translateX(-50%);
 &::after {
   height: calc(100% - #{$corner-size});
   width: calc(101% + #{$border-width * 2});
    left: -$border-width;
    top: 50%;
   transform: translateY(-50%);
}
.hlTeamwin {
 color: #f3d403;
 font-family: "Bangers", cursive;
 -webkit-text-stroke: 2px #cc4224;
 padding: 0.5em;
 font-size: 2.5rem !important;
.hlTeamwin span {
 color: #00a23d;
::ng-deep .sessooonTeam .card3 {
 width: 16%;
 height: 20vw !important;
 margin: 1.7vw !important;
::ng-deep .sessooonTeam .card3 h4 {
 font-size: 1.4vw !important;
::ng-deep .teamwinner .tWiner {
 height: 20vw !important;
 margin: 1.7vw !important;
::ng-deep .teamwinner .tWiner h4 {
 font-size: 1.4vw !important;
.titleFi h2 {
 text-align: center;
 padding-bottom: 1vw;
 color: #cc4224;
 font-family: "Bangers", cursive;
 text-decoration: underline;
  -webkit-text-decoration-color: #00a23d; /* Safari */
 text-decoration-color: #00a23d;
.titleFi h5 {
 color: rgb(223, 221, 221);
.titleFi h5 span {
 color: #00a23d;
 font-family: "B612";
.titleFi p {
 color: #cc4224;
 font-family: "B612";
 padding-bottom: 2vw;
.teamwinner {
 background-color: #272727;
 color: white;
 display: flex;
 align-items: center;
 justify-content: center;
 padding-bottom: 6em;
.teamwinner .contwinner {
 width: 100%;
 display: flex;
 align-items: center;
 justify-content: center;
 flex-direction: column;
 text-align: center;
```

```
background-color: #1a1a1a;
 border: 2.5px solid #00a23d;
 padding-bottom: 2em;
 box-shadow: 0 0 21px 9px rgba(8, 17, 10, 0.63);
.winnerT {
 position: relative;
.imgIconW {
 position: absolute;
 z-index: 3;
 right: 0em;
 top: 0em;
 transform: rotate(20deg);
 width: 43px;
 height: 45px;
.imgIconW:hover {
 transform: scale(1.1);
 -ms-transform: scale(1.1);
 -moz-transform: scale(1.1);
 -webkit-transform: scale(1.1);
 -o-transform: scale(1.1);
::ng-deep .contwinner .card3 .img {
 border: 8px dotted #00a23d !important;
 border-radius: 2%;
.Tred {
 color: #cc4224;
 font-family: "B612";
 text-decoration: none;
@media (min-width: 992px) {
 .BF:hover .text {
   transform: translate(35%, 20px);
  .iconBuuton {
   height: 8vw;
   width: 10vw;
  .card5 {
   height: 8vw;
  .firstTEAM {
   width: 40%;
  .selectTeam {
    flex-direction: row;
 #TeamContainer2 {
   flex-direction: row;
  .card5 h4 {
   font-size: 1.2vw;
  .img-fluid {
   width: 100%;
 ::ng-deep .sessooonTeam .card3 {
   width: 16%;
   height: 8vw !important;
   margin: 0 !important;
 ::ng-deep .sessooonTeam .card3 h4 {
   font-size: 0.5vw !important;
 ::ng-deep .teamwinner .tWiner {
   height: 18vw !important;
  ::ng-deep .teamwinner .tWiner h4 {
   font-size: 1.2vw !important;
  .hlTeamwin {
   font-size: 3.5rem !important;
```

```
.fightB {
    min-height: 20em;
}
.teamName {
    font-size: 1.75rem;
}
.teamwinner {
    padding: 2em;
}
.imgIconW {
    right: -3em;
}
}
@media (min-width: 768px) and (max-width: 991px) {
    .teamName {
     font-size: 1.75rem;
}
.titleFi h5 {
    font-size: 1.7rem;
}
```

Legend

Html element Component Html element with directive

result-matching ""

No results matching ""