# Class: UserController

# UserController(UserService)

Class with User controllers functions

# Constructor

new UserController(UserService)

#### Parameters:

Name	Туре	Description
UserService	class	insert our user service in our class

Source: src/controllers/user.controller.js, line 11

# **Methods**

(async) checkFollow(req, res) →
{object|null}

check users relationship

#### Parameters:

Na	me	Туре	Description
re	q	Object	Express request object
re	S	Object	Express response object

Source: src/controllers/user.controller.js, line 113

#### **Returns:**

user or null

Type

object | null

# Home

# Classes

AdminController

AdminService

ApiHeroController

ApiHeroService

AuthController

AuthService

BaseService

**DBConexion** 

Hero

HeroController

HeroService

Server

Team

TeamController

TeamService

User

UserController

UserHero

UserHeroController

UserHeroService

UserService

# Global

\_config

conexion

config

container

cors

DB

express

generateToken

isAdmin

swaggerUi

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 61

# Returns:

message

Type

string

follow a user

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 75

# **Returns:**

message

Type

string

Get a user by id

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 21

### **Returns:**

user

Type

object

followers users

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 138

# **Returns:**

users followers

Type

Array

(async) getFollowUsers(req, res) →
{Array|null}

followed users

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 126

# **Returns:**

user or null

Type

Array | null

```
(async) getUserByName(req, res) →
{Array|null}
```

search user by name

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 101

# Returns:

user or null

Type

Array | null

(async) newImg(req, res) → {string}

update img

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source: src/controllers/user.controller.js, line 150

# Returns:

message

Type

string

(async) unFollowUser(req, res) → {string}

Unfollow a user

# Parameters:

Name	Туре	Description
req	Object	Express request object

Name	Туре	Description
res	Object	Express response object

Source:

src/controllers/user.controller.js, line 88

### Returns:

message

Type

string

(async) update(req, res) 
$$\rightarrow$$
 {string}

update a user

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source:

src/controllers/user.controller.js, line 35

# **Returns:**

message

Type

string

update a user pass

# Parameters:

Name	Туре	Description
req	Object	Express request object
res	Object	Express response object

Source:

src/controllers/user.controller.js, line 48

# Returns:

message



Documentation generated by JSDoc 3.6.4 on Tue Jun 09 2020 08:31:48 GMT+0200 (GMT+02:00)