



SCANIA IDENTITY MANUAL



Introduction

Introduction	4
General information	4
Trademark history	5
Overview — Primary assets	6
Overview — Secondary assets	7
Ten brand identity principles	8
Tone of voice	9

Brand assets

1A. Scania wordmark	
Introduction	12
Primary	13
Clear space	14
Size	15
Versions	16
1B. Scania symbol	
Introduction	18
Primary, full-colour	19
Secondary, monochrome	20
Clear space	21
Sizes	22
Versions	23
1C. Vertical lock-up logotype	
Introduction	25
Full-colour and monochrome	26
Clear space	27
Sizes	28
Versions	29
1D. Horizontal lock-up logotype	
Introduction	31
Full-colour and monochrome	32
Clear space	33
Sizes	34
Versions	35
Placement	36
Don'ts	37
Branding vs. communication	38
Branding vs. communication – Examples	39
2. Scania typography	
Introduction	41
Versions	42
Scania Sans Headline	43
Scania Sans	44
Scania Sans Condensed	45
Settings	46
Headlines	49
Headlines – Best-in-practice	50
Examples	53
Glyph overview	55
Replacement fonts	56
Don'ts	57
3. Scania colours	
Introduction	59
Brand colours and primary supporting colours	60
Secondary colours	61
Contrast	62
Do's and don'ts	63
4. Scania grid	
Introduction	65
Landscape grid	66
Landscape grid – Examples	69
Portrait grid	71
Portrait grid – Examples	74
Portrait grid – Left and right page ads	76
Brochure grid	77
Brochure grid – Examples	79
Odd formats	81
Roll ups/Posters	83
Digital signage	84
How to scale	86
A5 + A6 Grid	87
PowerPoint	88
Internal communication	89
Don'ts	90
5. Image style	
Introduction	92
Holistic view/Detailed view	93
Categories	94
6. Icons	
Introduction	96
Overview	97
7. Materials	
Introduction	99
Specifications	100
8. Cropped griffin	
Introduction	102
Application	103
Replacements	104
9. Epilogue	
End note	106
Additional information	107

Separate appendices

- Partner companies
- Imagery
- Film
- Illustrations and infographics
- Stationery
- Signage
- Service vehicles
- Mobile applications



SCANIA IDENTITY MANUAL

INTRODUCTION



The Scania brand identity has been designed to unite and modernise the brand expression and to support the desired brand image.

Unify

With a few very strong brand assets we can ensure global consistency and a coherent brand expression across all channels.

Simplify

With easy-to-use brand assets and a clear manual everyone can come together to create a uniform brand appearance.

Amplify

All the brand assets have been polished and improved to reach their full potential in order to effectively and successfully communicate the Scania brand.

Clarify

The aim is to bring clarity to the use of all brand assets and to create a solid framework for precise communication.

Dignify

The brand identity has been developed with precision to enable us to communicate the pride, trust and dedication that run through all that we do.

One Scania

Treat the brand assets with respect and follow the instructions with great care. The result will be "One Scania" in every interaction with the brand.

General information

Single brand strategy

Scania pursues a single brand strategy. The Scania brand is always the same, regardless of geographical market or product segment. The visual identity reflects the brand strategy, consistently promoting the single brand, Scania, and conveying the brand values pride, trust and dedication. This is achieved by following the rules defined in this manual and the direction described in the Brand Platform. The importance of proper and consistent use of our corporate trademark – the wordmark, symbol and logotype – cannot be overstated.

Permission to use the symbol and logotype

The Scania wordmark, symbol and logotype may only be used by Scania CV AB, subsidiaries of Scania CV AB, and companies that are authorised to market the Scania products and services or otherwise licensed to use the Scania symbol and logotype. There are numerous other parties who may want to use the Scania trademark in various ways: Manufacturers of parts and accessories, bodywork suppliers, workshops and dealers outside the Scania network, etc. To prevent misuse, these other parties are required to obtain special

permission for several areas of use. Questions and applications for permission should be submitted to Scania CV AB through Scania Identity Helpdesk. Any questions regarding licensing and marking vehicle-related products, parts, accessories, software and fluids should be directed to Scania CV AB, Parts and Service: products.parts@scania.com.

Identity manual reference standard

In the case of ambiguities and uncertainties resulting from language translations, the English version of the Scania identity manual should be used as the ultimate reference and guide for all matters regarding the Scania brand identity.

Trademark protection

The Scania name, wordmark, symbol and logotype are registered trademarks of Scania CV AB and are protected by international copyright law.

Questions

Questions regarding this manual and the Scania brand identity are submitted to Scania CV AB through Scania Identity Helpdesk: identity@scania.com.

Trademark history



1901–1911



1911–1954



1954–1969



1969–1984

SCANIA



1984–1995



1995–2016



SCANIA

2016–

The Scania symbol originates from the coat of arms for the Swedish city of Malmö, the birthplace of Scania. The eye-catching griffin at the centre of the symbol is a mythological creature, half bird and half lion dating back to 1437, when it was adopted from King Erik of Pommern.

In 1658 the province of Skåne (Scania in latin) was given the griffin as its coat of arms. Maskinfabriksaktiebolaget Scania registered a logotype in 1901, consisting of the griffin at the centre of a stylised bicycle hub. The hub originates from the chain hub used on bicycles manufactured by Scania around the year 1900.

The hub and the griffin has been preserved over the years, except during the Saab-Scania era (1969-1995) when the pedal crank was replaced by spherical rings surrounding the head of a griffin, designed by Swedish artist Carl Fredrik Reuterswärd in 1983.

From 1969 to 1984, after a trademark dispute, the company used only a wordmark with the name Scania as its trademark.

In 1995, the trademark with the pedal crank and the griffin was brought back in a modernised form.

In 2016 the logotype was updated for the first time in 20 years, contemporised with a three dimensional finish of the symbol and a more distinct wordmark.



Primary assets

The brand asset toolbox is divided into primary and secondary assets. The primary assets are Scania's strongest branding tools and can be used across all channels at all times. The secondary assets exist to support the primary assets and to enable a more dynamic brand expression.

1. Unique and distinct, the Scania wordmark expresses pride, trust and dedication. It can be set in a positive or negative colour depending on the background.
2. The Scania symbol conveys quality and robustness. A secondary monochrome symbol version is also available.
3. The lock-up logotypes consist of the Scania wordmark and symbol, with a pre-set proportion. Two lock-up logotype versions are available: vertical (primary) and horizontal. These are used for impactful branding where they will clearly and visibly stand out. They can be set with a positive or negative colour depending on the background.
4. The Scania font family "Scania Sans" has been developed to create a coherent brand expression in all communication. The typeface is custom-made, and the design is inspired by the Scania wordmark.
5. The four Scania brand colours are derived directly from the Scania symbol and wordmark, and effectively establish, represent and communicate the brand. These are, in turn, supported by grey tones as well as black.
6. The twelve-column grid system is the organising principle for how the Scania brand is visually composed, and how to display information, graphics, text and imagery.
7. The image style of Scania is grounded in reality and never fake or overly retouched. It aims to capture both a holistic view for perspective and scope, and a detailed view for our understanding of every detail.

1 Wordmark — p. 13

SCANIA
SCANIA

2 Symbol, 3D — p. 19



3 Vertical & horizontal lock-up logotypes, 3D — p. 26 + 32



4 Typography — p. 42

SCANIA SANS HEADLINE BOLD
SCANIA SANS HEADLINE REGULAR

Scania Sans Bold

Scania Sans Regular

Scania Sans Italic

Scania Sans Condensed Bold


Scania Sans Condensed Regular

Scania Sans Condensed Italic

5 Primary colours — p. 59



6 Grid system — p. 66



7 Image style — p. 90





Secondary assets

1. A secondary monochrome symbol version is used when technical requirements limit the use of the primary full-colour version. The secondary monochrome version may be reproduced in blue, white, silver and black. It can also be debossed or embossed.
2. A secondary monochrome lock-up logotype version is used when technical requirements limit the use of the primary full-colour version. The lock-up logotypes consist of the Scania wordmark and symbol in pre-set proportions. Two lock-up logotype versions are available; vertical and horizontal. The secondary monochrome version may be reproduced in blue, white, silver and black. It can also be debossed or embossed.
3. An icon system enables clear and instantaneous communication for information graphics and sales support. The line drawings are designed with the Scania font and product DNA.

4. The Scania secondary supporting colours are used to vary and highlight content. The secondary colour palette is limited to a few useful colours in order to unify the brand experience.
5. The use of the "cropped" Griffin is restricted to vehicles and engine applications only. For consistency and effective branding, all other applications are to be executed primarily with the Scania symbol full-colour versions, or secondary monochrome versions.
6. The material palette is derived from Scania's industrial sector, heritage and the industries Scania serves.

1 Symbol, monochrome — p. 20



2 Vertical & horizontal lock-up logotypes, monochrome — p. 26 + 32




3 Icons — p. 94



4 Secondary colours — p. 61



5 Materials — p. 97





1. Branding vs. communication

In all branding activities the lock-up logotype is used. In communications with additional text, the symbol and wordmark are separated to frame the message. See p. 38.



6. One typeface: Scania Sans

The Scania Sans font family is used in all marketing communication. See p. 42.

- Scania Sans Bold
Scania Sans Regular
Scania Sans Italic
Scania Sans Condensed Bold
Scania Sans Condensed Regular
Scania Sans Condensed Italic


7. Monochrome text
- Never use more than one colour in text. See p. 57.

8. Text is always left-aligned

For all Scania communications, always align text to the left. See p. 41.

9. The art of balancing colour

Primarily use the blue and the grey tones for backgrounds and dominant elements. The supporting colours and Scania Red are used modestly to inject energy and highlight particular elements. See p. 62.





Tone of voice

It's not just what you do that counts. The way that you do it leaves a lasting impression. It's true for a lot of things in life, and communication is no exception. Language is not just what we say, but how we say it. Therefore, maintaining a consistent tone of voice is very important to our brand.

The Scania tone of voice is:

Honest

The way we express ourselves is forthright and open, never vague or unclear. Honesty builds trust and a sense of safety, which paves the way for constructive dialogue and great relations.

Sincere

Being frank and no-nonsense makes the Scania brand come across as approachable and down to earth. Sincerity is key to building lasting partnerships, which is one of the most important cornerstones of our business.

Respectful

Respect is a fundamental aspect of our tone of voice, since it reflects our heartfelt appreciation for all our customers, employees and partners. Respect for the integrity of the natural environment is also evidenced in our commitment to sustainable business practices.

Confident

We are leaders in the market. Without ever being arrogant, we know our worth and our strengths. This is reflected in how we speak and write – with self-assurance, pride and determination.





SCANIA IDENTITY MANUAL

BRAND ASSETS



BRAND ASSETS

1A. SCANIA WORDMARK

Scania wordmark



The Scania wordmark. Unique and distinct. Drawn to express pride, trust and dedication.

—

Please note!

First impressions last. The symbol and the wordmark must always be presented together, either as a lock-up logotype or separated according to the Scania grid system, when first establishing Scania as the communication source, on e.g. brochure covers, ads, magazines, exterior signage, etc.

Once Scania has been established as the source, the symbol and the wordmark can be used individually.

SCANIA



Primary version

The wordmark – Scania – is the most direct and effective asset in communicating the brand. It is an important graphic identifier of the brand identity. It must always be treated with care and respect to maintain its value.

The wordmark must always be reproduced in its entirety. Do not use the wordmark in body text – write Scania in the same typeface as the body text, but not in upper case.

Colour

The wordmark is available in Scania Blue, Scania White or Scania Black and should contrast with the background. It can also be executed in silver foil, debossed or embossed.

—
See page 16 for all available versions of the Scania wordmark.

SCANIA



Scania wordmark



Clear space

To ensure its visibility and impact, the Scania wordmark is always surrounded by a minimum clear space. This area should be free of other graphic elements or text.

The minimum clear space of the wordmark is a square with the same size as the width of the 'I' in the Scania wordmark.

—
All artwork files include minimum clear space.



X = The width of "I" in Scania.

Scania wordmark



Size

SCANIA

The Scania wordmark is clear and bold – a wordmark that is visible in almost all sizes. This gives us a range of options when it comes to size and printing technique. Always double-check the actual size and techniques with the printer before production.

SCANIA

Scania wordmark



Versions

The wordmark is available in the following versions:

SCANIA

scania_wordmark_blue_cmyk.ai
— For full-colour print, on *coated* paper

SCANIA

scania_wordmark_blue_np.ai
— For newspaper print

SCANIA

scania_wordmark_blue_rgb.ai
— For all digital platforms

scania_wordmark_blue_rgb.png
— For all digital platforms

SCANIA

scania_wordmark_black.ai
— For b/w print

SCANIA

scania_wordmark_blue_cmyk_u.ai
— For full-colour print, on *uncoated* paper

SCANIA

scania_wordmark_blue_pms.ai + scania_wordmark_blue_pms_u.ai
— For monochrome print only, with or without monochrome symbol

SCANIA

scania_wordmark_white_rgb.ai
— For all digital platforms

scania_wordmark_white_rgb.png
— For all digital platforms

SCANIA

scania_wordmark_white.ai
— For all printed matters



BRAND ASSETS

1B. SCANIA SYMBOL



Scania symbol

The Scania symbol conveys quality and robustness, emphasising these aspects of the products. A secondary monochrome symbol version is also available.

—
Please note!

First impressions last. The symbol and the wordmark must always be presented together, either as a lock-up logotype or separated according to the Scania grid system when first establishing Scania as the source of communication, on e.g. brochure covers, ads, magazines, exterior signage, etc.

Once Scania has been established as the source, the symbol and the wordmark can be used individually.





Scania symbol

Primary version, full-colour

The full-colour version of the Scania symbol should be used across all channels. It can be applied on to both light and dark backgrounds, as long as enough contrast is preserved. The full-colour symbol is available in CMYK for printed materials and RGB for digital use.

The symbol must always be reproduced in its entirety and may not be divided. It may not be directly combined with other logotypes, symbols or text. Do not use the Scania symbol in body text.

Sizes

The symbol in full-colour is available in three sizes; S, M and L. See page 22 for the size guide.

—
See page 23 for all available versions of the Scania symbol.





Scania symbol

Secondary, monochrome

The monochrome symbol should only be used when full-colour print is not possible, if materials don't allow good quality of reproduction, or if the quality of the colours is questionable.

One colour

The monochrome symbol is available in Scania Blue or Scania White and Scania Black (PMS, CMYK and RGB). It should contrast well with the background and it can be executed in silver foil, debossed or embossed. It must always be set in the same colour as the wordmark.

—
See page 23 for all available versions of the Scania symbol.






Scania symbol

Clear space

To ensure its visibility and impact, the Scania symbol is always surrounded by a minimum clear space. This area should be free of other graphic elements or text.

The minimum clear space of the symbol is a square with the same size as 1/4 of the width of the symbol.

—
All artwork files include minimum clear space.





Scania symbol

Sizes, full-colour

The Scania symbol is available in three different sizes, optimized so that it can be identically reproduced in different sizes. Always double-check the actual size and techniques with the printing house before production to ensure the correct reproduction of the symbol.

The large size can be applied to signage, walls, event materials, etc.

The medium size is the most commonly used size, for communication materials such as ads, brochures, merchandise, presentations and documents.

The small size is for web applications and very small merchandise items like pens, tie holders, etc.

Monochrome

The monochrome symbol comes in one version for all sizes. It has small detailing so make sure these are distinguishable before printing in any given media.

For formats larger than 1600 mm (XL), please contact:
identity@scania.com



Large
26 mm–1600 mm

The size (S, M, L) equals the width of the symbol.



Medium
12 mm–25 mm



Small
5 mm–11 mm



Monochrome
One size only

Scania symbol



Versions

The symbol is available in the following versions:



scania_symbol_cmyk.pdf (S, M, L)
scania_symbol_cmyk_u.pdf (S, M, L)
— For full-colour print



scania_symbol_cmyk_np.pdf (S, M)
— For newspaper print



scania_symbol_rgb.png (S, M, L)
— For all digital platforms



scania_symbol_mono_pms.ai
scania_symbol_mono_pms_u.ai
— For monochrome print only, with or without monochrome wordmark



scania_symbol_mono_white.ai
— For monochrome print only, with or without monochrome wordmark



scania_symbol_mono_black.ai
— For b/w print

—
All files can be downloaded via
Scania Media Provider
<https://media.scania.com>
or ordered from Scania CV AB
via identity@scania.com



BRAND ASSETS

1C. VERTICAL LOCK-UP LOGOTYPE



Vertical lock-up logotype

The lock-up logotypes consist of the symbol and wordmark locked together as a fixed asset.

Two lock-up logotypes are available for impactful branding – where they will clearly and visibly stand out.

The vertical Scania lock-up logotype is primary and should be used in all instances, except when odd formats require the horizontal lock-up logotype version.

The Scania lock-up logotypes are used for branded surfaces only and should never be used together with copy-based messages.

—

Please note!

First impressions last. The symbol and the wordmark must always be presented together, either as a lock-up logotype or separated according to the Scania grid system, when first establishing Scania as the source of the communication, on e.g. brochure covers, ads, magazines, exterior signage etc.

Once Scania has been established as the source, the symbol and the wordmark can be used individually.



SCANIA



Vertical lock-up logotype

Full-colour and monochrome

The Scania vertical lock-up logotype is used primarily for branding items such as signage, vehicle striping, merchandise, etc. This is a fixed artwork. Never attempt to create your own version.

Colour

The vertical lock-up logotype should primarily be used in full-colour, as CMYK or RGB. It is available with the wordmark in Scania Blue or Scania White and should contrast with the background. The monochrome symbol should only be used when full-colour print is not possible, if materials don't allow good quality of reproduction, or if the quality of the colours is questionable.

Sizes

The full-colour vertical lock-up logotype is available in three sizes: S, M, and L. See page 28 for the size guide.

—
See page 29 for all available versions of the vertical lock-up logotype.



SCANIA

1. Primary (full-colour)



2. Secondary (monochrome)





Vertical lock-up logotype

Clear space

To ensure its visibility and impact, the Scania lock-up logotype is always surrounded by a minimum clear space. This area should be free of other graphic elements or text.

The minimum clear space of the logotype is a square with the same size as the width of the "I" in Scania.

—
All artwork files include minimum clear space.



Vertical lock-up logotype



Sizes, full-colour

The Scania symbol has smaller details and is therefore available in three different sizes and optimized so that it can be reproduced in different sizes. Always double-check the actual size and techniques with the printing house before production. The size measurements are equal to the width of the logotype. The large size can be applied to signage, walls, event materials, etc. The medium size is the most commonly used size, for communications materials such as ads, brochures, merchandise, presentations and documents. The small size is for web applications and very small merchandise items such as pens, tie pins, etc.

Monochrome

The monochrome lock-up logotype comes in one version for all sizes. It has small detailing so make sure these are distinguishable before printing in any given media.

—
For formats larger than
5000 mm (XL), please contact:
identity@scania.com



Large
79mm–5000 mm

The size (S, M, L) equals the width of the logotype.



SCANIA

Medium
36mm–78 mm



SCANIA

Small
15mm–35 mm



SCANIA

Monochrome
One size

Vertical lock-up logotype



Versions



SCANIA

scania_lock-up_v_pos_cmyk.pdf (S, M, L)
scania_lock-up_v_pos_cmyk_u.pdf (S, M, L)
— For full-colour print



SCANIA

scania_lock-up_v_neg_cmyk.pdf (S, M, L)
— For full-colour print



SCANIA

scania_lock-up_v_mono_blue_pms.ai
scania_lock-up_v_mono_blue_pms_u.ai
— For monochrome print only



SCANIA

scania_lock-up_v_pos_cmyk_np.pdf (S, M)
— For newspaper print



SCANIA

scania_lock-up_v_neg_cmyk_np.pdf (S, M)
— For newspaper print



SCANIA

scania_lock-up_v_mono_white.ai
— For monochrome print only



SCANIA

scania_lock-up_v_pos_rgb.png (S, M, L)
— For all digital platforms



SCANIA

scania_lock-up_v_neg_rgb.png (S, M, L)
— For all digital platforms



SCANIA

scania_lock-up_v_mono_black.ai
— For b/w print

All files can be downloaded via
Scania Media Provider
<https://media.scania.com>
or ordered from Scania CV AB
via identity@scania.com



PRIMARY ASSETS

1D. HORIZONTAL LOCK-UP LOGOTYPE



Horizontal lock-up logotype

The lock-up logotypes consist of the symbol and wordmark locked together as a fixed asset.

Two lock-up logotypes are available for impactful branding – where they will clearly and visibly stand out.

The Scania lock-up logotypes are used for branded surfaces only and should never be used in communication together with copy-based messages.

The horizontal lock-up logotype should only be applied to formats where the vertical lock-up logotype is too small, as in the case of long or narrow formats like extended horizontal signage, a pen or a tie pin.

—
Please note!

First impressions last. The symbol and the wordmark must always be presented together, either as a lock-up logotype or separated according to the Scania grid system, when first establishing Scania as the source of the communication, on e.g. brochure covers, ads, magazines, exterior signage etc.

Once Scania has been established as the source, the symbol and the wordmark can be used individually.



SCANIA



Horizontal lock-up logotype

Full-colour and monochrome

The horizontal lock-up logotype should only be applied to formats where the vertical lock-up logotype is too small, as in the case of long or narrow formats like extended horizontal signage, a pen or a tie pin.

Colour

The horizontal lock-up logotype should primarily be used in full-colour, as CMYK or RGB. It is available with the wordmark in Scania Blue or Scania White and should contrast with the background. The monochrome symbol should only be used when full-colour print is not possible, if materials don't allow good quality of reproduction, or if the quality of the colours is questionable.

Sizes

The full-colour horizontal lock-up logotype is available in three sizes: S, M, and L. See page 34 for the size guide.

—
See page 35 for all available versions of the horizontal lock-up logotype.



SCANIA

1. Primary (full-colour)



2. Secondary (monochrome)



Horizontal lock-up logotype



Clear space

To ensure its visibility and impact, the Scania lock-up logotype is always surrounded by a minimum clear space. This area should be free of other graphic elements or text.

The minimum clear space of the logotype is a square with the same size as the width of the "I" in the Scania wordmark.

—
All artwork files include minimum clear space.



X = The width of "I" in Scania.

Horizontal lock-up logotype



Sizes, full-colour

The Scania symbol has smaller details and is therefore available in three different sizes and optimized so that it can be reproduced in different sizes. Always double-check the actual size and techniques with the printing house before production. The size measurements are equal to the width of the logotype. The large size can be applied to signage, walls, event materials, etc. The medium size is the most commonly used size, for communications materials such as ads, brochures, merchandise, presentations and documents. The small size is for web applications and very small merchandise items like pens, tie holders, etc.

Monochrome

The monochrome symbol comes in one version for all sizes. It has small detailing so make sure these are distinguishable before printing in any given media.

—
For formats larger than
6500 mm (XL), please contact:
identity@scania.com



Large
102 mm–6500 mm



SCANIA

The size (S, M, L) equals the width of the logotype.



Medium
49 mm–102 mm



SCANIA



SCANIA

Small
20 mm–48 mm



SCANIA

Monochrome
One size only

Horizontal lock-up logotype



Versions

The horizontal lock-up logotype is available in the following versions:



scania_lock-up_h_pos_cmyk.pdf (S, M, L)
scania_lock-up_h_pos_cmyk_u.pdf (S, M, L)
— For full-colour print



scania_lock-up_h_pos_cmyk_np.pdf (S, M)
— For newspaper print



scania_lock-up_h_pos_rgb.png (S, M, L)
— For all digital platforms



scania_lock-up_h_neg_cmyk.pdf (S, M, L, XL)
— For full-colour print



scania_lock-up_h_neg_cmyk_np.pdf (S, M)
— For newspaper print



scania_lock-up_h_neg_rgb.png (S, M, L, XL)
— For all digital platforms



scania_lock-up_h_mono_pms.ai
scania_lock-up_h_mono_pms_u.ai
— For monochrome print only



scania_lock-up_h_mono_white.ai
— For monochrome print only



scania_lock-up_h_mono_black.ai
— For b/w print


All files can be downloaded via
Scania Media Provider
<https://media.scania.com>
or ordered from Scania CV AB
via identity@scania.com

Lock-up logotype



Placement

Some examples of branded surfaces.



Scania logotype



Don'ts



Make sure there's enough contrast between wordmark and background.



Don't add outlines to the wordmark or symbol.



Don't tilt, skew or add effects to the wordmark or symbol.



Don't overuse any part of the logotype nor use it as decoration.



Don't use different printing techniques for the wordmark and symbol, on any logotype.



Don't re-colour any wordmark, symbol or logotype.



Don't use two colours for any monochrome logotype.



Don't use the full-colour symbol for black and white print.



Don't alter the perspective or direction of the symbol or wordmark.



Don't crop the symbol or the wordmark.



Don't rotate any of the Scania logotypes.




Don't use the griffin without the hub or the hub without the griffin.



Don't alter the dimensions, spacing or placements on any element on any logotype.



Don't use gold colour or gold foil on the symbol or wordmark.



Cus cum re sam, volerunt
vollo est iosa dem nim ut as
doloreste **SCANIA** ped que
nonsedit, vela simici vit
evel is exfore pa vent il et mi,
nonsegam andigeme nus,
omni eos reruptatus dolore.

Don't use the wordmark in running text.



Branding vs. communication – Use of logotype

The use of logotype varies depending if you engage in branding or communication.

Branding – Use lock-up logotype

In branding activities the lock-up logotype is always used. Examples include signage, merchandise and display materials. Here the vertical lock-up is primary; the horizontal lock-up is secondary (used only on odd formats such as pens or signage where the primary lock-up cannot fit).



SCANIA

Vertical lock-up logotype



SCANIA

Horizontal lock-up logotype

Communication – Use separate wordmark and symbol

In any other type of communication, where an additional message is attached, Scania separates the symbol and the wordmark and use them to frame the message. This creates a contemporary look and increases the flexibility of the brand identity.

There are four ways to separate the wordmark and the symbol:

1. Vertical right
2. Horizontal
3. Front and back
4. Vertical centered

1

2

SCANIA



3



4

SCANIA



Branding vs. communication – Examples

Folders

A branded folder/brochure.
The lock-up logotype is used as
there is no copy-based message
present.



A folder with copy-based
communication. The wordmark and
symbol are separated – framing the
message.



Outside/inside

Once Scania has been established as the source of the communication, the symbol and the wordmark can be used individually, as in this PowerPoint-template.



Text + Large photo 1 – LONG

To demonstrate idata volentibus experim...
quas fugit. D
qui de except
hit pte
and v...
Nam e
dolore
qua
nam
con
et a do
nime it
ut v
varum
autel v
1. The
Your details

Bar charts

Text Scania Sans 24 pt

- Text Scania Sans
- Text Scania Sans
 - Text Scania Sans 20 pt
 - Text Scania Sans

MSDK

Category	Series 1	Series 2	Series 3	Series 4
Category 1	3.5	4.2	3.8	3.0
Category 2	3.8	3.5	4.0	3.9
Category 3	4.0	4.5	4.8	4.2

43

Roll-ups

A branded roll-up; use the lock-up logotype.
A roll-up with copy-based communication; the wordmark
and symbol are separated – framing the message.





BRAND ASSETS

2. SCANIA SANS TYPOGRAPHY



A custom-made and unique Scania font family, "Scania Sans", has been developed for a stronger and unified brand expression. The typeface design is based on the Scania wordmark and the letters are specifically engineered and drawn to answer all needs.

—
Please note that text should always be left-aligned.

ABC123
ABC123



Versions

The Scania Sans typeface family has three fonts:

Scania Sans Headline
Scania Sans
Scania Sans Condensed

The font family comes in eight different cuts and weights, and all fonts are available for use across all media.

Depending on usage, there are three different versions of the font files available:

Scania Sans – Desktop
(Open Type Font/OTF)
For Adobe Suites e.g. InDesign

Scania Sans – Web
(TTF, Woff, Woff2, EOT)
For web applications

Scania Office Fonts
(TrueType Fonts/TTF)
For MS Office

All files can be downloaded via
Scania Media Provider
<https://media.scania.com>
or ordered from Scania CV AB,
via identity@scania.com

Scania Sans Headline

SCANIA SANS HEADLINE BOLD SCANIA SANS HEADLINE REGULAR

Scania Sans

Scania Sans Bold Scania Sans Regular Scania Sans *Italic*

Scania Sans Condensed

Scania Sans Condensed Bold Scania Sans Condensed Regular Scania Sans *Condensed Italic*



Scania Sans Headline

Scania Sans Headline is closely linked and associated with the Scania wordmark. It comes in two weights: Bold and Regular. Both weights are developed in upper case for use when the headlines are written in all caps. The two weights should be used to convey different tonalities depending on the text. They also create contrast between headlines and sub-headlines and should support each other when both fonts are needed.

Scania Sans Headline Bold

When using the Scania Sans Headline Bold in large sizes, the headline must be short and should not surpass three rows/lines. If necessary, use a sub-headline to complete and clarify the message.

Scania Sans Headline Regular

This alternative gives the headlines a softer tonality, and may also be used for longer headlines and sub-headlines. If necessary, use a sub-headline to complete and clarify the message.

—

For examples, see page 46–57.

Scania Sans Headline Bold

**A B C D E F G H I J K L M N O P Q R S T
U V W X Y Z Å Ä Ö — 1 2 3 4 5 6 7 8 9 0**

Scania Sans Headline

**A B C D E F G H I J K L M N O P Q R S T
U V W X Y Z Å Ä Ö — 1 2 3 4 5 6 7 8 9 0**



Scania Sans

Scania Sans is primarily for body copy, intro texts, quotations and graphs but may also be used for secondary headlines. It comes in three weights: Bold, Regular and Italic. All of these weights have been developed in both upper and lower case. When using Scania Sans the text should always be written in upper and lower case. The italic weight is only for use in highlighting specific words.

Scania Sans Bold

Use this weight for sub and secondary headlines or as an alternative when better legibility is needed on various backgrounds (i.e., for quotations, intro texts, etc.).

Scania Sans Regular

Use Scania Sans Regular for body copy, intro text, graphs and quotations.

Scania Sans Italic

This weight can be used to highlight specific words in the body copy when necessary.

—
For examples, see page 46–57.

Scania Sans Bold

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+–×÷=%

Scania Sans Regular

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+–×÷=%

Scania Sans Italic

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+–×÷=%



Scania Sans Condensed

Scania Sans Condensed is an efficient font and is excellent to use to maximize space and in small sizes (e.g., in manuals, reports and graphs).

Scania Sans Condensed Bold

The Bold weight is for headlines and sub-headlines but can be used to improve legibility on certain backgrounds.

Scania Sans Condensed Regular

The Regular weight is used for body copy and may be used in graphs.

Scania Sans Condensed Italic

The Italic weight is used mainly for highlighting specific words in body copy.

—
For examples, see page 47.

Scania Sans Condensed Bold

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+-×÷=%

Scania Sans Condensed Regular

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+-×÷=%

Scania Sans Condensed Italic

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄääÖö
1234567890€\$¢£¥!/?&@©®™+-×÷=%



Settings 1

The typography was developed with legibility in mind. In other words, all the weights have tailor-made kerning tables. For a consistent typographical expression, fixed values are set.

Font sizes

Scania Sans Headline

The size of the headline should not be smaller than the logotype. The sub-headline must be smaller than the headline, approximately 1/3–1/5 size of the headline.

Scania Sans and Scania Sans Condensed

Adjust body copy, intro texts, quotations and graphs to fit the headline and the format. Remember to ensure legibility. Generic text should not be smaller than 6 pt. For optimum legibility the number of characters in one line should be approximate 50–70.

Typographic settings

1. Sub-headline: Scania Sans Headline Regular
Text: upper case
Kerning: 0 / metric
Word spacing: 100%
Leading: 95%
2. Main headline: Scania Sans Headline Bold
Text: upper case
Kerning: 0 / metric
Word spacing: 100%
Leading: 95%
3. Scania Sans Regular
Text: upper and lower case
Kerning: 0 / metric
Word spacing: 100%
Leading: 125%
4. Scania Sans Regular and Bold
can be used for secondary headlines, intro text, body copy, quotations, and graphs.

1 TAILOR-MADE APPLICATIONS

LONG HAULAGE

1.5X

X = 95% Leading

Officid ut fugiaest aci undus sum sequias ut id quae vel eum ipsaperem quos dicae liquibus eatusae nis experspit quibus et est, int evelicia sunt eaquiasseri rem eos alitatus dolessim de dolore odit inum sin et et, qui omnimusanti occur ea volentur? Qui dolum que eos corese et quis es magnis consequis reicai nullit molorione labo. Am, quis et ipsanti occupatur?

Scania.Sans.Bold.may.be.used
as.a.secondary.headline

X = 125% Leading

When needed, supported by an intro text, written in Scania Sans Regular. Scania Sans Bold may be an alternative when better legibility is needed on various backgrounds.

3X

Xercimusam, solectet aut occcas aut eum hitatur, sequere debis colum quam utet occcati volum voluptaque conseque con rehento doluptas pores numquaspe honest, es sa erum quatur audactac cum est et laut quis et eos et quam, cum di omnimi, sita voluptam lautatibus.

2X



Settings 2

Scania Sans Condensed is a supporting font designed for maximum effectiveness when space is limited. Use the example on the right as a guide for secondary headlines and intro texts (i.e., in a manual or report).

Font sizes

Scania Sans Condensed
Adjust body copy, intro texts, quotations and graphs to the format and columns. Remember to ensure legibility. The text should not be smaller than 4.5 pt and Condensed should not be used in large sizes. It is only designed to be used in smaller sizes, approximately 4.5–14 pt.

For optimum legibility, the number of characters in one line should be approximately 50–70.

Typographic settings

1. Scania Sans Condensed
Text: upper and lower case
Kerning: 0 / metric
Word spacing: 100%
Leading: 125%
Figures: tabular lining is available
2. Example of table

1 Consolidated statement of changes in equity



X = 125% Leading

In Note 14 there is a description of the consolidated equity items and information about the company's shares.

The equity of the Scania Group has changed as follows:



3X
2X

2 Financial overview

	Full year 2015			Q4			
	2015	2014	Change %	2015	2014	Change %	
Trucks and buses, units							
Order bookings	77 091	82 984	-7	19 199	20 683	-7	
Deliveries	76 561	79 782	-4	21 626	23 589	-8	
Net sales and earnings EUR m.*							
Net sales, Scania Group, SEK m.	10 388	94 897	92 051	3	25 211	26 413	-5
Operating income, Vehicles and Services SEK m.	942	8 601	7 705	12	2 349	2 134	10
Operating income, Financial Services, SEK m.	114	1 040	1 016	2	246	231	6
Operating income, SEK m.	1 056	9 641	8 721	11	2 595	2 365	10
Income before taxes, SEK m.	998	9 109	8 322	9	2 420	2 306	5
Net income for the period, SEK m.	740	6 753	6 009	12	1 813	1 642	10
Operating margin %		10.2	9.5		10.3	9.0	
Return on capital employed, Vehicles and Services		19.3	19.9				
Cash flow, Vehicles and Services, SEK m	479	4 376	4 690	-7	3 156	2 477	27

*Translated to EUR solely for the convenience of the reader at a closing day rate SEK 9.1350 = EUR 1.00. Unless otherwise stated, all comparisons refer to the corresponding period of the preceding year.



Settings 3 (A4)*

General settings

Kerning: 0/metric

Word spacing: 100%

- 1. Page header
Scania Sans Bold
Sizes: 9–12 pt
Leading: 125%
- 2. Headline 1
Scania Sans Headline Bold
Sizes: 36 pt and up
Leading: 95%
- 3. Intro text
Scania Sans Regular
Sizes: 14–16 pt
Leading: 125%
- 4. Body copy
Scania Sans Regular
Sizes: 8–12 pt
Leading: 125%

- 5. Subheadline
Scania Sans Bold
Sizes: Same size as body copy
Leading: 125%
- 6. Highlight copy
Scania Sans Italic
Sizes: Same size as body copy
Leading: 125%
- 7. Page footer
Scania Sans Regular/Bold
Sizes: 6–7 pt
Leading: 125%
- 8. Quotes
Scania Sans Bold
Sizes: 12–14 pt
Leading: 125%

* These settings are optimized for A4 format. For bigger or smaller formats, adjusted settings are advised.

1 Page header – Optional

2 MUS EAQUIA
VOLORE SOLU

3 To in pa asin pe similit il incipsanda
dolest unt modicp idundandusto
blaborerspe natur suscis sit quibus
dis experit officiae. Nam alitatur.

4 Enquamidit quea. It liqua lacessitista
eumquidem, et apit am illa ut
am it lab inest exsita. Et dolopigant
quaecto min remerporis et molest
liques ex valo aborenuram facceariae
easq; exponit. Quod est, et dolopigant
porber itatip blaut et ommodia idei
dendam entum ne quibuska redapeudam
exponit. Quod est, et dolopigant
sum volputar magrate as am as
quatem creptate re pore, omnini alla
voluptate. Quod est, et dolopigant
quam quae nonest aliquator, officid
quibus moiores tentis ab illis magnat
eris. Quod est, et dolopigant
dolupatur, qui dispam, ommodrum
remope pera.

5 Itas es nis nihil
Timpice torpos aut carcielia denige
umentem, et dolopigant aut dolorum
qui am in remquid enditata duntis
sendips untuntu iusant ra quis
dolupatur, qui dispam, ommodrum
denicitala suntent si aspe di dend
ominiceti qui occupatur, expella
minim, et dolopigant. Quod est, et
autam que stem fugia. Cab nullatiques
essima et repedio nisque commoditati
debet enim illi
ipstandis mi, sus nascit.

Concedo. Equi conseque
faccunquam norse con nem. Os qui
quam, custum, eate qui berum sum

6 quid ut molo expelenis perut it et, cus
alitatu. Et dolopigant.

Pudescit dolopigant ut ipsa quae recid
qui ipande rionem assi con nis incias
comitate et re modicp doloremos
et dolopigant. Quod est, et dolopigant
endis insipu vel endiam, nulparum
foucupt eauatur sed quis ex sa qu
et alitatu. Quod est, et dolopigant
re cuspedi nobis asper estiudine
demprico tempo re dolor sunto qui
ut dolopigant.

Itaquis eum ellant dolopigant esstina
fuga. Igner acate conetur? Quis eos
tum, et dolopigant. Quod est, et dolopigant
nis dolopigant vendisim et utet odi,
cora et ipsum harupatur auditis eum
ut dolopigant. Quod est, et dolopigant
endit, nos eos et ad qui dolopigant tempor
magian deflecta sequidellue im quae
pera. Quod est, et dolopigant. Quod est,
allictotape eus restia volputat autem
que comminganiam explabo. Tis conse
suntent si aspe di dend
ominiceti qui occupatur, expella
minim, et dolopigant. Quod est, et
autam que stem fugia. Cab nullatiques
essima et repedio nisque commoditati
debet enim illi
ipstandis mi, sus nascit.

Concedo. Equi conseque
faccunquam norse con nem. Os qui
quam, custum, eate qui berum sum

7 02 Page footer – Optional





Headlines

There are three different ways to use Scania Sans for headlines:

1. Scania Sans Headline Bold

SHORT AND SWEET COPY

Branded communication

2. Scania Sans Headline Regular

LONGER AND ELABORATE HEADLINES IN SCANIA BRANDED MATERIALS

3. Scania Sans Bold

For more detailed headlines that require more information to be included to get the message across

—
Note: Scania Sans Bold should not be used as primary headlines in brochures and other branded sales material.

Non-branded communication, information, documentation and editorial.



**Scania Sans
Headline Bold
– Best-in-practice**

Scania Sans Headline Bold is Scania's main font for headlines. It can span between 1–3 lines and may not be set in smaller sizes than the size of the wordmark.

1. Scania Sans Headline Bold

**FOR A HEADLINE
TO CREATE INTEREST**

When surpassing 3 rows, switch to Scania Sans Headline Regular, and decrease the size

**FOR A HEADLINE
TO CREATE INTEREST
IT SHOULD BE SHORT
AND DISTINCT**



**Scania Sans
Headline Regular
– Best-in-practice**

Scania Sans Headline Regular is an alternative to give headlines a softer tonality, and may also be used for longer headlines and sub-headlines.

2. Scania Sans Headline Regular

**FOR A HEADLINE TO CREATE
INTEREST IT SHOULD BE
SHORT AND DISTINCT**

No headline should surpass 4 rows

**FOR A HEADLINE TO CREATE
INTEREST IT SHOULD BE
SHORT AND DISTINCT
AND MAY IF NECESSARY
BE SUPPORTED BY
SECONDARY HEADLINE**



Scania Sans Bold – Best-in-practice

Use Scania Sans Bold for more detailed headlines that require more information to be included to get the message across.

—
Note: Not to be used as primary headlines in brochures and other branded sales materials.

3. Scania Sans Bold

PowerPoint slides


Text + Large photo 1 – LONG

To omnimpel idita volenti cus experum quistissi conem faccume vits audam fuga. Dem et, quatuor solo to ecos vole qui sit dicitur doleut volat inurnet excessis incipiunt ut recipit atra. m, rit pibus aut que venit, autet aut et alis esti officit, quininitas.

Nam, et quaepebit, omnimplos vorioria dolore nam aut que et eture omni ipsa deit eos doltut aut omnis in pe rempli. Ante omnis. Accipit etiam iiscis duplicitis excess upart dolorum et a dolor audam liqui andi demin nime maiorium voluntatis et magnis ui vel atque ueritatis beatae re earum fugasi miliaquestis pellupatqui autet vel et esto commolementum spiet

1. The first chapter / 2. The second chapter / 3. The third chapter / 4. The fourth chapter / 5. The fifth chapter / 6. The sixth chapter

Your date here - Info class internal - Department / Name / Subject



Letter template

Page 1 (S)

Rasmus Kellerman
Bolinvägen 3
126 49 Hägersten
Sweden

**Itatum volo bearuntotate voles
maxima nition sequident**

Qui archil maior sum quae o pehisa, que mollo volutea dollesumque id motus etem. Sunt et vit ususquam net eredit qui sed ut pre most, suscipit aut ipsa. Incepit etiam aetate. Ut erat, et deinceps, et per se, latius eari dolorum quatum et spendi is vel illata quaturomque diecastem etiam. erat ut, et deinceps, et per se, latius eari dolorum quatum et spendi esenrichatur, niem dulgate coased ut autem cum sapit que rest aut qui sunt officiae sum eum et volent.

Subheader 1, 10 pt, bold, preferably not longer than one line
Ceter que dolise extrebit in ea, uigore vollument adies operis
pedalis cupressi are necepedis host telloris et regre venitur maxineque
que vel minicili aborio ipsum imiliquia con cus eusquemum volutatione pre
conibusam iudicabili mohulipis samus dia illabor rovidis tuncidem document
etiam deinde et latius et per se, latius eari dolorum quatum et spendi
demolite sesequa inctus, velo blacuse solitare, cum assent ea core, sum
sollitus etiam. Et deinceps, et per se, latius eari dolorum quatum et spendi
blacpebra eum ut pris eur, volatia tatur, od eos elatio dolorum east diceas nus.

Berum es nonsecurus estrum renant quoq sequibus dit estrum exlit,
explam, ut fuga. Olestrem quist facilem inimituit quae sandandri re exp-
eplam, ut rite. Et deinceps, et per se, latius eari dolorum quatum et spendi
igenda as quatur, quam voluptae qui a sum altizq amendoce eus in diucum
restis ut relivit liquate placiq inim dolebare pe nem. Sed quan et tam
is de telen, occultas nos dolenteq que adoperamus omni pa ducindus
iustitias mea teneat, nisi probed, quatenus aetate.

Subheader 2, 10 pt, bold, preferably not longer than one line
Moloren denitius id mos experum alip as eliquid que labore laborepuit
togo, et deinceps, et per se, latius eari dolorum quatum et spendi
te ris sinthic tepebas, erit quae la sim que dolis fuge. Hemiped motorat
vendum aut apliciua sedis namust, aut exurm liberasia que volume
exumpta. Ut deinceps, et per se, latius eari dolorum quatum et spendi
ipsum, sumte ne dunt voluminaq eiclusum absurda perinibodus es nis
prahento vent.

Nosser ionetcom atabao minus same portio vere d'ennigerem esto
dmira etdoss parqm villeg si queq ligandol multuplatim dolorem et
nos morire, sendam elbow sliusandient dolose odiose am, onnum ant

Scania CV AB
Södertälje, Sweden
www.scania.com

Phone +46 8 552 910-10 Fax +46 8 552 854 01
Scania Head Office, Stockholm, Sweden
Scania Head Office, Södertälje, Sweden
Scania Head Office, Göteborg, Sweden
Scania Head Office, Härnösand, Sweden
Scania Head Office, Örebro, Sweden

SCANIA

Scania Sans typography



Short Headlines

Scania Sans Headline Bold

Large size
1–3 rows

Intros

Scania Sans Regular

Larger size than
body copy

Subheaders

Scania Sans Bold

Never smaller
than Intros

Rius etur

MOSSUSCI RERCILIBUS

Natum essequum fugitata nempis si dolor magnit, core pia duplataq; tiglore exerunt absorpor aquula culecatam quae volum t uim sandis ut dunderibus edat ut et fugitapeute volo blatem que iur acid ut.

Aphit nat exspecta officina lumpe et inum qui exasperat. Officie mochis ut obiecto et lebore sacerdotia iuratur volueret metit, sancaum et os male responsum. Volueret et loit, lebore sacerdotia perem qui este nulario veni qui exasperat. Vero quod cum iuratur volueret metit, vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem ambi et nulgan et deinde sequitur responsum responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

diles et is delempresa annilla libus. Et sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

volueret metit, sancaum et os male responsum. Volueret metit, sancaum et os male responsum. Vero quod cum iuratur volueret metit, vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod


vidiger empernere pro il incultus desiderio et hinc sacerdotia responsum comedem eosam faciem convicasse nulgan et ambi. Sacerdotia responsum comedem et vobis nequum debitat volutare cum aut exsuctur et ad ambi. Nonne responsum comedem et hinc sacerdotia responsum comedem et exspecta ex actione porro debidetur quod

Et experiam endi belior

Nis dolore essequid latens-porno
dolopri. Difiqua et iuratur volueret metit
imprio qui tem invenerat at ass
dolopri. Difiqua et iuratur volueret metit
omnis ne nullud teplas venieribus
at et. Nonne responsum comedem et
scipit ex apti vivas minica select
sunt. Vero quod cum iuratur volueret metit
quem uperum minic, peine iurum
liberor meanece notiis, peine iurum
liberor meanece notiis.

Dolor

Apud omnioxigai
Gomma imparum
Kloestra et iuratur volueret metit
et tenepris nascenat et utem ende
Renebur ducis, dees dent que
elevit et ornes remmec quod ut ab
dolopri. Difiqua et iuratur volueret metit
seces dolutas et conit fugia. Aqal
officio ex comon derone sequeunt
que ten sans tactit pte exspecta.



Sundi volum arcti modis

G45

G46

Subheaders

Scania Sans Bold

Never smaller
than Intros

Que nus porior



Harumquo*ium* iniatiu



Que nus porior

Evering aliqualit quidat. Ut lam sit que. Itarum re vel

illegit aliquis ore eos mollaces lies aciuto tatur
sunt ex ad molar sin post apleup lumen aceteate
quaspele omniit nobitateco non nullit.

Sundi volum arcti modis

G47

reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.
Angu volepere vole
rebus plus oit alic tempers et am
volepere volepere volepere volepere
extrum guanda comumus exop
volepere volepere volepere volepere
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Nequant.

Idem.

Idem.

Nesquant.

Idem, ut exac erche
volepere qui
nobilates harum apesad alic vole
comumus exmorrum volepere volepere
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.

Idem, ut idem idem quam erat
corradite volepere et labor molopat
derem ex vole et volepere volepere
dolopri doles dolopis aciurato
deinde idem, ut idem idem idem que
et volepere volepere volepere
magisn reponit et anam quidat
reponit et anam quidat rapido
remet apleup eque, molaris remet
Fugit uni, lumeni, actionam red que
este habe, labo. Xerum entem euclid
derem ex vole et volepere istituum al
metet et volepere et volepere istituum al
Alcun eque nus magisn
quem exmorrum volemo ver
volepere volepere volepere volepere
volepere volepere volepere volepere
restant.



Replacement fonts

When technical restrictions or special glyphs for languages limits the use of the Scania Sans typeface, the following replacement fonts are recommended:

Latin languages:

Helvetica Neue – Mac computers
Arial – PC computers

For other languages, please use a font as similar as possible to Helvetica Neue or Arial, as a suggestion any of the fonts below:

Arabic, Cyrillic, Greek, Hebrew and Vietnamese scripts:
Helvetica World/Linotype – Mac
Arial – PC

Chinese
MS JhengHei or MS Sim Hei

Japanese
MS Gothic

Thai
MS Sans Serif

Helvetica Neue (Mac)

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄäÖö
1234567890€\$¢£¥!?&@©®™+–×÷=%

Arial (PC)

AaBbCcDdEeFfGgHhIiJjKkLlMmNnOo
PpQqRrSsTtUuVvWwXxYyZzÅåÄäÖö
1234567890€\$¢£¥!?&@©®™+–×÷=%



Don'ts

~~HEADLINE TOO TIGHT HEADLINE TOO WIDE~~

Don't use too little or too much tracking and/or word spacing for any typography.

~~CORRECT HEADLINE~~

SUBHEADLINE TOO CLOSE
~~SUBHEADLINE TOO FAR AWAY~~

Don't place typographic elements too close or too far away from each other.

~~HEADLINES MAY NEVER SURPASS THREE ROWS. CHOOSE SCANIA SANS HEADLINE REGULAR INSTEAD.~~

Don't let headlines surpass three rows when set in Scania Sans Headline Bold. For longer headlines, use a subheadline to devide the message, or choose Scania Sans Headline Regular, set in smaller size.

~~DIFFERENT WEIGHTS ALTERNATING COLOURS~~

Don't mix weights or colours for any typography.
Intros and body copy may highlight specific words or phrases, by making them italic.

~~VERY COOL EFFECTS AND GRADIENTS~~

Don't add any kind of effects or gradients to any typographic element.

Ad qui cum fuga. Ita consequi re vendel id que as sequat officiis es a doluptiam, culleni hiliquis doloreh endante dunt aditati rerum que derunt ducima corat milia aut quamust, ommolliqui dusae velesenis debis diatem et aut omnima precto cone rectet porissequent occust, ut vendi alignat exiglent, nimint la consecuti ipsa non recae rae. Etusam aut.

Don't use too little or too much leading for any typography.

Ad qui cum fuga. Ita consequi re vendel id que as sequat officiis es a doluptiam, culleni hiliquis doloreh endante dunt aditati rerum que derunt ducima corat milia aut quamust, ommolliqui dusae velesenis debis diatem et aut omnima precto cone rectet porissequent occust, ut vendi alignat exiglent, nimint la consecuti ipsa non recae rae.

Don't justify, center or right align any copy. Only headlines and subheadlines may be centered for specific stretched formats.

Ad qui cum fuga. Ita consequi re vendel id que as sequat officiis es a doluptiam, culleni hiliquis doloreh endante dunt aditati rerum que derunt ducima corat milia aut quamust, ommolliqui dusae velesenis debis diatem et aut omnima precto cone rectet porissequent occust, ut vendi alignat exiglent, nimint la consecuti ipsa non recae rae.



BRAND ASSETS

3. SCANIA COLOURS



Scania colours

Introduction

The Scania brand colours are derived from the Scania symbol and wordmark and effectively establish, represent and communicate the brand.

Scania Blue and Scania White should mainly be used for text and backgrounds.

Scania Red is represented by the griffin in the Scania symbol. It must be used with great care and only as a highlight or accent colour, never to steal attention from the griffin. Red can also be associated with warning signs and negative results (e.g. red numbers in a table).

Silver is used as metallic PMS or silver foil. Never simulate silver in digital applications or in print.

—
Colour books/swatches as ASE-files, may be ordered from Scania CV AB, via identity@scania.com



Scania Blue

Blue is the colour of stability. It stands for authority, truth, tradition and trust.



White

White is the colour of light. It is associated with perfection, goodness, honesty, and things that are new.



Scania Silver

Silver is the colour of purity. It stands for premium, engineering and represents metal and ingenious engineering.

SCANIA



Scania Red

Red is the colour of commitment. It stands for power, heat, love, energy, fighting spirit – and pride.



Brand colours and primary supporting colours

The Scania brand colours are supported by primary supporting colours and a secondary colour palette. All Scania colours must be represented as outlined by the colour codes in this manual, and never in any other tint (%) or hue.

The primary supporting colours in grey offset the brand colours and form the primary background of the colour scheme.

When using coloured text, always use the same colour throughout. Please find all necessary colour values to the right. There might be variations in colour reproduction depending on the printer, light conditions and material. For this reason it is advisable to use colour proofs as references and to always order test prints to ensure the desired colour match.

C = Coated paper
U = Uncoated paper
NP = Newspaper print



Scania Blue

PMS 282 C
PMS 282 U
CMYK C 100_90_13_62
CMYK U 100_90_5_55
CMYK NP 100_90_0_50
RGB 4_30_66
HEX #041E42
NCS S 7020-R70B
RAL 5013



Scania White

PMS White C
PMS White U
CMYK C 0_100_90_0
CMYK U 0_0_0_0
RGB 250_250_250
HEX #FAFAFA
NCS S 0500-N
RAL 9003



Scania Red

PMS 2035 C
PMS 2035 U
CMYK C 0_100_90_3
CMYK U 0_100_80_0
RGB 214_0_28
HEX #D6001C
NCS S 1085-Y90R
RAL 3028



Scania Silver

PMS Silver C
FOIL Kurz Alufin SatinGloss
RAL 9006




Scania Light Grey

PMS Cool Grey 3 C
PMS Cool Grey 3 U
CMYK C 8_5_7_16
CMYK U 8_5_7_16
RGB 200_201_199
HEX #C8C9C7
NCS S 2000-N
RAL 7047



Scania Medium Grey

PMS Cool Grey 7 C
PMS Cool Grey 7 U
CMYK C 20_14_12_40
CMYK U 20_14_12_40
RGB 151_153_155
HEX #97999B
NCS S 4500-N
RAL 7004



Scania Dark Grey

PMS Cool Grey 11 C
PMS Cool Grey 11 U
CMYK C 56_47_41_46
CMYK U 56_47_41_46
RGB 83_86_90
HEX #53565A
NCS S 7500-N
RAL 7015



Scania Black

PMS Black C
PMS Black U
CMYK C 0_0_0_100
CMYK U 0_0_0_100
RGB 0_0_0
HEX #2D2926
NCS S 9000-N
RAL 9005



Secondary colours

Scania's secondary colour palette is designed to be used to vary or highlight content.

Orange communicates news, innovation and power. The greens and beige are natural colours that reinforce Scania's image as a grounded, reliable organization, and a leader in the shift towards a sustainable transport system.

Please find all necessary colour values to the right. There might be variations in colour reproduction depending on the printer, light conditions and material. For this reason it is advisable to use colour proofs as references and to always order test prints to ensure the desired colour match.



Scania Orange

PMS 166 C
PMS 166 U
CMYK C 0_75_100_0
CMYK U 0_60_95_0
RGB 227_82_5
HEX #E35205
NCS S 1080-Y60R
RAL 2004 (exhibition engines)
RAL 2002 (standard engines)



Scania Beige

PMS 7502 C
PMS 7501 U
CMYK C 15_24_49_3
CMYK U 15_24_49_3
RGB 206_184_136
HEX #CEB888
NCS S 2020-Y10R



Scania Pale Green

PMS 5635 C
PMS 5645 U
CMYK C 40_15_35_10
CMYK U 40_15_35_10
RGB 148_165_150
HEX #94A596
NCS S 4010-G10Y



Scania Green

PMS 350 C
PMS 350 U
CMYK C 80_21_79_64
CMYK U 80_15_80_55
RGB 44_82_52
HEX #2C5234
NCS S 7020-G10Y

C = Coated paper
U = Uncoated paper

Scania colours



Contrast

Scania Blue background

Scania Black Scania White Scania Blue Scania Dark Grey

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania
Dark Grey
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania
Medium Grey
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania
Light Grey
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania White
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania Silver
background

Scania Black Scania White Scania Blue Scania Dark Grey

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania Orange
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania Beige
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania
Pale Green
background

Aniandiot et
Officitel quis
del idustiora
poremporuc

Aniandiot et
Officitel quis
del idustiora
poremporuc

Scania
Green
background


Aniandiot et
Officitel quis
del idustiora
poremporuc



Do's



Use support and secondary colours as background plates or to create graphic elements, such as charts, tables and illustrations.



Do's

	2014	Change %
	82 984	-7
	79 782	-4
	92 051	3
	7 705	12
	1 016	2
	8 721	11

Scania Red is only used for highlighting important or specific details and information.

It should be used scarcely to ensure it does not steal attention from the Scania symbol.

Don'ts



Don't use unapproved colour combinations, to avoid insufficient contrast.



BRAND ASSETS

4. SCANIA GRID SYSTEM



Scania grid system


Both the Scania wordmark and symbol must be used to identify Scania as the source of communications. In the Scania grid system, the wordmark and the symbol work in conjunction.

There are two options: vertical placement (top and bottom) and horizontal placement (left and right).

This usage should always be supported by text/copy and it is used for all communication materials (ads, brochures, product information, documents, etc.).

Please note!
First impressions last. The symbol and the wordmark must always be presented together when first establishing Scania as the source of the communication, such as on brochure covers, ads, magazines, exterior signage etc.

Once Scania has been established as the source, the symbol and the wordmark can be used individually.





Scania grid system

Landscape grid

— Step 1

For the landscape grid, the wordmark is 1/6 of the width of the format. The wordmark and symbol are applied in conjunction, with the wordmark on the right bottom corner or left upper corner. The symbol is always placed in the right upper corner. The text/copy must be left-aligned.

This usage of the wordmark and symbol is included in all Scania grid templates.





Scania grid system

Landscape grid

— Step 2

Adding a message on the twelve-column text grid.

For grid settings, see illustrations.

The tone of voice is impactful and therefore Scania Sans headline is set in a large point size.

Scania Sans Headline Bold is used for headlines and for a shift in tonality Scania Sans Headline Regular is to be used.


The subheadline can be placed above or underneath the headline, depending on the message, with a proportional size of 1/3–1/6 to Headline Bold, depending on the format and length of message.



The top and right margin are adjusted to align with the center and bottom of the griffin's crown.



For top left corner placement, the wordmark is center-aligned with the symbol.



In A3 format (420 × 297 mm) the landscape grid consists of 12 columns with 5 mm gutter.
In A4 format (210 × 297 mm) the landscape grid consists of 12 columns with 3.75 mm gutter.



Landscape grid

— Step 3

Add an image or background colour, along with desired copy.

Very light image backgrounds or light-coloured backgrounds require Scania Blue typography and all other images and colours are set with white typography.
See next page.

—
Please note:
Multicoloured typography
is not allowed.

TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

Est, te reseruumq; amvernum sunt
motremperd modorissa cum, que
boumperd modorissa cum, que
psum exceptio p; volupi onsecula
sksperum arcim cautar, sapientur
pep opep opep opep opep opep opep
quaspe et eumertons, tet est incia
pumpep opep opep opep opep opep opep
ne conct ut eliusq; iold blaudea sunt
aut aut esquamae eculum fuga. Ut
hefta et hefta et hefta et hefta et hefta
nem alibus euram fugitis ipsunt et pa
aus dolupatur sectetus mo im quis

posae. Neque milia oignis motorescili
sinister, el meliora pro molesto
conspicere, meliora pro molesto
autem re con nis, non pratassi omnia
qui simili dolupatur nem rerum enim
conspicere, meliora pro molesto
consectur berti, omniatur? Rum ipso
atet acest, conseommodi sumus.
unt,Tur? Qui quale infota cus verita
facit, et facit, et facit, et facit, et facit,
facester? Qui doloia quialia remquis
et qui as dute placounqua invel.

© 2010 Scania. CH 2000 001 07 Switzerland. Printed on paper by Stora Enso.

SCANIA

An aerial photograph of a complex highway interchange with multiple curved roads and green embankments. The Scania logo is positioned in the top right corner.

TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

Est. te reserumquam verum sunt motorempid modifloris cum qui dolorum doluptat rem rurum enim. Atet acscit, conse omnidam samsa ut. Qui quise intota cus verita pectus facsteret? Qui doloria quin rem quis et qui as dunt placumqua invel.

eciae. Neque mi. a piligris motorescils sincerit. et nesciis pro molesto neconcepit. et nesciis cum qui dolorum doluptat rem rurum enim. autem se con res non pratatis omnia qui simili doluptatur rem rurum enim. Atet acscit, conse omnidam samsa ut. Qui quise intota cus verita pectus facsteret? Qui doloria quin rem quis et qui as dunt placumqua invel.

© 2015 Scania CV AB, SE-15187 Söderåsle, Sweden. Photo by Name Namesson

SCANIA

An aerial photograph of a yellow truck driving on a snow-covered road. The Scania logo is positioned in the top right corner.

TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

Est. te reserumquam verum sunt motorempid modifloris cum qui dolorum doluptat rem rurum enim. Atet acscit, conse omnidam samsa ut. Qui quise intota cus verita pectus facsteret? Qui doloria quin rem quis et qui as dunt placumqua invel.

eciae. Neque mi. a piligris motorescils sincerit. et nesciis pro molesto neconcepit. et nesciis cum qui dolorum doluptat rem rurum enim. autem se con res non pratatis omnia qui simili doluptatur rem rurum enim. Atet acscit, conse omnidam samsa ut. Qui quise intota cus verita pectus facsteret? Qui doloria quin rem quis et qui as dunt placumqua invel.

© 2015 Scania CV AB, SE-15187 Söderåsle, Sweden. Photo by Name Namesson

SCANIA



TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

www.acarrius.com

SCANIA

MAXIMISE FUEL EFFICIENCY AND MINIMISE EMISSIONS NOW

Pio ente volutatibus etable officia perclutus velo volvoro modia quatur, coniuncti qui simageti magnificisid mto decolorat. Vero etem est quod debilassemper expla dendist faciunt asperitatem. Quod si quis vobis vel elc ten ate si into quatut am iinus effcae rionsec turequidum nobit es ma monecione. Quod si quis vobis et facerferem sit as eur saeplabzo. Arti oeventus satis tenuit. Veneris fonscens an dicitur qua dolo minusmata faceanqta nos aperum reperimus.

Cae comminus in re nomsedi: pendae sa vellentis et la pild unt prospere. Quod si quis vobis et ipso ressequios erum facerum sensimius attingens. Veneris dicitur que rorat. Essecumne volor maximplo rendit debit ipsapid quist uvel introdessit.

que dolussum cur quanduscent laut rerum re, sintem ad eoscamper quatuor et qui to doloreis tisimalum tenuit. Quod si quis vobis et ipso harchic tempor mi, volotoratur quod si quis vobis et ipso tenuit. Comment, occum qui omniodis velt lam fugit [psam euia audia porunt. Quod si quis vobis et ipso tenuit nonsequuntur si qui ab illud quo cito et fallimt sanguinum remponit. Eluctussum sanguinum remponit. quod si quis vobis et ipso tenuit. volum earbus et es et quae volumen tui et quae volumen tui. Quod si quis vobis et ipso tenuit. voluntatist, odit, cum utem quante a que pratorno doluptus inted edidite laud quidetur? Atlassatur aditatus. Quod si quis vobis et ipso tenuit. lacue. Nam aut omni coquocetate ac cus, volupta turquedel et andebisoff,

monesapram ecce deosquis parum rehenia acarrius renhilicous verum voleope occum sum harum tenuit. Quod si quis vobis et ipso tenuit exercia dent.

Quod si quis vobis et ipso tenuit occusum qui rerum que ommodi intiep noritate que plus velequidem cutur. Quod si quis vobis et ipso tenuit vollest studia que parum [psantus dolumentis rem. Quod si quis vobis et ipso tenuit. Dam et vir quam exercitamus fugassimn explaut labo. Les magnam, qui tui et quae volumen tui. Quod si quis vobis et ipso tenuit dolor doreverat et ad duis piligant itatur asservat aut quasipallit concere. Quod si quis vobis et ipso tenuit. et si nos eaque nus poreribus quam nihilq unuer. Octebit et quod si quis vobis et ipso tenuit usandant motorep retru?

SCANIA




Scania grid system

Portrait grid

— Step 1

For the portrait grid, the wordmark is 1/4 of the width of the page. The wordmark should be placed on the right bottom corner or left upper corner and the symbol must always be placed in the right upper corner. The text/copy must be left-aligned.

This usage of the wordmark and symbol is included in all Scania grid templates.





Scania grid system

Portrait grid — Step 2


Next, add a message to the twelve-column text grid.

For grid settings, see illustrations.

Scania Sans Headline is set in a large point size and only exists in upper case, to ensure a clear and impactful tone of voice. The tonality can then be varied by shifting between the bold and regular weights.

The subheadline can be placed above or underneath the headline, depending on the message, with a proportional size of 1/3–1/6 to Headline Bold, depending on the format and length of message.


Placement of text is flexible on the vertical axis for best contrast over the image.



The top and right margins are adjusted to align with the center and bottom of the griffin's crown.



For top left corner placement, the wordmark is center-aligned with the symbol.



In A4 format (210 × 297 mm) the portrait grid consists of 12 columns with 3.75 mm gutter.



Scania grid system

Portrait grid — Step 3

Add an image or background colour, along with desired copy.

On very light image backgrounds or light-colour backgrounds use typography in Scania Blue and on all other images and colours the typography should be set in white.

—
Please note: Multicolour typography is not allowed.





Scania grid system

Portrait grid — Examples

Placement of text is flexible on the vertical axis for best contrast and placement over an image.





**MAXIMISE
FUEL EFFICIENCY
AND MINIMISE
EMISSIONS NOW**

Dam et auter ra cibis id
miseribus is et mao min referuntur,
as idem et summa ponitur et pos
dedit et summa et exposita
taeupti aquaeus prehendit et levit
faciuntur ad eam portu donato vana
vocatio et auctoritate ut tamen statim
et ut as deputatur max.

[See more on scania.com/xxxx](#)

SCANIA

WE UNDERSTAND YOUR BUSINESS

Et aut odi referatius as dolores trumfit
autem et quam, voles equi ne doluptate
tempore as sapid intercidit dolatum
ant abo. Nesciatis as sudis volore
quam nonsequas se si blabore verchil
tique nesciatis as doluptate tempore resstorum
officid erat doluptate tempore restorumper
estempse ilium velutie volutio motraten
exxid et dicitur et dicitur et dicitur et
aspiri dolupti bussdes sudue me voluptas
res nini, quidquid perichabat

Nisi et nesciatis as doluptate tempore
autatren experia dolupta tempora
dolumentis et dicitur et dicitur et dicitur
doluptate adiacamus et et
ipsunitis ant verchilicu exero esund
intendit et dicitur et dicitur et dicitur et
ehenemotor abo. Nemiquat volotio enibus
ea se coritas et el optatur cuscine
notarior et dicitur et dicitur et dicitur et
ucilicis nostriunit, odolapse lieque ipsum
met int et portus as arsilum exstrum et
exxid et dicitur et dicitur et dicitur et
mollar ma sit ad et re exprumen, utens
exterior, cuiusfamiliam, officid
intendit et dicitur et dicitur et dicitur et
quodutat addito que aeasquos nat et re

cusciogies nonne nonet aut at.
Caerfer aliqui rem aut aquaui qui commiti
vellet et sicut et sicut et sicut et
dellaobens dolupta numque enumen
cpter et dicitur et dicitur et dicitur et
rendit, consegu assent securat. Ilibo
Nemipala voluptu respicis inviles
Hoc est et dicitur et dicitur et dicitur et
velegindam quis maiori omni annende
nemonea in dictat atatin con nata anni,
con sa et dicitur et dicitur et dicitur et
quis sed piam hilfurto que rustia sed
necit et dicitur et dicitur et dicitur et
dolupum lam audite prieget ignamus,
anciet offluctus dolore, cupid liquet quat
doluptate et dicitur et dicitur et dicitur et
qui doluptibas is acaecce resperman aspi
dolored mi, quem, sam recipis undudem
velegindam quis maiori omni annende
eos allian hiluosam

Id incident anteincidit, et con pur
a et sicut et sicut et sicut et sicut et
ex expliat aut omittit ut etur, solort pos
dolupta nonneque hient, verihab diamon
et dicitur et dicitur et dicitur et dicitur et
rem aut eumet pliquat iactas verovirtut.

[See more on scania.com/xxxx](#)

SCANIA

WE UNDERSTAND YOUR BUSINESS

Velliquid ullumputam comisupat sit
et que dolor aut quanda doloror tempora
aut elevup assedipis voluptat et
dolumentis et dicitur et dicitur et
volensemum reuelendue pedone
solupta is el immel labibus, ut
alium, comi, dolupta faciaspere
alito bico inquas comisupam voluptorium
est, istiorum que prehent ureperferum

conem fugit fugiagm nosslim gel quam
aribus, cumet aliquid beurum qua in
repudi cumquas mod magist pore
eum, et dicitur et dicitur et dicitur et
aliquid cuius asperio totuante vere in eos
ro, ne des aut que num is, ut et in ef
quibus et etur asp ne mti, ut et in ef
eum aus est et etur asp ne mti, ut et in ef
minius andion corroid quoss.

[See more on scania.com/xxxx](#)

SCANIA



Portrait grid

— Left and right page ads

Due to the center fold of magazines, the grid for full-page ads with bleed is adjusted to counteract the fold.

1. For a left page ad with full bleed, the symbol and wordmark are inset to the second right margin.
2. For a right page ad with full bleed, all copy is inset to the second left margin.

1

TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

Vestiquid utlirupatem commoducti ist
et que dolor aut quando doloro tempus
aut eveliau assedipens voluptat ea
dolorisquam et eum fuga. Ed mos stis
polupta et eimel laboribus, ut
gilquist, consede tem faccus asper
salido del unilane corlaen eduphorum
est, scitorum que prohent usperferum
conem lugia. Imagin nosam qui quam
enibus, curset aliqut beaturum que in
repudi cumquamus mod magnat pore
endit volupsum aut qui sentur? Lent
que dolo asper tota quod est, satis
re, ne des aut ad que num id, satis
santa quibera con et aspe nimi, ut ut et
duo ad esimel id uscissas venusci
minicid andon corroid quodat.

SCANIA

See more on [scania.com/xxxx](#) . . .

2

TAILOR-MADE APPLICATIONS

WE UNDERSTAND YOUR BUSINESS

Vestiquid utlirupatem commoducti ist
et que dolor aut quando doloro tempus
aut eveliau assedipens voluptat ea
dolorisquam et eum fuga. Ed mos stis
polupta et eimel laboribus, ut
gilquist, consede tem faccus asper
salido del unilane corlaen eduphorum
est, scitorum que prohent usperferum
conem lugia. Imagin nosam qui quam
enibus, curset aliqut beaturum que in
repudi cumquamus mod magnat pore
endit volupsum aut qui sentur? Lent
que dolo asper tota quod est, satis
re, he des aut ad que num id, satis
santa quibera con et aspe nimi, ut ut et
duo ad esimel id uscissas venusci
minicid andon corroid quodat.

SCANIA

See more on [scania.com/xxxx](#) . . .



Brochure grid

For brochure covers, a three-row system is applied. The image should span 2/3 of the cover and the top 1/3 row is left as a placeholder for text.

The wordmark and symbol are applied in conjunction, with the wordmark on the left upper corner. For top left corner placement, the wordmark is center-aligned with the griffin. The symbol is always placed in the right upper corner. The text/copy must be left-aligned.

The subheadline can be placed above or underneath the headline depending on the message with a proportional size of 1/3–1/6 to Headline Bold, depending on the format and length of the message.





Brochure grid spreads

For all brochure spreads, the inner and outer margins are adjusted to equal width.

Page header			Page header																																																																																																									
	<h1>THIS IS HEADLINE 1</h1> <p>Voluta nobiscientime que plaut aut min nonsequid magniet lati nonsequis aut fugate eos ea distotate stiatut? Qui occaboresim qui dolputae. Ita aborerit resto ium volum quodinaes de corumqu iatum radiente ad mulpuntatur maoine vel iopet illatu estrutum di quam, sandit dolesci dolpta teatatem sin num nbbisdenis eatus. By Name Namesson</p> <p>que sitiat autel volore consem haneri dicipuscos con pilas eoste impeditam penis as psuntene pusi enlengui ubilo. Tur aue nrhi, si doleatur st a dloca el quas magrate mordit eis, tundit et enlengui alia. Et quia quel standid secessit went, archa quapeas accusdut, ad eandem quan. Erorum ministrum debet num dolo. Et quaeque harragoni enderit, atendit nica resto vca doloris apicto is apidentis voloptam reseda venie et apidus officie storeppels dolorem qui eundem prospicere possunt. Ut quaeque voluntas aspel et am tam rem dolut doverem Nam, tundit es sed alparchia imperura cuus sumit, apidus apidus, et seculi rebodebit maximum, nectas. Ut et pupe nimruum soluput, et voluptu ritorates alic.</p> <p>Subheadline</p> <p>Ut esse quometus us aut re, ut quodis digunter alt, cui dolescel exneu sibi rectur. Et quaeque est uerbi re uero, ut quaeque coreneheas rhiti securrit unguissim cam que voloro exsatisse sui illestio front lab in enum et, sum voluplat ear, securrit doloros sequiu remittens et etiam, et ralit, et ralit. Audigunt dolom omnidognit, posequo mo et spes quae. Ehening erubens, rem cuus adiutio remetit reteculis, idem hale, que utremu luct, compis simeat at vendit acu-</p> <p>comes usurpm apicti alti voloptat emelot mod malo. Neque nonnemus aut harum doct etusuae habitem aut returmuq temi serit lantana alius descripti maf et edat, sed benedicti purus exstet, et ralit, et ralit. Quaeque dicit hacto. Expendit vendis dolorta tulari bolettili aliqui dolupata rem. Uga. Uda sit, ne volesq uathrodo omnisquis que cupidenti de nos.</p> <p>Another subheadline</p> <p>Um resupad, ole pereitilina, et maf salbone venit. Nata tundit, ut quaeque nesciunt quan re nonnecia sed ut venvit et quas esto et landisi necto venit, aut d' laboratibus lignihilum accidit, aut d' laboratibus lignihilum accidit, aut d' laboratibus lignihilum accidit. Et quaeque volupta nobiscientime que plaut aut min nonsequid magniet lati nonsequis aut fugate eos ed deluptate ut. Did poeplu doluptu, et doluptu, et doluptu. Na aboret resto ium volum quodinaes de corumqu iatum radiente ad mulpuntatur maoine vel iopet illatu estrutum di quam, sandit dolesci dolpta teatatem sin num nbbisdenis eatus. By Name Namesson</p>	<h2>THIS IS HEADLINE 2</h2> <p>Quae silitat autel volore consem haneri dicipuscos con pilas eoste impeditam penis as psuntene pusi enlengui ubilo. Tur aue nrhi, si doleatur st a dloca el quas magrate mordit eis, tundit et enlengui alia. Et quia quel standid secessit went, archa quapeas accusdut, ad eandem quan. Erorum ministrum debet num dolo. Et quaeque harragoni enderit, atendit nica resto vca doloris apicto is apidentis voloptam reseda venie et apidus officie storeppels dolorem qui eundem prospicere possunt. Ut quaeque voluntas aspel et am tam rem dolut doverem Nam, tundit es sed alparchia imperura cuus sumit, apidus apidus, et seculi rebodebit maximum, nectas. Ut et pupe nimruum soluput, et voluptu ritorates alic.</p> <p>Another subheadline</p> <p>Um resupad, ole pereitilina, et maf salbone venit. Nata tundit, ut quaeque nesciunt quan re nonnecia sed ut venvit et quas esto et landisi necto venit, aut d' laboratibus lignihilum accidit, aut d' laboratibus lignihilum accidit, aut d' laboratibus lignihilum accidit. Et quaeque volupta nobiscientime que plaut aut min nonsequid magniet lati nonsequis aut fugate eos ed deluptate ut. Did poeplu doluptu, et doluptu, et doluptu. Na aboret resto ium volum quodinaes de corumqu iatum radiente ad mulpuntatur maoine vel iopet illatu estrutum di quam, sandit dolesci dolpta teatatem sin num nbbisdenis eatus. By Name Namesson</p>	<h2>This is headline 3</h2> <table border="1"> <thead> <tr> <th>2016</th> <th>Share capital</th> <th>Other Contributed equity</th> <th>Hedge reserves</th> <th>Comprehensive income</th> <th>Retained earnings</th> <th>Non- controlling interest</th> <th>Total Equity</th> </tr> </thead> <tbody> <tr> <td>January 1 Jan</td> <td>2.000</td> <td>5.813</td> <td></td> <td>-2.410</td> <td>26.345</td> <td></td> <td>37.112</td> </tr> <tr> <td>Change in fair value on translation</td> <td></td> <td></td> <td>545</td> <td></td> <td>545</td> <td></td> <td>545</td> </tr> <tr> <td>Change in fair value on financial instruments measured at fair value through profit or loss</td> <td></td> <td></td> <td>25</td> <td></td> <td></td> <td></td> <td>25</td> </tr> <tr> <td>Gain (loss) on re-measurement of pension plan</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Reinvest: Status, gross profit</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other transaction costs</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other comprehensive income</td> <td></td> <td></td> <td>25</td> <td>682</td> <td>718</td> <td></td> <td>718</td> </tr> <tr> <td>Contribution from discontinued operations</td> <td></td> <td></td> <td>4.674</td> <td>25.033</td> <td>25.033</td> <td></td> <td>25.033</td> </tr> <tr> <td>Contribution from associates</td> <td></td> <td></td> <td></td> <td></td> <td>6.600</td> <td></td> <td>6.600</td> </tr> <tr> <td>Contribution from joint ventures</td> <td></td> <td></td> <td></td> <td></td> <td>1.424</td> <td></td> <td>1.424</td> </tr> <tr> <td>Gains/(losses) on disposal of part of the business</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>January 31 Dec</td> <td>2.000</td> <td>12.220</td> <td>14</td> <td>3.425</td> <td>40.000</td> <td>41.745</td> <td>41.745</td> </tr> </tbody> </table>	2016	Share capital	Other Contributed equity	Hedge reserves	Comprehensive income	Retained earnings	Non- controlling interest	Total Equity	January 1 Jan	2.000	5.813		-2.410	26.345		37.112	Change in fair value on translation			545		545		545	Change in fair value on financial instruments measured at fair value through profit or loss			25				25	Gain (loss) on re-measurement of pension plan								Reinvest: Status, gross profit								Other transaction costs								Other comprehensive income			25	682	718		718	Contribution from discontinued operations			4.674	25.033	25.033		25.033	Contribution from associates					6.600		6.600	Contribution from joint ventures					1.424		1.424	Gains/(losses) on disposal of part of the business								January 31 Dec	2.000	12.220	14	3.425	40.000	41.745	41.745	<p>lab in orum et, sum voluptas esit, sequintes doloras sequi bilacepe ribus, comminilit est paudgent plurit ommodogiphil ipsaqua me et apud quaeque sicuti quis tunc adis apenis ipsi romore scilicis ipsa delit quam quo orino iunt, commis</p> <p>"Mod molla pel lmos simulas eosinicum doluam maxim essequaspit."</p> <p>simili et vendis ellus cones ulparum cuudi ali volore emitit mod maf maxo. Neque nonsequid aut naturare am qui teri serit lanitatu escipianid et expid qui bermet Ut et quaeque hessent solutari, et voluptu expletus queque.</p> <p>Ut esti suametes lu aut re, qui quida digerit alt, cuius dolescel reteculis, et doluptu, et doluptu, et doluptu, et doluptu, et doluptu. El quiduit reteculis doluptu, et doluptu, et doluptu, et doluptu, et doluptu. Uga. Uda sit, ne volesq uastacio omniad que cupidental de nos sentit eti. Ut esti reteculis repedit que pericil in maf maxo bilacepe.</p>
2016	Share capital	Other Contributed equity	Hedge reserves	Comprehensive income	Retained earnings	Non- controlling interest	Total Equity																																																																																																					
January 1 Jan	2.000	5.813		-2.410	26.345		37.112																																																																																																					
Change in fair value on translation			545		545		545																																																																																																					
Change in fair value on financial instruments measured at fair value through profit or loss			25				25																																																																																																					
Gain (loss) on re-measurement of pension plan																																																																																																												
Reinvest: Status, gross profit																																																																																																												
Other transaction costs																																																																																																												
Other comprehensive income			25	682	718		718																																																																																																					
Contribution from discontinued operations			4.674	25.033	25.033		25.033																																																																																																					
Contribution from associates					6.600		6.600																																																																																																					
Contribution from joint ventures					1.424		1.424																																																																																																					
Gains/(losses) on disposal of part of the business																																																																																																												
January 31 Dec	2.000	12.220	14	3.425	40.000	41.745	41.745																																																																																																					
Page footer																																																																																																												
Page footer																																																																																																												



Scania grid system



SCANIA

THE SCANIA V8 TRUCK RANGE
R 730

Power in style

SCANIA

TAILOR-MADE APPLICATIONS
LONG-HAULAGE TRUCKS

Understanding your business



Biodiesel engines
Biodiesel engines are 5 engines running at 100% on biodiesel, ranging from 250 to 460 kW. All engines are available with a 100% biodiesel blend. Also, all other Scania diesel engines can perform well on up to 100% biodiesel.

KEEP MOVING
FORWARD

Scania Legend October-November 2016 030

Technical specification

Dimensions
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.

Dimensions
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.

Dimensions
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.

Dimensions
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.
Scania cabine et son fuselage en dessous de la ligne de toit.
Scania cabine et son fuselage au-dessus de la ligne de toit.

030 Scania Legend October-November 2016 030





Scania grid system

Odd formats

For odd formats (e.g. digital banners), specific layouts are applied. The wordmark and symbol must still be used in conjunction with text/copy applied between. The symbol may never be placed under the Scania wordmark.

Horizontal placement


The symbol is right-aligned and the wordmark is left-aligned. The text/copy is left-aligned. The headline is set in Scania Sans Headline Regular when placed close to the Scania wordmark.

Vertical placement

The wordmark and symbol are centered, top and bottom. The text/copy is also centered.

Square placement

For odd formats, there is also a square grid, which is a common banner format. The wordmark and symbol are centered, top and bottom. The text/copy is centered. Odd formats may require customised grids and sizing. The clear space of the wordmark should be maintained.






Odd formats



Full banner 468 × 60 px

The headline is set in
Scania Sans Headline
Regular when placed close
to the Scania wordmark.



Skyscraper 160 × 600 px

Extreme formats may
require headlines on more
than three rows.



Square button 125 × 125 px



Mid page unit 300 × 250 px



Roll-ups/posters



For formats such as roll-ups/posters, specific layouts are applied. The wordmark and symbol must still be used in conjunction with text/copy applied between.

The size of the logotype is 2/5 of the width of the format.

X = The height of "I" in Scania wordmark.

The margin is 1.5 X.

For all posters in A-format, please use the Scania Grid for portrait/landscape orientation.





Digital signage Font sizing

Execution stand out and differentiation should be achieved through intelligent, engaging copy and quality photography, not multiple font sizes.

Try to stick to one or two font sizes in an execution and always look at the optimum size as your start point.

Using a Headline with a Sub-headline

Headline/Sub-headline copy
The optimum size for the headline should be 90 px high. With the sub-headline 30 px high (1/3 size of the headline).

Maximum
Headline 100 px
Sub-headline 33 px

Optimum
Headline 90 px
Sub-headline 30 px

Minimum
Headline 80 px
Sub-headline 27 px

Body Copy

The body copy text should be Scania Sans Regular and should be the same size as the sub-headline.

Call to Action Copy

The call to action copy should be Scania Sans Bold and should be the same size as the sub-headline and body copy.

Using a Headline without a Sub-headline

Headline Copy

Using the font Scania Sans Headline Bold or Scania Sans Headline Regular the optimum size for the headline without a sub-headline is 60 px high with the body copy 28 px high.

Maximum


Headline 70 px
Body copy 29 px

Optimum

Headline 60 px
Body copy 28 px

Minimum

Headline 50 px
Body copy 27 px



Example of a ticker banner.



Digital signage Examples



In a Scania context (such as in a Scania dealership) the usage of wordmark and symbol is optional.

MENS HOODIE

Classic zip hoodie.
Contrast colour piping at front and back, contrast colour rib, zipper and jersey in hood.



£55

SCANIA



How to scale

The Scania grid is available as vertical and horizontal templates in A4 (210 × 297 mm / 297 × 210 mm).

A4–A0


Formats larger than A4, uses the scaling principle described here.

A4–A5

Formats between A4 and A5, uses the same dimensions and sizes for the wordmark, symbol and margins, as the A4 Grid.

A6


For A6, and formats alike, the wordmark is 1/5 of the width of the spread.




Vertical A4 (210 × 297 mm)
This is the root/default format.



New format (240 × 300 mm)



Step 1
Scale the grid proportionally,
to fit the width of the new format.



Step 2
Adjust the height of the grid, to fit the
new format.

Scania grid system



A5 – Example

Use the same dimensions and sizes for the wordmark, symbol and margins, as the A4 Grid.


This example applies 6 columns with 3.75 mm gutter, instead of 12. This setting is optional.



A6 – Example

For A6, and formats alike, the wordmark is 1/5 of the width of the spread.

This example applies 6 columns with 3.75 mm gutter, instead of 12. This setting is optional.



Scania grid system




PowerPoint template

The Scania PowerPoint template is designed to bring the Scania brand to life, and to help all Scania communicators present and share both brief and detailed information with internal as well as external audiences.


User instructions:

- Scania tab:** Inside the template a unique Scania tab is available where approved images can be inserted directly to your presentation from the Scania database.
- Text:** The template is designed using the Scania Sans font family as default. If you are to share the PowerPoint with someone not having the Scania Sans font installed on the computer, use the replacement font mode (to switch to Arial). Avoid changing fonts or text size in text blocks.
- Headline:** Always try to use short headlines for clear and concrete communication
- Colour:** Use the default colour palette included in the template and avoid using other colours. Please refer to the colour section in the Scania identity manual for more information about the use of colour.



Text + Large photo 1

- Text Scania Sans
- Text Scania Sans
- Text Scania Sans 20 pt
- Text Scania Sans

A photograph of a man with glasses and a blue shirt standing in a field of tall grass or reeds. The Scania logo is in the top right corner, and the word 'SCANIA' is at the bottom right.

Agenda

- Luptataspis vel ipsae
- Nonsecula nonet iam fugit, vernati umquia dolupid
- Eum fugias restin entur?
- Sedic tet odis volupta que cusanis moluptore vendem
- Puda est eiuribu stiscius
- Quamusea

Your date here | Info about internal | Department / Name / Subject

Photos x 3

Three small photographs showing industrial interiors: a factory floor with machinery, a large metal wheel, and a workshop. The Scania logo is in the top right corner, and the word 'SCANIA' is at the bottom right.

Your date here | Info about internal | Department / Name / Subject

Important!

Always save your PowerPoint as a pdf, or make sure to embed the fonts in the file, when presenting at other computers, where Scania Sans may not be installed (otherwise the font will not be displayed correctly).




Internal communication

To make sure that information and documents intended for internal use are not spread outside the Scania organisation, internal and external communication are separated through different templates. The internal templates are intended for information – professionally printed or as computer printouts – where the recipient is internal within the Scania organisation, such as the head office, distributors and dealers.

All internal templates are printed on white background only. Headlines are set in Scania Sans Bold and in upper and lower case. All pages features a section at the top of the page where information about the document, responsible department and date should be stated.

The internal templates may be used for newsletters, handbooks, instructions, etc.




The following templates are available in A4 and A5 portrait formats:

InDesign

- Sheet/Newsletter
- Cover
- Folder, spread and
- Folder, single-page


Word

- Sheet/Newsletter
- Folder, single-page







Don'ts




Don't place the symbol in any other corner than the top right.




Don't enlarge the wordmark or symbol beyond the correct proportions. See page 66–84 for correct proportions.



Don't increase or decrease the margins beyond the correct proportions. See page 66–84 for correct proportions.



Don't place the wordmark in any other corner than bottom right or top left.



Don't use lock-up logotypes for communication material.



Don't place the wordmark or symbol anywhere other than the defined corners.



BRAND ASSETS

5. IMAGE STYLE

Image style



Scania's image style is set to bring us closer to the customers, the vision and the people.

The images are dramatised, using natural light with depth of field and high-level realism. This way Scania is "present" and shows that the customers and every bit of their business are understood.

Two perspectives may be used to illustrate our awareness of the big picture, as well as our exact attention to detail:

- A holistic view
- A detailed view






Image style

Holistic view



Detailed view



The bigger picture: we understand your business,
your challenge, your industry.

Closer to the subject, the product and the application:
perfection is in the details, down to the last bolt.



Categories



Ingenious engineering

Product

Understanding your business

Understanding your needs
– People

Understanding your needs
– The challenge

Visionary solutions

Scania's brand imagery should always be grounded in reality: our own, and that of our customers. The images can be impressive, unexpected, but never look fake or overly retouched. These categories show the range of Scania's image style and should be used as inspiration when you photograph for Scania.

Guiding principles:

- If possible, use realistic situations and environments. Do not make the photos look too obvious or staged (exception: studio photos).
- Do not photoshop elements into pictures, appearing unnatural or retouched.
- Clear focus on the subject with a soft focus background/foreground. Use depth of field to create dynamic images.
- Employ distinctive cropping that draws you into the photo.
- Try to make the light look natural and if possible, avoid using flash or artificial lighting.
- Do not add 3D effects, drop shadows or other effects.
- Always sign an agreement with the photographer as well as any models used in the images.
- Bear in mind the tone of voice of Scania as well as that all images are appropriate and follow Scania's core values, ethical guidelines and principles.

More information is available in the Scania Imagery appendix and can be downloaded via Scania Media Provider <https://media.scania.com>



BRAND ASSETS

6. ICONS

Icons



The design of the modern and custom-made icon system for communication is based on the symbol, the Scania Sans font family and the product DNA. It has been customised with the goal of unifying the Scania brand experience throughout all applications.

It enables clear and instantaneous communication for information graphics and sales support.

In most cases the icons need to be supported by text (and must/cannot speak for themselves).

Use the icons for information, never for decoration or as logotypes.

Use only the Scania icon system in communication and applications. Avoid using icons of another design to ensure a coherent brand expression.



Icons



A few examples of available icons:



Job posting – Location




Truck



Repairs



My Scania



Gear shift



Find a dealer



CO₂ emissions



Fuel economy



Knowledge



Dealer key actions

More icons can be found via
Scania Media Provider
<https://media.scania.com>
or via Scania CV AB:
identity@scania.com



BRAND ASSETS

7. MATERIALS



Materials

The brand identity has been built with great care, and is closely linked to the products, the heritage, the customers and the industries Scania serves. Approach the material palette with the same logic, and use natural materials of the highest quality.



Materials



Varnished metal
Vehicles and engines



Uncoated/Coated paper
Uncoated – natural (sustainable)
Coated when functionality requires it



Brushed steel
Industry brushed – satin varnished



Leather
Natural (sustainable)
(Glossy/chrome where required)



Rubber
Industry construction material



Concrete
Industry construction material



Metal
Industry




Blonde wood
Natural (Swedish/Scandinavian)



Glass
Technology and engineering



Iron
Industry and prehistoric force
(Swedish/Scandinavian)



Acrylic
Technology and engineering



Textile
Natural



BRAND ASSETS

8. CROPPED GRIFFIN



Cropped griffin

The Scania cropped griffin is restricted and may be used only on products. It's a popular graphic asset, recognisable on the road. For the customer it is often a symbol of the pride of driving a Scania.



Cropped griffin



Application

The Scania griffin has its own specific artwork and is always applied as a sticker, available from Scania Vehicle Accessories assortment (<http://accessories.scania.com>). The sticker is applied to the vehicle as per the illustration on the right.

On all other branded surfaces, use the full-colour Scania symbol instead, or use the monochrome versions when printing options are limited.





Cropped griffin

Replacements

The cropped griffin is restricted to use on products only.

There are functional applications with the cropped griffin that must be replaced.

Use the full-colour Scania symbol instead, or the monochrome version when printing options are limited.

This results in stronger, prouder branding and unifies the brand.





SCANIA IDENTITY MANUAL

9. EPILOGUE



The true measure of our success is our customers' success. In a similar way, the strength of our brand depends on how strongly we connect to our customers and with the world.

What people think, feel and believe about Scania defines our brand. It lives inside their hearts and minds. It is the proof of our promise to deliver something unique every time.

We need to remind them of this difference, and reinforce our promise confidently and consistently. This identity manual has been specifically developed to help us do just that.

Our brand identity is the banner under which we operate. It's the visual symbol and manifestation of everything that makes Scania outstanding. Let's put it out into the world with great care, confidence and a deep sense of pride, trust and dedication.





Scania Identity Helpdesk

Questions regarding this manual and the Scania brand identity may be submitted to Scania CV AB through Scania Identity Helpdesk at: identity@scania.com

Downloads

The following elements are available for download on the Scania Media Provider or can be ordered from Scania CV AB via identity@scania.com:

- The Scania Identity Manual and appendices
- Artwork for wordmark, symbol and logotype (available for Marketing Communicators/Level 1 users)
- Font files and icons
- Images (Under category "Corporate identity" you find "Photographer's choice", where selected premium images strongly connected to the Scania identity are available for download).
- Templates for external communication, internal communication, stationery, etc.

Templates and manuals can also be found on Reflex (<https://corporate-intranet.scania.com>) under "Brand & Marketing > Brand and identity".

For web applications, please visit the UX Library for more information: <https://static.scania.com/ux-library>

Scania Media Provider
<https://media.scania.com>

Separate appendices

Information about the following areas, are available as separate appendices and can be downloaded via Scania Media Provider <https://media.scania.com>

- Partner companies (part no. 16MC194)
- Imagery (part no. 16MC280)
- Film (part no. 16MC279)
- Illustrations and Infographics (part no. 16MC281)
- Stationery (part no. 16MC197)
- Signage (part no. 16MC195)
- Service vehicles (part no. 16MC196)
- Mobile applications (part no. 17MC159)

Assortment catalogues

Assortments and ordering information are available in the separate assortment catalogues, available on the global intranet Reflex:

- Signage catalogue (part no. 17MC124)
- Service vehicle decoration (part no. 17MC126)