AEDCO – FZ
Arab Engineering & Distribution Company – Free Zone J/S

الشركة العربية للهندسة والتوزيع – منطقه حره (شركه مساهمة مصرية)
ARAB ENGINEERING & DISTRIBUTION CO. – FREE ZONE (Joint Stock)

Delivery Ticket

Subject: GUPCO Purchase order. GG-127872-AKF
AEDCO-FZ ref: GUPCO/3001-F2/

Customer	GUPCO	Delivery Ticket #	0698
Address	Palestine St, 4th Sector, New Maadi	Date	15-May -25
P.O. Number	GG-127872-AKF	Reference	GUPCO/3001-F2/

I hereby confirm that I have received the following documents and materials from AEDCO-FZ:

1- Material as per the official purchase order number GG-127872-AKF
2- MRL for delivery Ticket number 0698 (copy attached)

I (Customer Authorized Representative) confirm that the above documents are the ones necessary to allow GUPCO to collect the material and release it from the Public Free Zone and that AEDCO-FZ has fulfilled it's duties in supporting the releasing of the said documents from the Public Free Zone.

I (Customer Authorized Representative) also confirm that the material received is in perfect condition and with no defects and quantities as per GUPCO official purchase order number GG-127872-AKFand that AEDCO-FZ has fulfilled its obligation with respect to the material delivery and condition and as per the MRL attached and signed.

Customer Authorized Rep. Name	AEDCO-FZ Authorized Rep. Name	Truck License Number
		٥٤٩/٢٩٤
Customer Authorized Rep. Signature	AEDCO-FZ Authorized Rep. Signature	Driver's Name
Date	Date	Driver's ID
١٨/٥/٢٠٢٥		١٠٠٢٥

الكمية المسلمة بدون عجز أو زيادة عن شئ

Administrative Office:
Building B2, Mivida Business Park, New Cairo , Egypt
Tel: 02-23228800
Fax: 02-23228801-02

Main Office: Amerya Public Free zone, Alexandria
Tel: 03-4500189
Fax:03-4500189

المقرالإدارى: مبنى B2 – ميفيدا – شارع التسعين التجمع الخامس – القاهرة الجديدة
تليفون: 8800 2322 202+
فاكس: 02 – 8801 2322 202+

المقر الرئيسى: المنطقة الحرة العامة بالإسكندرية
تليفون: 03-4500189
فاكس: 03-4500189

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام للبضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
1	1	BLIND FLANGE, 3", FORGED CARBON STEEL, CLASS 300, RF, TO ASME B16.5, ASTM A105N, NACE MR0175 AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	10		
2	2	BLIND FLANGE, 12", FORGED CARBON STEEL, CLASS 300, RF, TO ASME B16.5, ASTM A105N, NACE MR0175 AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	5		
3	3	INSULATING KIT, 6", PIKOTEC STYLE PGE FLANGE GASKET, CLASS 300 , SERVICE TEMPERATURE UP TO 150°C, 316 METALLIC CORE GASKETS WITH NEMA GRADE G10 FACING, SPRING ENERGIZED TEFLON SEALS, GRE G10 BOLT SLEEVES AND DOUBLE HCS ISOLATION WASHERS WITH X37-EG DIELECTRIC COATING, IN COMPLIANCE WITH NACE MR0175, ISO 10204:3.1, FULL DATA MARKING SHALL BE ON THE GASKET AND TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	4		
4	4	STUDBOLTS, DIAMETER 7/8", LENGTH 5", TO SUIT FLANGES {(NPS 1", RTJ,CLASS 900) & (NPS 1", RTJ,CLASS 1500)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	500		
5	5	STUDBOLTS, DIAMETER 1 1/8", LENGTH 7", TO SUIT FLANGES {(NPS 14", RF,CLASS 300) & (NPS 3", RTJ,CLASS 1500)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	300		
6	6	GASKET- SPIRAL WOUND, SIZE - 12", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
7	7	GASKET- SPIRAL WOUND, SIZE - 6", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	30		
8	8	STUDBOLTS, DIAMETER 3/4", LENGTH 6.75", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 6", RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	400		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام للبضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
9	9	GASKET- SPIRAL WOUND, SIZE - 3/4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
10	10	GASKET- SPIRAL WOUND, SIZE - 1 1/2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
11	11	GASKET- SPIRAL WOUND, SIZE - 2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	150		
12	12	GASKET- SPIRAL WOUND, SIZE - 3", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
13	13	GASKET- SPIRAL WOUND, SIZE - 4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
14	14	GASKET- SPIRAL WOUND, SIZE - 8", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
15	15	GASKET- SPIRAL WOUND, SIZE - 10", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	40		
16	16	GASKET- SPIRAL WOUND, SIZE - 12", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	40		
17	17	GASKET- SPIRAL WOUND, SIZE - 16", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	20		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام البضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التطبق
18	18	GASKET- SPIRAL WOUND, SIZE - 1/2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	40		
19	19	GASKET- SPIRAL WOUND, SIZE - 3/4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
20	20	GASKET- SPIRAL WOUND, SIZE - 1", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
21	21	GASKET- SPIRAL WOUND, SIZE - 1 1/2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
22	22	GASKET- SPIRAL WOUND, SIZE - 2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
23	23	GASKET- SPIRAL WOUND, SIZE - 3", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
24	24	SPIRAL WOUND, SIZE - 4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	80		
25	25	GASKET- SPIRAL WOUND, SIZE - 6", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 300, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
26	26	GASKET- SPIRAL WOUND, SIZE - 1", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 600, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:
Gulf of Suez Petroleum (GUPCO) ,
Palestine Street,4th Sector, Cairo,
Egypt

Material Receiving List for Delivery ticket number
بيان استلام للبضاعه

O698

Your Order	GG-127872-AKF
Order Date	19-Sep-24
Confirmation Date	19-Sep-24
Job ref. Number	GUPCO/3001-F2/
Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
27	27	GASKET- SPIRAL WOUND, SIZE - 1 1/2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 600, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	60		
28	28	GASKET- SPIRAL WOUND, SIZE - 4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 600, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
29	29	STUDBOLTS, DIAMETER 1/2", LENGTH 2.75", TO SUIT FLANGES {(NPS 1 1/2", RF,CLASS 150)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
30	30	STUDBOLTS, DIAMETER 1/2", LENGTH 3", TO SUIT FLANGES {(NPS 1/2", RF,CLASS 600)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
31	31	STUDBOLTS, DIAMETER 1/2", LENGTH 5", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 1/2", RF,CLASS 600)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
32	32	STUDBOLTS, DIAMETER 7/8", LENGTH 7", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 1", RTJ,CLASS 900) & (NPS 1", RTJ,CLASS 1500)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
33	33	STUDBOLTS, DIAMETER 1/2", LENGTH 4.5", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 3/4", RF,CLASS 150) & (NPS 1", RF,CLASS 150) & (NPS 1/2", RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
34	34	STUDBOLTS, DIAMETER 3/4", LENGTH 5.5", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 1 1/2", RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام للبضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
35	35	STUDBOLTS, DIAMETER 1/2", LENGTH 4.25", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 1/2", RF,CLASS 150)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
36	36	STUDBOLTS, DIAMETER 1/2", LENGTH 4.75", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 1 1/2", RF,CLASS 150)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
37	37	STUDBOLTS, DIAMETER 1", LENGTH 6.25", TO SUIT FLANGES {(NPS 10'', RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
38	38	STUDBOLTS, DIAMETER 1/2", LENGTH 2.5", TO SUIT FLANGES {(NPS 3/4", RF,CLASS 150) & (NPS 1", RF,CLASS 150) & (NPS 1/2", RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
39	39	STUDBOLTS, DIAMETER 3/4", LENGTH 6.25", TO SUIT FLANGES WITH INSERTED SPADE {(NPS 8", RF,CLASS 150) & (NPS 3", RF,CLASS 300) & (NPS 1 1/2", RF,CLASS 600) & (NPS 1/2", RTJ,CLASS 900) & (NPS 1/2", RTJ,CLASS 1500)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	200		
40	40	FLANGE, 1", FORGED CARBON STEEL, CLASS 150 RF TO ASME B16.5, SOCKET WELD. ASTM A105N, NACE MR0175 and, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	15		
41	41	ELBOW 90, Size 1", CARBON STEEL , DIMENSIONS TO ASME 16.11, SOCKET WELD. CLASS 6000 LB , ASTM A105N, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	15		
42	42	STUDBOLTS, DIAMETER 1/2", LENGTH 2.5", TO SUIT FLANGES {(NPS 3/4", RF,CLASS 150) & (NPS 1", RF,CLASS 150) & (NPS 1/2", RF,CLASS 300)}, THREADED FULL LENGTH UNC WITH TWO HEAVY HEX. NUTS, DIMENSIONS TO B16.5, , ASTM A193-B-7 / ASTM A194-2H, BS EN ISO 1461 HOT DIPPED SPUN GALVANISED, COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002..	300		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام للبضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
43	43	UNION, 1", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED As pe ISO 1461,AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	100		
44	44	BUSHING, 3/4" X 1/2" NPT HEX HEAD STD. CARBON STEE L GALV. , A-105	38		
45	45	Nipple , Size (nominal) 1/2", Length 3", Schedule # 160, PE X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	150		
46	46	Nipple , Size (nominal) 1/2", Length 4", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
47	47	Nipple , Size (nominal) 1/2", Length 6", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175,BS EN 10204: 3.1 and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
48	48	Nipple , Size (nominal) 3/4", Length 3", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
49	49	Nipple , Size (nominal) 3/4", Length 4", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
50	50	Nipple , Size (nominal) 3/4", Length 6", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175,BS EN 10204: 3.1 and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		
51	51	Nipple , Size (nominal) 1", Length 3", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
52	52	Nipple , Size (nominal) 1", Length 4", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	100		
53	53	Nipple , Size (nominal) 1", Length 6", Schedule # 160, THRD X THRD, CARBON STEEL, ASME B36.10M, SEAMLESS, ASTM A106 GR.B / API 5L GR.B, All material shall be in compliance with NACE MR 0175,BS EN 10204: 3.1 and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	50		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام البضاعه O698	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
		Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
54	54	BUSHING, NPT HEX HEAD 3000 LB CARBON STEEL GALV. S IZE,A-105 : 1-1/2" X 3/4"	50		
55	55	BUSHING, NPT HEX HEAD 3000 LB CARBON STEEL BLACK SIZE,A-105: 1" X 3/4"	100		
56	56	BUSHING, NPT HEX HEAD 3000 LB CARBON STEEL BLACK SIZE,A-105: 1" X 1/2"	200		
57	57	UNION, 1/2", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	40		
58	58	UNION, 3/4", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	40		
59	59	UNION, 1", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED As pe ISO 1461,AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	100		
60	60	ELBOW 90, 1/2", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED , TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	50		
61	61	ELBOW 90, 3/4", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED , TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	40		
62	62	ELBOW 90, 1", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N Galvanized As pe ISO 1461,, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	20		
63	63	BUSHING 1 1/4" X 1"GALVANIZE SCH.80 SCREWED / F IT-6-M-009-1	80		
64	64	ELBOW 90, 2", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, SCHED # 40 , ASTM A105N GALVANIZED, Galvanized As pe ISO 1461,TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	50		
65	65	ELBOW 90, 1", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N Galvanized As pe ISO 1461,, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	50		
66	66	UNION, 2", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED As pe ISO 1461, AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	50		
67	67	UNION, 1", GALVANIZED CARBON STEEL, THRD FNPT , DIEMNSIONS TO ASME 16.11, CLASS 3000, , ASTM A105N GALVANIZED As pe ISO 1461,AND, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	25		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:	Material Receiving List for Delivery ticket number بيان استلام للبضاعه	Your Order	GG-127872-AKF
Gulf of Suez Petroleum (GUPCO) , Palestine Street,4th Sector, Cairo, Egypt		Order Date	19-Sep-24
		Confirmation Date	19-Sep-24
		Job ref. Number	GUPCO/3001-F2/
	O698	Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
68	68	CONCENTRIC REDUCING SWAGED NIPPLE, 2 X 1, GALV. CARBON STEEL, THRD MNPT X THRD MNPT, DIMENSIONS TO MSS SP-95,SCHED # 40 X SCHED # 80, ASTM A234; GALVANIZED , TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	10		
69	69	FLANGE, 2", GALVANIZED CARBON STEEL, CLASS 150, RF, TO ASME B16.5, THRD FNPT, ASTM A105N, GALVANIZED , Galvanized As pe ISO 1461,TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GU-0000-PI-SPE-0002	50		
70	70	GASKET- SPIRAL WOUND, SIZE - 2", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	150		
71	71	GASKET- SPIRAL WOUND, SIZE - 3", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	300		
72	72	GASKET- SPIRAL WOUND, SIZE - 3", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 600, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	800		

Arab Engineering & Distribution Company - Free Zone
Head Office: Public Free Zone, Amereya, Alexandria
Administration Office:Mivida Buisness Park, 5th Settlement, New Cairo, Egypt
P.O. Box 86 - Postal Code: 11835
Tel: 23228800 - Fax: 23228801-02

To:
Gulf of Suez Petroleum (GUPCO) ,
Palestine Street,4th Sector, Cairo,
Egypt

Material Receiving List for Delivery ticket number
بيان استلام للبضاعه

O698

Your Order	GG-127872-AKF
Order Date	19-Sep-24
Confirmation Date	19-Sep-24
Job ref. Number	GUPCO/3001-F2/
Delivery Terms	AEDCO-FZ Alexandria Free Zone

#	Part no.\ الكود	Description إسم القطعه	Quantity Ordered الكميه المطلوبه	Quantity Received الكميه المستلمه	Comments التعليق
73	73	GASKET- SPIRAL WOUND, SIZE - 4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 150, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	200		
74	74	GASKET- SPIRAL WOUND, SIZE - 4", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 900, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	300		
75	75	GASKET- SPIRAL WOUND, SIZE - 6", AS PER ASME B16.20, TO SUIT FLANGES AS PER ASME B16.5, CLASS 1500, 316L SS WINDINGS WITH GRAPHITE FILLER, 316L SS INNER RING, GALVANIZED CARBON STEEL OUTER RING, IN COMPLIANCE WITH NACE MR0175, TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	500		
76	76	REDUCING TEE, 24" X 18" , SCH 40 X SCH 40, BUTT WELD, SEAMLESS, CARBON STEEL, DIMENSIONS TO ASME B16.9., ASTM A234 GR. WPB, IN COMPLIANCE WITH NACE MR0175, and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	3		
77	77	WELDOLET, 8" X RUN 18" , SCHED # 40 X SCHED # 40, FORGED CARBON STEEL , DIMENSIONS TO MSS-SP97, ASTM A105N, IN COMPLIANCE WITH NACE MR0175,BS EN 10204: 3.1, and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	2		
78	78	ELBOW 90, 20", LR CARBON STEEL, SMLS , SCH 40, ASTM A234 GR. WPB, BUTT WELD, IN COMPLIANCE WITH ASME B16.9, NACE MR0175, and TO BE SUPPLIED IN ACCORDANCE WITH GUPCO SPECIFICATION GP-000-GU-0000-PI-SPE-0002	2		

I (Customer Authorized Representative) confirm that I Received all the items related to GUPCO Purchase order number GG-127872-AKF from AEDCO-FZ warehouse in Alexandria and that the material received is in perfect condition and with no defects and quantities are as per GUPCO official purchase order and that AEDCO-FZ has fulfilled its obligation with respect to the material delivery and condition.

أقر أنا (الشخص المفوض من جهة العميل) أنني قد استلمت كامل مشمول الشحنه الخاصه بأمر التوريد الخاص بشركة جابكو رقم GG-127872-AKF من المخزن الخاص بالشركه العربيه للهندسه و التوزيع - منطقه حره بالاسكندريه و أن البضاعه المستلمه في حاله جيده فيما يخص الأعداد المطلوبه و الحاله للبضاعه و أنه لا يوجد أي عيب أو خدوش أو كسر في أي قطعه. وأنه بذلك تكون الشركه العربيه للهندسه و التوزيع - منطقه حره قد أتمت واجبها الخاص بالتعاقد فيما يخص توريد البضاعه المطلوبه و أعدادها و حالتها في وقت الاستلام.

Customer Authorized Rep. Name	AEDCO-FZ Authorized Rep. Name	Truck License Number
	Hesham Adly	
Customer Authorized Rep. Signature	AEDCO-FZ Authorized Rep. Signature	Driver's Name
Date	Date	Driver's ID