

Part A - Expose Virtual Tables via API Pages

In this task, you will create **API pages** to expose entities from the **Rent-a-Car** solution as **virtual tables** in Dataverse. Virtual tables in Dataverse rely on external data sources exposed via APIs, so in Business Central, this means **API pages**.

Goal

Create the following **three API pages** in AL:

1. Loan Header API Page

- Based on the **Loan Header** table.
 - Fields to include:
 - Contact No.
 - Contact Name
 - Contact E-mail
 - Status
 - Start Date
 - End Date
-

2. Loan Line API Page

- Based on the **Loan Line** table.
- Fields to include:
 - Document Id
 - Line No.
 - Document No.
 - Vehicle No.
 - Vehicle Name

- Start Mileage
 - End Mileage
-

3. Loan Order API Page

- Based on the **Loan Header** table.
- This page should include:
 - All the same fields as the **Loan Header API Page**
 - An additional **part**: the **Loan Line API page** you just created

Important: You must link the **Loan Line** part using the Document Id field.

In your data model, the Document Id in the Loan Line table is the SystemId of the related Loan Header.

Hint

- Make sure SystemId is included to uniquely identify records.
- If having difficulties, take a peek of a solution in github repo on the **solution/virtual-tables** branch

Part B - Configure a Business Central MCP Server for the API Pages

In this part, you will expose the API pages you just created (Loan and Vehicle) to AI clients by creating a Model Context Protocol (MCP) Server configuration in Business Central. An MCP server lets AI clients such as Copilot Studio, GitHub Copilot in VS Code, and Claude discover your API pages as tools and work with the data conversationally. The same API pages that back your virtual tables now also become agent tools - no extra AL required.

Prerequisites

- You have the MCP - ADMIN permission set (or equivalent permissions).
- The three API pages from Part A are published to your environment.

Hint

- check screenshot for full MCP server configuration.

Model Context Protocol (MCP) Server Configuration

RM MCP

Copy Validate Advanced More options

General

In Static Tool Mode, objects in the available tools will be directly exposed to clients. You can manage these tools by adding, modifying, or removing them from the configuration.

Available ToolsNew LineDelete LineSelect Tools...Add Tools by API GroupAdd All Standard APIs as Tools

API Object Type ↑	Object ID ↑	Object Name	API Version	Allow Read	Allow Create	Allow Modify	Allow Delete	Allow Bound Actions
Page	30009	APIV2 - Customers	v2.0	☒	☐	☐	☐	☐
Page	30010	APIV2 - Vendors	v2.0	☒	☐	☐	☐	☐
Page	30071	APIV2 - Contacts	v2.0	☒	☐	☐	☐	☐
Page	30072	APIV2 - Contacts Information	v2.0	☒	☐	☐	☐	☐
→ Page	50108	BCT APIV2 - Loan Order Lines	v2.0	☒	☒	☒	☒	☐
Page	50109	BCT APIV2 - Loan Orders	v2.0	☒	☐	☐	☐	☒
Page	50112	BCT APIV2 - Loan Header	v2.0	☒	☒	☒	☒	☒
Page	50119	BCT APIV2 - Vehicle	v2.0	☒	☒	☒	☒	☐
				☐	☐	☐	☐	☐
				☐	☐	☐	☐	☐