

BC App Registration steps

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Renato.Fajiga@ppcbow...
CUSTOMER PROCESSING

All services >

App registrations

+ New registration Endpoints Troubleshoot Refresh Download Preview features Got feedback?

Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Graph. We will continue to provide technical support and security updates but we will no longer provide feature updates. Applications will need to be upgraded to Microsoft Authentication Library (MSAL) and Microsoft Graph. [Learn more](#)

All applications Owned applications Deleted applications

Start typing a display name or application (client) ID to filter these r... Add filters

15 applications found

Display name ↑	Application (client) ID	Created on ↑	Certificates & secrets
allpger-bctechdays	e069ef9f-fc29-4f59-9b20-1ea9c7b6e1d4	08/06/2025	-
Copilot in Dynamics 365 Sales (Microsoft Copilot Studio)	3d0d814e-4bdc-415a-ae9d-992ccda4799	07/06/2025	-
Copilot in Dynamics 365 Sales (Microsoft Copilot Studio)	15c907f1-5063-4364-b613-5c4ba05bb97c	08/06/2025	-
CS Case Followup and Closure (Microsoft Copilot Studio)	c4fbba47c-5623-4399-a516-4072a82d3b18	08/06/2025	-
CS Case Followup and Closure (Microsoft Copilot Studio)	c61f0d27-fa4c-4b40-a35d-e583ebb4352b	08/06/2025	-
Customer Service Copilot Bot (Microsoft Copilot Studio)	f4d2f130-1afa-48cf-8827-7e54bb888034	08/06/2025	-
Customer Service Copilot Bot (Microsoft Copilot Studio)	2d8b4c6a-0ff2-4964-a439-bd58bd828afc	08/06/2025	-
D365 Sales Agent - Email Validation (Microsoft Copilot Studio)	5a63d713-4f88-4912-965b-cfd22fe94691	08/06/2025	-
D365 Sales Agent - Email Validation (Microsoft Copilot Studio)	4d56a5e0-c098-4a78-abdc-a5eba9d62cc	08/06/2025	-
D365 Sales Agent - Outreach (Microsoft Copilot Studio)	45f15e8c-087b-4c86-abb4-58f5136b6dd	08/06/2025	-
D365 Sales Agent - Outreach (Microsoft Copilot Studio)	8bfba76c-4b5b-453a-b188-84fa09e316d0	08/06/2025	-
D365 Sales Agent - Readiness (Microsoft Copilot Studio)	631ed087-5197-4b56-a0fd-bdd10e8f0bfb	08/06/2025	-
D365 Sales Agent - Readiness (Microsoft Copilot Studio)	6a89a83d-587c-4bca-94bb-f2c58c904684	08/06/2025	-
D365 Sales Agent - Research (Microsoft Copilot Studio)	27f6887-1d31-4248-a476-32bd85972841	08/06/2025	-
D365 Sales Agent - Research (Microsoft Copilot Studio)	8ad36579-d6e9-4ec4-b6b1-1a19d89c2357	08/06/2025	-

All services > App registrations >

Register an application

* Name

The user-facing display name for this application (this can be changed later).

BCTDWorkshop

1

Supported account types

Who can use this application or access this API?

- ☐ Accounts in this organizational directory only (Development only - Single tenant)
- ☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) 2
- ☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)
- ☐ Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Select a platform

e.g. https://example.com/auth

Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#).

Microsoft Azure

Search resources, services, and docs (1+)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT (PPBCWORKSHOP)

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | Authentication

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Supported account types

Who can use this application or access this API?

☐ Accounts in this organizational directory only (Development only - Single tenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

Help me decide...

Due to temporary differences in supported functionality, we don't recommend enabling personal Microsoft accounts for an existing registration. If you need to enable personal accounts, you can do so using the manifest editor. [Learn more about these restrictions.](#)

Starting November 9th, 2020 end users will no longer be able to grant consent to newly registered multitenant apps without verified publishers. [Add MPN ID to verify publisher](#)

Advanced settings

Allow public client flows

Enable the following mobile and desktop flows:

Yes

No

- App collects plaintext password (Resource Owner Password Credential Flow) [Learn more](#)
- No keyboard (Device Code Flow) [Learn more](#)
- SSO for domain-joined Windows (Windows Integrated Auth Flow) [Learn more](#)

App instance property lock

Configure the application instance modification lock. [Learn more](#)

Configure

Save

Discard

Add or remove favorites by pressing Ctrl+Shift+F

Microsoft Azure

Search resources, services, and docs (1+)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT (PPBCWORKSHOP)

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | Authentication

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Supported account types

Who can use this application or access this API?

☐ Accounts in this organizational directory only (Development only - Single tenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

Help me decide...

Due to temporary differences in supported functionality, we don't recommend enabling personal Microsoft accounts for an existing registration. If you need to enable personal accounts, you can do so using the manifest editor. [Learn more about these restrictions.](#)

Starting November 9th, 2020 end users will no longer be able to grant consent to newly registered multitenant apps without verified publishers. [Add MPN ID to verify publisher](#)

Advanced settings

Allow public client flows

Enable the following mobile and desktop flows:

Yes

No

- App collects plaintext password (Resource Owner Password Credential Flow) [Learn more](#)
- No keyboard (Device Code Flow) [Learn more](#)
- SSO for domain-joined Windows (Windows Integrated Auth Flow) [Learn more](#)

App instance property lock

Configure the application instance modification lock. [Learn more](#)

Configure

Save

Discard

Add or remove favorites by pressing Ctrl+Shift+F

Configure platforms

Web applications

Web

Build, host, and deploy a web server application. .NET, Java, Python

Single-page application

Configure browser client applications and progressive web applications. JavaScript

Mobile and desktop applications

iOS / macOS

Objective C, Swift, Xamarin

Android

Java, Kotlin, Xamarin

Mobile and desktop applications

Windows, UWP, Console, IoT & Limited-entry Devices, Classic iOS + Android

Microsoft Azure

Search resources, services, and docs (Ctrl+J)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT | MICROSOFT

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | Authentication

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Web

Redirect URIs

The URIs we will accept as destinations when returning authentication responses (tokens) after successfully authenticating or signing out users. The redirect URI you send in the request to the login server should match one listed here. Also referred to as reply URLs. [Learn more about Redirect URIs and their restrictions](#)

1 https://businesscentral.dynamics.com/OAuthLanding.htm

Add URI

Front-channel logout URL

This is where we send a request to have the application clear the user's session data. This is required for single sign-out to work correctly.

e.g. https://example.com/logout

Implicit grant and hybrid flows

Request a token directly from the authorization endpoint. If the application has a single-page architecture (SPA) and doesn't use the authorization code flow, or if it invokes a web API via JavaScript, select both access tokens and ID tokens. For ASP.NET Core web apps and other web apps that use hybrid authentication, select only ID tokens. [Learn more about tokens](#)

Select the tokens you would like to be issued by the authorization endpoint:

☐ Access tokens (used for implicit flow)

☐ ID tokens (used for implicit and hybrid flows)

Supported account types

Save

Discard

Add or remove favorites by pressing Ctrl+Shift+F

Microsoft Azure

Search resources, services, and docs (Ctrl+J)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT | PPRWORKS...

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | API permissions

Search

Refresh

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support > Troubleshooting

Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Per

The "Admin consent required" column shows the default value for an organization. However, user consent can be customize

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent proces

all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for Development

API / Permissions name	Type	Description	Admin
Microsoft Graph (1)			
User.Read	Delegated	Sign in and read user profile	No

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise ap](#)

Request API permissions

Select an API

Microsoft APIs

APIs my organization uses

My APIs

Commonly used Microsoft APIs

Microsoft Graph

Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.

Azure Rights Management Services

Allow validated users to read and write protected content

Azure Service Management

Programmatic access to much of the functionality available through the Azure portal

Dynamics 365 Business Central

Programmatic access to data and functionality in Dynamics 365 Business Central

Dynamics CRM

Access the capabilities of CRM business software and ERP systems

Intune

Programmatic access to Intune data

Office 365 Management APIs

Retrieve information about user, admin, system, and policy actions and events from Office 365 and Microsoft Entra ID activity logs

Power Automate

Embed flow templates and manage flows

Power BI Service

Programmatic access to Dashboard resources such as Datasets, Tables, and Rows in Power BI

SharePoint

Interact remotely with SharePoint data

Skype for Business

Integrate real-time presence, secure messaging, calling, and conference capabilities

Yammer

Access resources in the Yammer web interface (e.g. messages, users, groups etc.)

More Microsoft APIs

Azure Batch

Azure Communication

Azure Cosmos DB

Request API permissions



[← All APIs](#)



Dynamics 365 Business Central

<https://dynamics.microsoft.com/business-central/overview/> [Docs](#)

What type of permissions does your application require?

Delegated permissions

Your application needs to access the API as the signed-in user.

1

Application permissions

Your application runs as a background service or daemon without a signed-in user.

Select permissions

[expand all](#)

Start typing a permission to filter these results



The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)



Permission	Admin consent required
▽ Other permissions (1)	
☒ 2 user_impersonation ⓘ Access as the signed-in user	No
▽ Financials (1)	
☒ 3 Financials.ReadWrite.All ⓘ Access Dynamics 365 Business Central as the signed-in user	No

4

Add permissions

Discard

Microsoft Azure

Search resources, services, and docs (Ctrl+J)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT | PPRWORKS...

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | API permissions

Search

Refresh

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

You are editing permission(s) to your application, users will have to consent even if they've already done so previously.

Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Per

The "Admin consent required" column shows the default value for an organization. However, user consent can be customize

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent proces

all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for Development

API / Permissions name	Type	Description	Admin
Dynamics 365 Business Central Q			
Financials.ReadWrite.All	Delegated	Access Dynamics 365 Business Central as the signed-in user	No
user_impersonation	Delegated	Access as the signed-in user	No
Microsoft Graph (1)			
User.Read	Delegated	Sign in and read user profile	No

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try Enterprise ap

Request API permissions

Select an API

Microsoft APIs | APIs my organization uses | My APIs

Commonly used Microsoft APIs

Microsoft Graph

Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.

Azure Rights Management Services

Allow validated users to read and write protected content

Azure Service Management

Programmatic access to much of the functionality available through the Azure portal

Dynamics 365 Business Central

Programmatic access to data and functionality in Dynamics 365 Business Central

Dynamics CRM

Access the capabilities of CRM business software and ERP systems

Intune

Programmatic access to Intune data

Office 365 Management APIs

Retrieve information about user, admin, system, and policy actions and events from Office 365 and Microsoft Entra ID activity logs

Power Automate

Embed flow templates and manage flows

Power BI Service

Programmatic access to Dashboard resources such as Datasets, Tables, and Rows in Power BI

SharePoint

Interact remotely with SharePoint data

Skype for Business

Integrate real-time presence, secure messaging, calling, and conference capabilities

Yammer

Access resources in the Yammer web interface (e.g. messages, users, groups etc.)

More Microsoft APIs

Azure Batch

Azure Communication

Azure Cosmos DB

Add or remove favorites by pressing Ctrl+Shift+F

Request API permissions



[All APIs](#)



Dynamics 365 Business Central

<https://dynamics.microsoft.com/business-central/overview/> [Docs](#)

What type of permissions does your application require?

Delegated permissions

Your application needs to access the API as the signed-in user.

Application permissions

Your application runs as a background service or daemon without a signed-in user.

1

Select permissions

[expand all](#)

Start typing a permission to filter these results

Permission	Admin consent required
Other permissions (1)	
☒ app_access ⓘ Access according to the application's permissions in Dynamics 365 Business Central	Yes 2
AdminCenter	
☐ AdminCenter.ReadWrite.All ⓘ Full access to Admin Center API	Yes
API (1)	
☒ API.ReadWrite.All ⓘ Full access to web services API	Yes 3
Automation (1)	
☒ Automation.ReadWrite.All ⓘ Full access to automation	Yes 4

5

Add permissions

Discard

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT | PPRCWORKSHOP

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | API permissions

Search Refresh Got feedback?

Overview Quickstart Integration assistant Diagnose and solve problems Manage Branding & properties Authentication Certificates & secrets Token configuration API permissions Expose an API App roles Owners Roles and administrators Manifest Support + Troubleshooting

You are editing permission(s) to your application, users will have to consent even if they've already done so previously.

Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Permissions that users have already granted on their own behalf aren't affected. [Learn more](#)

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

Grant admin consent for Development

API / Permissions name	Type	Description	Admin consent requ...	Status
Dynamics 365 Business Central				
API.ReadWrite.All	Application	Full access to web services API	Yes	Not granted for Develo...
app_access	Application	Access according to the application's permissions in Dyna...	Yes	Not granted for Develo...
Automation.ReadWrite.All	Application	Full access to automation	Yes	Not granted for Develo...
Financials.ReadWrite.All	Delegated	Access Dynamics 365 Business Central as the signed-in user	No	
user_impersonation	Delegated	Access as the signed-in user	No	
Microsoft Graph (1)				
User.Read	Delegated	Sign in and read user profile	No	

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise applications](#).

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

Renato.Fajdiga@ppbcw...
DEVELOPMENT | PPRCWORKSHOP

All services > App registrations > BCTDWorkshopDemo

BCTDWorkshopDemo | Certificates & secrets

Search Got feedback?

Overview Quickstart Integration assistant Diagnose and solve problems Manage Branding & properties Authentication Certificates & secrets Token configuration API permissions Expose an API App roles Owners Roles and administrators Manifest Support + Troubleshooting

Credentials enable confidential applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an HTTPS scheme). For a higher level of assurance, we recommend using a certificate (instead of a client secret) as a credential.

Application registration certificates, secrets and federated credentials can be found in the tabs below.

Certificates (0)

Client secrets (0)

Federated credentials (0)

A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.

+ New client secret

Description	Expires	Value	Secret ID
No client secrets have been created for this application.			

Add a client secret



Description

1

BCTDWorkshopDemo

Expires

2

Recommended: 180 days (6 months)



3

Add

Cancel

CRONUS UK

Customers

Ver

Notifications: 2

Get started

Hi, m

You're all se

your own, o

Show dem

Activities

Sales This Month

£0

> See more

Ongoing Sales

Sales Quotes

2

>

Data Integration

Coupled Data ...

Learn

Microsoft Entra A

Client ID

[af30e371-ad4a-...]

[ea76fed3-daf0-...]

[bf9c07cb-3385-...]

[451fc335-98a8-...]

Microsoft Entra Application Card

Grant Consent

More options

General

Client ID

[451fc335-98a8-432b-b094-200607d7]

Description

BCTDWorkshopDemo

State

Disabled

Contact Information

Extension

App ID

[00000000-0000-0000-0000-0000-...]

App Name

User information

User ID

[00000000-0000-0000-0000-00000000-...]

User Name

User Telemetry ID

[00000000-0000-0000-0000-00000000-...]

User Permission Sets

New Line

Delete Line

Permissions

Permission Set ↑	Description	Company ↑	Extension Name	Permission Scope
→				

CRONUS UK

Customers

Ver

Notifications: 2

Get started

Hi, m

You're all se

your own, o

Show dem

Activities

Sales This Month

£0

> See more

Ongoing Sales

Sales Quotes

2

>

Data Integration

Coupled Data ...

Learn

Microsoft Entra A

Client ID

[af30e371-ad4a-...]

[ea76fed3-daf0-...]

[bf9c07cb-3385-...]

[451fc335-98a8-...]

Microsoft Entra Application Card

Grant Consent

More options

General

Client ID

[451fc335-98a8-432b-b094-200607d7]

Description

BCTDWorkshopDemo

State

Enabled

Contact Information

Extension

App ID

[00000000-0000-0000-0000-00000000-...]

App Name

User information

User ID

[33e18573-831d-4106-8ca5-b8b6a7-...]

User Name

BCTDWORKSHOPDEMO

User Telemetry ID

[968f074a-b8f7-4b9d-8a23-3ab5e25-...]

You must set the State field to Disabled before you can make changes to ...

User Permission Sets

New Line

Delete Line

Permissions

Permission Set ↑	Description	Company ↑	Extension Name	Permission Scope
→ FULL ACCESS	Dynamics 365 Full ...		Base Application	System

