EC2 Auto-scaling

Author : Mahindra Guptha Kotha
Mail ID: mkotha@smu.edu


EXERCISE 10.1

Create a Launch Template


In this exercise, you'll create a launch template that installs and configures a simple web server.

You'll then use the launch template to manually create an instance.


1. In the EC2 service console, click Launch Templates.




2. Click the Create Launch Template button.




3. Give the launch template a name such as **MyTemplate**.




4. Click the Search For AMI link to locate one of the Ubuntu Server LTS AMIs. If you're in the `us-east-1` region, you can use **ami-0ac019f4fcb7cb7e6**.




5. For Instance Type, select t2.micro.





6. Under Security Groups, select a security group that allows inbound HTTP access. Create a new security group if necessary.



Creating a VPC for Security group








7. Expand the Advanced Details section and enter the following in the User Data text field:


```
#!/bin/bash
    apt-get update
    apt-get install -y apache2
```

```
    echo "Welcome to my website"> index.html


    cp index.html /var/www/html
```





8. Click the Create Launch Template button.




9. Click the Launch Instance From This Template link.


Search
[Alt+S]
United States (N. Virginia)
Mahindra AWS
EC2
Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Launch Templates (1/1) Info
Actions
Create launch template
Launch Template ID
Launch Template Name
Default Version
Created By
lt-0cd986f98a1818e97
MyTemplate
1
arn:aws:iam::9042
Launch instance from template
Modify template (Create new version)
Delete template
Delete template version
Set default version
Manage tags
Create Spot Fleet
Create Auto Scaling group
View details
MyTemplate (lt-0cd986f98a1818e97)
Launch template details
Actions
Delete template
Launch template ID
lt-0cd986f98a1818e97
Launch template name
MyTemplate
Default version
1
Owner
arn:aws:iam::904233121150:root
Details
Versions
Template tags
Launch template version details
Actions
Delete template version
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Mahindra AWS
VPC
Subnets
Create subnet
Create subnet Info
VPC
VPC ID
Create subnets in this VPC.
vpc-020816f6f13741b4e (vpcnew)
Associated VPC CIDRs
IPv4 CIDRs
172.31.0.0/16
Subnet settings
Specify the CIDR blocks and Availability Zone for the subnet.
Subnet 1 of 1
Subnet name
Create a tag with a key of 'Name' and a value that you specify.
mysubnet-123
The name can be up to 256 characters long.
Availability Zone Info
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



10. Click the Launch Instance From Template button.



11. After the instance boots, browse to its public IP address. You should see a web page that says “Welcome to my website.”

Welcome to my website

12. Terminate the instance when you're done with it.

