

The diagram illustrates the relationship between definitions and conditions for three data models: Store returns, Return ratios, and Store sales. It shows how these definitions are mapped to specific conditions (Grain, Date role, Join) and compares the number of reruns required for definition-level checks versus MAVRA runs.

Definitions:

- Store returns** (amount, tax, fee, ...)
- Return ratios** (return rate, ...)
- Store sales** (revenue, profit, ...)
- Catalog sales** (revenue, shipping, ...)

Conditions:

- Grain** store_returns(ticket, item)
- Date role** store_returns → date_dim
- Join** store_sales → store_returns
- Grain** store_sales(ticket, item)
- Date role** store_sales → date_dim
- Grain** catalog_sales(order, item)
- Date role** catalog_sales → date_dim

Definition-level reruns: 19 checks (5 × 2 + 3 × 3)

MAVRA runs: 3 checks

The diagram illustrates the relationship between definitions and conditions for three data models: Store returns, Return ratios, and Store sales. It shows how these definitions are mapped to specific conditions (Grain, Date role, Join) and compares the number of reruns required for definition-level checks versus MAVRA runs.

Definitions:

- Store returns** (amount, tax, fee, ...)
- Return ratios** (return rate, ...)
- Store sales** (revenue, profit, ...)
- Catalog sales** (revenue, shipping, ...)

Conditions:

- Grain** store_returns(ticket, item)
- Date role** store_returns → date_dim
- Join** store_sales → store_returns
- Grain** store_sales(ticket, item)
- Date role** store_sales → date_dim
- Grain** catalog_sales(order, item)
- Date role** catalog_sales → date_dim

Definition-level reruns: 19 checks (5 × 2 + 3 × 3)

MAVRA runs: 3 checks

The diagram is divided into two main sections: **Definitions** and **Conditions**.

Definitions:

- Store returns** (orange box): amount, tax, fee, ... (indicated by 5 orange squares)
- Return ratios** (orange box): return rate, ... (indicated by 3 orange squares)
- Store sales** (white box): revenue, profit, ... (indicated by 5 white squares)
- Catalog sales** (white box): revenue, shipping, ... (indicated by 4 white squares)

Conditions:


- Store returns conditions (blue boxes):**
 - Grain:** store_returns(ticket, item)
 - Date role:** store_returns → date_dim
 - Join:** store_sales → store_returns
- Store sales conditions (white boxes):**
 - Grain:** store_sales(ticket, item)
 - Date role:** store_sales → date_dim
- Catalog sales conditions (white boxes):**
 - Grain:** catalog_sales(order, item)
 - Date role:** catalog_sales → date_dim

Connections:

- Store returns connects to Store returns conditions.
- Return ratios connects to the Join condition and the Date role condition for store_sales.
- Store sales connects to the Date role condition for store_sales and the Grain condition for store_sales.
- Catalog sales connects to the Grain condition for catalog_sales and the Date role condition for catalog_sales.

Summary:

- Definition-level reruns:** 19 checks (5 × 2 for Store returns, 3 × 3 for Store sales and Catalog sales).
- MAVRA runs:** 3 checks.



The diagram illustrates the relationship between definitions and conditions for three data models: Store returns, Return ratios, and Store sales. It shows how these definitions are mapped to specific conditions (Grain, Date role, Join) and compares the number of reruns required for definition-level checks versus MAVRA runs.

Definitions:

- Store returns** (amount, tax, fee, ...)
- Return ratios** (return rate, ...)
- Store sales** (revenue, profit, ...)
- Catalog sales** (revenue, shipping, ...)

Conditions:

- Grain** store_returns(ticket, item)
- Date role** store_returns → date_dim
- Join** store_sales → store_returns
- Grain** store_sales(ticket, item)
- Date role** store_sales → date_dim
- Grain** catalog_sales(order, item)
- Date role** catalog_sales → date_dim

Definition-level reruns: 19 checks (5 × 2 + 3 × 3)

MAVRA runs: 3 checks

The diagram illustrates the relationship between definitions and conditions for three data models: Store returns, Return ratios, and Store sales. It shows how these definitions are mapped to specific conditions (Grain, Date role, Join) and compares the number of reruns required for definition-level checks versus MAVRA runs.

Definitions:

- Store returns** (amount, tax, fee, ...)
- Return ratios** (return rate, ...)
- Store sales** (revenue, profit, ...)
- Catalog sales** (revenue, shipping, ...)

Conditions:

- Grain** store_returns(ticket, item)
- Date role** store_returns → date_dim
- Join** store_sales → store_returns
- Grain** store_sales(ticket, item)
- Date role** store_sales → date_dim
- Grain** catalog_sales(order, item)
- Date role** catalog_sales → date_dim

Definition-level reruns: 19 checks (5 × 2 + 3 × 3)

MAVRA runs: 3 checks

The diagram illustrates the relationship between definitions and conditions for three data models: Store returns, Return ratios, and Store sales. It shows how these definitions are mapped to specific conditions (Grain, Date role, Join) and compares the number of reruns required for definition-level checks versus MAVRA runs.

Definitions:

- Store returns** (amount, tax, fee, ...)
- Return ratios** (return rate, ...)
- Store sales** (revenue, profit, ...)
- Catalog sales** (revenue, shipping, ...)

Conditions:

- Grain** store_returns(ticket, item)
- Date role** store_returns → date_dim
- Join** store_sales → store_returns
- Grain** store_sales(ticket, item)
- Date role** store_sales → date_dim
- Grain** catalog_sales(order, item)
- Date role** catalog_sales → date_dim

Definition-level reruns: 19 checks (5 × 2 + 3 × 3)

MAVRA runs: 3 checks

Definitions

- Store returns** (5 checks): amount, tax, fee, ...
- Return ratios** (3 checks): return rate, ...
- Store sales** (5 checks): revenue, profit, ...
- Catalog sales** (4 checks): revenue, shipping, ...

Conditions

- Store returns** (2 conditions):
 - Grain: store_returns(ticket, item)
 - Date role: store_returns → date_dim
- Return ratios** (1 condition):
 - Join: store_sales → store_returns
- Store sales** (2 conditions):
 - Grain: store_sales(ticket, item)
 - Date role: store_sales → date_dim
- Catalog sales** (2 conditions):
 - Grain: catalog_sales(order, item)
 - Date role: catalog_sales → date_dim

Summary:

- Definition-level reruns: 19 checks (5 × 2 + 3 × 3)
- MAVRA runs: 3 checks