

Paratech Website Audit Report

A production-readiness review of the Next.js marketing site, focused on reliability, accessibility, performance, SEO, and lead conversion.

Executive summary

Verdict: The site has a polished visual foundation and clear positioning, but it is not ready for a public production launch. A release-blocking build failure prevents deployment, and the lead-capture flow is not dependable enough for a commercial agency website.

The design system is cohesive: the dark/copper palette, typography, navigation, responsive layouts, service hierarchy, generated metadata, and reduced-motion consideration are all good starting points. The priority now is to make the site trustworthy in operation: it must build, receive enquiries reliably, present consistent company details, and be tested as a real customer would use it.

1 RELEASE BLOCKER	3 HIGH-PRIORITY ISSUES	6 MEDIUM IMPROVEMENTS	0 AUTOMATED TESTS
----------------------	------------------------------	-----------------------------	----------------------

Audit basis: source-code review, TypeScript check, ESLint check, and attempted Next.js production build. ESLint passed; TypeScript and production build failed.

Priority findings

CRITICAL · RELEASE BLOCKER

Production build and type-check fail

AutomationShowcase.tsx imports WORKFLOWS, but src/data/workflows.ts only exports AUTOMATION_STEPS. The services page therefore fails at build time. The TypeScript check also reports implicit any values resulting from that missing import.

Impact: the current project cannot produce a deployable production build; the services page is unavailable in a release.

Recommendation: decide whether the automation showcase should render workflow examples or automation steps, then align the component and data module. Add a required typecheck script and make it part of continuous integration alongside lint and build.

HIGH · CONVERSION

The contact form does not submit enquiries to a server

The form prevents the browser's normal submit behavior and constructs a `mailto:` link. It marks the enquiry as sent immediately after attempting to open the visitor's email program.

Impact: visitors without a configured mail client can lose their enquiry. There is no delivery confirmation, CRM handoff, analytics event, spam defence, server validation, or reliable mobile behavior.

Recommendation: implement a server-side action or a secure API route backed by an email/CRM provider. Validate fields on the server, add a honeypot plus rate limiting, show genuine success/error feedback, and send both team notification and customer acknowledgement.

HIGH · TRUST

Contact information is inconsistent and one footer link is invalid

The site uses both `hello@paratech.agency` and `contact@paratechsolutions.com`. In the footer, the latter is used as an href without the `mailto:` protocol.

Impact: the footer contact link does not open an email client, and inconsistent domains reduce credibility and complicate lead routing.

Recommendation: choose one public identity and one inbox, store it once in the site configuration, and render that value everywhere. Correct the footer to use a valid `mailto:` link.

HIGH · ACCESSIBILITY

The mobile navigation labels itself modal but does not fully trap focus

The menu correctly handles Escape, initial focus, background inertness, and scroll locking. However, it uses `aria-modal="true"` without a full Tab/Shift+Tab focus loop.

Impact: keyboard users can potentially move focus outside what is announced as a modal dialog, creating a confusing navigation experience.

Recommendation: use a tested dialog primitive or implement a focus trap and focus restoration. Test with keyboard-only navigation and a screen reader.

Medium-priority improvements

AREA	OBSERVATION	RECOMMENDED ACTION
Performance	Several prominent sections are client components using Framer Motion, scroll	Profile on a throttled mobile device; use <code>requestAnimationFrame</code> for manual scroll work; keep only

AREA	OBSERVATION	RECOMMENDED ACTION
	listeners, and scroll-driven transforms.	interaction-heavy components client-side; review bundle size.
Mobile UX	The scroll-led services experience is visually distinctive, but can feel over-controlled on touch screens or short viewports.	Test the section on real phones. Ensure normal reading and links remain easy without relying on scroll snapping or long pinned sections.
SEO	The sitemap sets every URL's last-modified date to the current time whenever generated.	Use actual content update dates or omit lastModified until they are available. Do not signal false freshness to search engines.
Structured data	There is a useful organisation schema, but no service, FAQ, article, or case-study structured data.	Add schema only for content that is genuinely present, beginning with Service and FAQPage data.
Error resilience	The app has a custom 404 page but no route-level loading UI, error boundary, or global error UI.	Add loading.tsx, error.tsx, and global-error.tsx so failures have an accessible recovery path.
Testing	There are no test scripts or automated checks beyond lint.	Add typecheck, build, link checks, and end-to-end tests for navigation, service routes, and contact submissions.

Content and conversion review

Positioning is clear; proof is thin

The core proposition—one partner for websites, software, growth, and automation—is easy to understand. The pages describe services clearly, but a prospect still needs more evidence before making contact. This is especially important for an agency selling higher-trust work such as automation and custom software.

- Add real case studies with client context, constraints, approach, delivery period, and measurable results.
- Add testimonials, client logos, partner badges, or concise proof points where legally permitted.
- Clarify ideal customer profile, geographic scope, typical engagement size, and discovery process.
- Replace some repeated “Start a project” calls to action with intent-specific options such as “Get an automation assessment” or “Book a discovery call.”

Insights should become a genuine content system

The Insights page currently contains thoughtful hard-coded notes. It will be stronger for credibility and organic search when each entry becomes a dedicated article with its own URL, title, publication date, author, related content, metadata, and Article schema.

Visual and content polish

The visual language is consistent and professional. Before launch, ensure the oversized footer logo is intentional, remove unused image assets if they are not part of the future content plan, and check every section on small screens at 200% zoom.

What is already working well

- Strong, consistent visual identity with a clear hierarchy and readable contrast direction.
- Good component reuse across navigation, calls to action, service cards, sections, and metadata.
- App Router conventions are mostly used well: page metadata, robots, sitemap, icons, Open Graph image, and custom 404 exist.
- Accessibility basics are better than average: skip link, visible focus treatment, labelled form controls, reduced-motion styles, and semantic landmarks are present.
- The services information architecture is logical and individual service routes are generated statically.

Recommended implementation roadmap

Phase 1

Before launch

Fix the missing workflow export/import; confirm production build succeeds; repair and centralize contact details; replace the mailto-only contact flow; add TypeScript validation to the project scripts and CI.

Phase 2 Reliability	Add real submission confirmation, anti-spam safeguards, server-side validation, error/loading screens, mobile-menu focus trapping, and end-to-end tests for key journeys.
Phase 3 Growth	Publish proof-rich case studies, strengthen trust signals, introduce individual insight articles, refine calls to action, and add accurate structured data.
Phase 4 Optimisation	Run Lighthouse and real-device tests; measure Core Web Vitals; minimize client JavaScript and scroll work; review animation performance and mobile behavior.

Evidence reviewed

The following checks were completed in the local project:

- `npm run lint` — passed.
- `npx tsc --noEmit` — failed due to the missing `WORKFLOWS` export and resulting implicit-any errors.
- `npm run build` — failed during Next.js production build for the same missing export.
- Source review of all routes, shared navigation, contact form, SEO metadata, sitemap/robots files, styling, service data, and motion-heavy components.
- Review aligned with the installed Next.js 16 documentation and current App Router production guidance.

This report is based on the local codebase available on 22 August 2026. It does not replace live-browser, field-performance, analytics, security, legal, or user-research testing after deployment.