


Tambourine — Print Specification

Circular face artwork, assumed diameter and resizing rules

RECOMMENDED GENERAL PREPRESS SPECIFICATION — FINAL VALUES TO BE CONFIRMED WITH SUPPLIER

Production guide



Specification

Item	Value	Status
Printable face diameter	150 mm, used only to size the master. The tambourine size in the reference is unknown (typical sizes 6 / 8 / 10 in)	ASSUMED — TBC
Composition	Same artwork as the circular logo, WITHOUT the thin circular arc. Registered against the tambourine reference; monogram NCC 0.99; botanical and curved text sit at the same relative scale	CONFIRMED
Curved text	YOUSSEF & MAII • 08-10-2026 (two I's), outlined, traced from the reference lettering	CONFIRMED
Gold circular border	In the reference the gold ring is the tambourine's physical metal hoop, not print. No printed ring is included. A printed ring can be added on request (decision needed)	TBC
Bleed	3 mm beyond the face (applies only if a background is printed)	RECOMMENDED — TBC
Safe area	5 mm inside the face edge	RECOMMENDED — TBC
Edge clearance (as reference)	Botanical -0.0 mm (touches the edge); text 3.2 mm; monogram 28.4 mm	FLAG
Optional safe-area variant	ALTERNATIVE_uniformly_scaled_to_safe_area/: the identical artwork scaled uniformly to 93.3 % about the face centre so every element is 5 mm from the edge. No distortion and no redesign; use only if the supplier requires it	INFO
Background	Reference head is cream. The CMYK file has an OPTIONAL cream disc (own layer); omit it when printing on a natural/cream head	TBC
Print process	Foil on drum heads is not offered by every supplier; UV-digital or pad printing is common. If foil is unavailable use Tambourine_CMYK.pdf (CMYK gold simulation) or a metallic ink	TBC

Resizing rule once the supplier confirms the face size

- Scale the **whole** composition uniformly about the face centre: new scale = confirmed face diameter ÷ 150 mm. Never scale X and Y independently.
- Keep the relationship between face edge and artwork, or use the safe-area variant if the supplier requires a margin.
- Re-check the fine-detail table below at the new size. Values scale linearly with diameter.
- If the supplier provides a template with a different shape (e.g. a printable sticker smaller than the head), place the artwork centred and uniformly scaled, and send a proof for approval.

Fine detail at Ø150 mm

Element	Measured	vs general foil minimum
Botanical hairlines	0.66 mm typical (min 0.43 mm at tapered tips)	PASS
Monogram interlace gaps	0.29 mm	TBC
Smallest counters	0.49 mm	PASS

Recommended general prepress values

Parameter	Recommended general value	Status
Minimum positive foil line	0.25 mm (0.7 pt)	RECOMMENDED — TBC
Minimum reversed gap / counter inside foil	0.30 mm	RECOMMENDED — TBC
Minimum gap between separate foil elements	0.30–0.50 mm	RECOMMENDED — TBC
Minimum CMYK line (4-colour build)	0.30 mm; single-plate lines 0.10 mm	RECOMMENDED — TBC
Foil-to-print registration tolerance	±0.3–0.5 mm (no tight register designed in)	RECOMMENDED — TBC

Files

File	Spot colours	Raster images	Live fonts	RGB/Gray ops	Result
Tambourine_ALT_93.3_percent_CMYK.pdf	All, DIELINE_TBC	0	0	0	PASS
Tambourine_ALT_93.3_percent_FOIL_GOLD.pdf	All, DIELINE_TBC, FOIL_GOLD	0	0	0	PASS
Tambourine_CMYK.pdf	All, DIELINE_TBC	0	0	0	PASS
Tambourine_FOIL_GOLD.pdf	All, DIELINE_TBC, FOIL_GOLD	0	0	0	PASS

DIELINE_TBC = reference circle of the ASSUMED face only. It is a separate spot colour set to overprint, on its own layer, and must not print. Replace it with the supplier's template.