

Invitation — Print Specification

Production guide, assumed dimensions and open supplier questions

RECOMMENDED GENERAL PREPRESS SPECIFICATION — FINAL VALUES TO BE CONFIRMED WITH SUPPLIER

Production guide



Specification

Item	Value	Status
Trim size	127 × 170.52 mm — width assumed at 127 mm (5 in); height from the reference card proportion 890 : 1195 px (1 : 1.343)	ASSUMED — TBC
Standard alternative	5 × 7 in (127 × 178 mm): artwork is NOT rescaled; the extra 7.5 mm height is background only and element positions need client approval	INFO
Bleed	3 mm all sides (cream background extends to bleed)	RECOMMENDED — TBC
Safe area	5 mm inside trim	RECOMMENDED — TBC
Foil layer	FOIL_GOLD spot: crest (monogram + 2 sprigs), “Youssef & Maii”, “8th of October, 2026”, left & right vines. 100 % solid, overprint ON	CONFIRMED
CMYK layer	Cream background C5 M8 Y11 K0 (bleed to 3 mm) — omit if printing on cream/ivory stock	RECOMMENDED — TBC
Names / date	“Youssef & Maii” (two i’s) · “8th of October, 2026” — outlined Crimson Text Italic	CONFIRMED
Butterfly	Physical 3-D (wax/soap-type) element from the reference. Not printed. Placement zone marked in the Master SVG guides layer. Attachment method, weight and any no-foil/adhesive area TBC with the finisher	TBC
Background watermark	The reference shows a very faint tone-on-tone foliage texture. It is too faint to reconstruct without guessing and is NOT included	FLAG
Vines vs trim	Left vine 0.64 mm, right vine 1.30 mm from trim — inside the 5 mm safe area, as in the reference. Risk of uneven margins/clipping with ±0.5–1 mm trim tolerance. Decision required: accept, or approve a larger card / moving vines inward	FLAG

Fine detail at this size (measured on the vector artwork)

Element	Measured	vs general foil minimum
Crest sprig hairlines	0.18 mm typical	FLAG
Monogram interlace gaps	0.10 mm	FLAG
Smallest enclosed counters (bud interiors, crest)	0.14 mm	FLAG
Vines hairlines / counters	0.42 mm / 0.39 mm	PASS
Title / date thinnest strokes	0.29 / 0.18 mm (serif hairlines)	TBC

The crest on the invitation is small (40 mm wide), so its botanical hairlines, interlace gaps and bud counters fall below common foil minimums. This is faithful to the reference proportions. Ask the foil finisher for a test strike or a die check. If they need changes, the options (all needing client approval) are: a slightly larger crest, finisher-side line/gap compensation on the die, or CMYK/metallic ink for the crest only. No change has been made.

Recommended general prepress values

Parameter	Recommended general value	Status
Minimum positive foil line	0.25 mm (0.7 pt)	RECOMMENDED — TBC
Minimum reversed gap / counter inside foil	0.30 mm	RECOMMENDED — TBC
Minimum gap between separate foil elements	0.30–0.50 mm	RECOMMENDED — TBC
Minimum CMYK line (4-colour build)	0.30 mm; single-plate lines 0.10 mm	RECOMMENDED — TBC
Foil-to-print registration tolerance	±0.3–0.5 mm (no tight register designed in)	RECOMMENDED — TBC

Files

File	Spot colours	Raster images	Live fonts	RGB/Gray ops	Result
Invitation_CMYK.pdf	All	0	0	0	PASS
Invitation_FOIL_GOLD.pdf	All, FOIL_GOLD	0	0	0	PASS

Invitation_FOIL_GOLD.pdf page 1 = combined job (CMYK background + FOIL_GOLD, foil set to overprint). Page 2 = foil elements only, for making the foil die. *Invitation_CMYK.pdf* = 4-colour fallback using the CMYK GOLD SIMULATION; it is not foil. Crop marks are in Registration colour outside the bleed.