

Deploy Umbrella's PAC File for Windows

Umbrella's secure web gateway requires that you deploy a proxy auto-config (PAC) file URL so that browser is able to successfully reach destinations. If you're behind a firewall, you may also need to deploy Umbrella's PAC file to configure the browser so that it points to the correct proxy server.

Umbrella copies internal domains configured in the Umbrella dashboard (**Deployments > Configure Domain Management**) to the PAC file so that these internal domains are not sent to the proxy.

Table of Contents

- [Prerequisites](#)
- [Copy Default PAC File or Custom PAC File](#)
- [Deploy Umbrella PAC File URL for Chrome and Edge Browsers](#)
- [Deploy Umbrella PAC File URL for Firefox](#)

Prerequisites

- Full admin access to the Umbrella dashboard. See [Manage User Roles](#).
- To download the Umbrella PAC file or custom PAC files on a user device in the organization, the user must either:
 - Connect to Umbrella on a Registered Network or Network Tunnel, or
 - Deploy the Cisco Secure Client with the Umbrella Roaming Security module on the user device

- ☒ We have attempted to provide you with the latest information about how to configure your operating system (OS) and browsers to use Umbrella's PAC file. However, as OS and browser functionality can change at any time, we cannot guarantee that these third-party procedures remain accurate. For more information on deploying a PAC file URL to your browser, see your OS and browser's Help.

Note: A PAC file is only used with the Umbrella secure web gateway and is only available for the Windows operating system.

Copy Default PAC File or Custom PAC File

Copy the url for the default Umbrella PAC file or a custom PAC file that you uploaded to Umbrella.

Copy URL for Default Umbrella PAC File


1. Navigate to **Policies > Management > Web Policy**, and then click **Global Settings**.

- For **Umbrella PAC File**, click **Copy** to get the URL for the default PAC file.



Copy URL for Custom PAC File


- Navigate to **Policies > Management > Web Policy**, and then click **Global Settings**.
- Navigate to **Custom Files**, and then locate a custom PAC file.
- Click **Copy** to get the URL for the custom PAC file.




Deploy Umbrella PAC File URL for Chrome and Edge Browsers

Get the URL for the Umbrella PAC file or a custom PAC file. For more information, see [Copy Default or Custom PAC File](#).

- In Windows, navigate to **Start > Network Connection > Proxy**.



- In the **Automatic proxy setup** section, set **Use Setup Script** to **On**.
- In the **Script Address** field, paste the PAC file URL copied from Umbrella.




4. Click **Save**.

Deploy Umbrella PAC File URL for Firefox

Get the URL for the Umbrella PAC file or a custom PAC file. For more information, see [Copy Default or Custom PAC File](#).

1. In Firefox, navigate to **Settings**, scroll to **Network Settings**, and then click **Settings**.



2. Select **Automatic Proxy Configuration URL** and paste the PAC file URL copied from Umbrel

Connection Settings

Configure Proxy Access to the Internet

☐ No proxy

☐ Auto-detect proxy settings for this network

☐ Use system proxy settings

☐ Manual proxy configuration

HTTP Proxy Port

☐ Use this proxy server for all protocols

SSL Proxy Port

FTP Proxy Port

SOCKS Host Port

☐ SOCKS v4 ☒ SOCKS v5

☒ Automatic proxy configuration URL

No proxy for

Example: .mozilla.org, .net.nz, 192.168.1.0/24

☐ Do not prompt for authentication if password is saved

☐ Proxy DNS when using SOCKS v5

☐ Enable DNS over HTTPS

Use Provider

3. Click **OK**.

[Manage Umbrella's PAC File](#) < **Deploy Umbrella's PAC File for Windows** > [Deploy Umbrella's PAC File for Mac](#)