

Understand Isolated Destinations

☑ Umbrella Packages and Feature Availability

Not all of the features described here are available to all Umbrella packages. Information about current package is listed on the Admin > Licensing page. For more information, see [Determining Current Package](#). If you encounter a feature here that you do not have access to, contact your representative for more information about your current package. See also, [Cisco Umbrella Packages](#).

Remote browser isolation (RBI) protects identities from potential malware and other threats by redirecting browsing to a cloud-based host. Destinations supported by an RBI add-on can be isolated when added as a rule in a Web policy's ruleset. When you add a rule and choose the Rule Action Isolate, the selected destination in the rule will create a remote browser when users attempt to access that destination. Instead of blocking identities from the destination endpoints, a cloud-based browser hosts the browsing session for that destination.




Table of Contents

- [Prerequisites](#)
 - [Umbrella Prerequisites](#)
 - [Browser Prerequisites](#)
- [Umbrella Package RBI "Add-Ons"](#)
- [Limitations of Isolation](#)
- [Expired or Downgraded Add-Ons](#)

Prerequisites

Various prerequisites must be met before you can successfully isolate destinations.

Umbrella Prerequisites

- [HTTPS inspection](#) must be enabled in the ruleset.
- If [Selective Decryption](#) is enabled or Selective Decryption lists are configured, the lists cannot include destinations (within destination lists, content categories, or application settings) that are required for isolation to ensure those domains and URLs can be decrypted.
- Destinations required or intended for isolation cannot be included in Internal or External bypass (Deployment > Domain Management).

Browser Prerequisites

- Access to third-party cookies enabled.
Note: By default, most browsers (for example, Google Chrome) have third-party cookies blocked in incognito mode. You must update this setting to allow access to third-party cookies for isolation.
- Minimum supported browser versions:
 - Apple Safari 9
 - Google Chrome 34
 - Microsoft Edge 12
 - Mozilla Firefox 17
 - Samsung Internet 11
- The Cisco Umbrella Root certificate or customer CA-signed certificate must be installed. For more information, see [Install the Root Certificate](#) and [Add Customer CA Signed Root Certificate](#).

Note: Browser extensions and plugins are not supported and browser-specific features are not guaranteed to work. Regardless of the browser the user initiates the browsing session with, the cloud-based browser isolation will always be Google Chrome.

Umbrella Package RBI "Add-Ons"

RBI and thus the Web policy rule's "Isolate" Rule Action is only available as an Add-on to your Umbrella package. If available and chosen as the Rule Action, the availability of destinations for selection when configuring a rule is based on your Umbrella package's RBI Add-on. There are several variations of add-on available, each with its own level of isolation.

Isolate Any

Any security categories, content categories, applications, and destination lists can be isolated.

Isolate Risky

Isolate is available for the following destination types:

- Security Categories: Malware, Command and Control Callbacks, Phishing Attacks, and Potentially Harmful
- Content Categories: Uncategorized

Isolate Web Apps

Isolate is available for the following destination types:

- Content Categories Chat, File Storage, File Transfer Services, Instant Messaging, Organization, Professional Networking, Social Networking, and Webmail.
- Applications:

Application Category	Applications
Cloud Storage	Box Dropbox Google Drive WeTransfer LinkedIn Slideshare Huawei Mobile Cloud
Collaboration	Slack WhatsApp Facebook Messenger ICQ Line
Office Productivity	Smartsheet Lucidchart Gmail Yandex Mail Mail.ru Trello
Social Media	Facebook Twitter Instagram LinkedIn Pinterest

Most cloud applications support third-party authentication. For example, you can sign in to your Dropbox account by authenticating through Google Sign-In. Unless both domains hosting the application and authentication provider are isolated, the third-party authentication will not function correctly. Umbrella automatically detects redirection to third-party authentication providers from already isolated websites and isolates these transactions. For example, you can configure a rule to isolate the content category Office Productivity and Storage and Backup to ensure that the cloud application Dropbox is isolated. If a user attempts to sign in to Dropbox using Google sign-in, Umbrella automatically isolates requests to additional Google domains such as auth.google.com and auth.youtube.com.

If a third-party authentication provider is found to not be supported, contact Umbrella support.

Limitations of Isolation

Only top-level page requests can be isolated and pages can either be entirely isolated (top-level resource requests) or not. Isolation only functions for an entire application, not for specific actions such as uploads or posts. When an application is isolated, it can no longer be blocked, allowed, or warned, only isolated, at the action level. For example, if one rule in a ruleset is configured to block Box Cloud Storage uploads and another rule is configured to isolate Box Cloud Storage for the same identities, uploads for Box Cloud Storage will **not** be blocked.


5 GB is the maximum file size that can be downloaded through the isolation environment when RBAC is enforced on a browser connection. A user with Full Admin access can create a rule to allow files larger than 5 GB.

GB to be downloaded. The rule must be above the isolate rule in the ruleset. See, [Add a Ruleset to 1 Policy](#). This will allow the user to download the file and properly scanned by the file scanner.

Applications cannot be isolated if you are using [Certificate Pinning](#). If the application cannot be isol it cannot be decrypted.

Expired or Downgraded Add-Ons

If your RBI package expires or downgrades, any rule with **Isolate** will no longer work as expected. \ update the **Action** setting for these rules.



[Confirm SafeSearch for a Web Policy Ruleset](#) < **Understand Isolated Destinations** > [Monitor Bar Usage in the App Discovery Report](#)