

<Application Name> - Sample Project 1

Dev Cycle 1 - User Website - v4.3.5.5820

[Home](#) > [Sample Project 1](#) > [Dev Cycle 1 - User Website](#) > [v4.3.5.5820](#) > ...

Build Details

Some text

Deploy Status

Environment^	Status	
Development	Deployed 2013-05-07 11:58 AM	View Log
QA	Not Deployed	Deploy Now
Staging	Not Deployed	Deploy Now
Pre-Production	Not Deployed	Deploy Now
Production	Not Deployed	Deploy Now



<Application Name> - Sample Project 1

Dev Cycle 1 - User Website - v4.3.5.5820

Deploy to QA

[Home](#) > [Sample Project 1](#) > [Dev Cycle 1 - User Website](#) > [v4.3.5.5820](#) > [Submit Deployment \(QA\)](#) > ...

Build Details

Some text

Configuration

Static Values

Setting Name	Setting Value
Widget Name	Customer Widget
Deploy Mode	Replace
Schema Version	REL1627

Environment Values (QA)

Setting Name	Setting Value
Connection String	Data Source=QAServer; Initial Catalog=QADB; User Name=GoEagles; Password=BooGiants
Target Directory	D:\MyApplication\UserWebsite\v4.3.5
IIS Application Pool	QaSiteAppPool

Server Values

☐ QASERVER1

Setting Name	Setting Value
Machine Name	qaserver1.mydomain.com
Resources Directory	D:\Resources

☐ QASERVER2

Setting Name	Setting Value
Machine Name	qaserver2.mydomain.com
Resources Directory	D:\Data\Resources_New

Deploy Now



<Application Name> - Sample Project 1

Dev Cycle 1 - User Website - v4.3.5.5820

Deploy to QA

[Home](#) > [Sample Project 1](#) > [Dev Cycle 1 - User Website](#) > [v4.3.5.5820](#) > [Submit Deployment \(QA\)](#) > ...

Build Details

Some text

Configuration

Static Values

Setting Name	Setting Value
Widget Name	Customer Widget
Deploy Mode	Replace
Schema Version	REL1627

Environment Values (QA) [Missing Configuration - Click Here to Edit](#)

Setting Name	Setting Value
Connection String	Missing
Target Directory	Missing
IIS Application Pool	Missing

Server Values

☐ QASERVER1 [Missing Configuration - Click Here to Edit](#)

Setting Name	Setting Value
Machine Name	qaserver1.mydomain.com
Resources Directory	Missing

☐ QASERVER2

Setting Name	Setting Value
Machine Name	qaserver2.mydomain.com
Resources Directory	D:\Data\Resources_New

Before deploying, you will need to complete some of the configuration above

Deploy Now



Edit Environment: QA in Widgets

[Home](#) > [Sample Project 1](#) > [Dev Cycle 1 - User Website](#) > [v4.3.5.5820](#) > [Submit Deployment \(QA\)](#) > ...

Component1

Environment Values

Setting Name	Setting Value
Widget Name	Customer Widget
Deploy Mode	Replace
Schema Version	REL1627

Server Values

QASERVER1[Edit](#)[Delete](#)

Setting Name	Setting Value	
Machine Name	qaserver1.mydomain.com	Edit
Resources Directory	Missing	Edit

QASERVER2[Edit](#)[Delete](#)

Setting Name	Setting Value	
Machine Name	qaserver12.mydomain.com	Edit
Resources Directory	D:\CustomerResources	Edit

[Add Server](#)[Save](#)

<Application Name> - Sample Project 1

[Home](#) > [Sample Project 1](#) > ...

Branches

[Production Trunk](#)

[Dev Cycle 1](#)

[Dev Cycle 2](#)

Environments

[Production](#)

[Pre-production](#)

[Performance Testing](#)

[QA](#)

[Dev](#)

Recent Builds

[2012-06-07 11:57 AM - Production Trunk - Windows Service - v4.2.7.5827](#)

[2012-06-07 11:57 AM - Production Trunk - User Website - v4.2.12.5827](#)

[2012-06-07 11:52 AM - Dev Cycle 1 - User Website - v4.3.5.5820](#)

[2012-06-07 11:52 AM - Dev Cycle 1 - Admin Website v4.3.5.5820](#)

[2012-06-07 11:45 AM - Dev Cycle 2 - Web Service APIs - v5.0.0.5764](#)

Components

[Database](#)

[User Website](#)

[Admin Website](#)

[Windows Service](#)

[Web Service APIs](#)



<Application Name>

[Home](#) > ...

Projects

Sample Project 1

[Database](#) | [Website](#) | [Service](#)

Sample Project 2

[Database](#) | [Website](#)

Sample Project 3

[Webservice API 1](#) | [Webservice API 2](#)

[Create a new project](#)