bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plo















bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plo













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=local+viz=make-compound-plot















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=local+viz=make-compound-plot













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=none+viz=make-compound-plot+













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=local+viz=make-compound-plot
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+












v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zero















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zero













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plot












v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+z













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+z














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=local+viz=make-compound-plot+zero













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=local+viz=make-compound-plot+zero













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zerol













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.33+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zeroi













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plot













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plot















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=local+viz=make-compound-plot+















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+z












v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zerol
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+z













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=local+viz=make-compound-plot+z
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=local+viz=make-compound-plot+s













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=local+viz=make-compound-plot+z














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+ze














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.5+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zeroin














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plot














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=local+viz=make-compound-plot+















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=local+viz=make-compound-plot+














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+z
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitFlip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=local+viz=make-compound-plot+zero













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=local+viz=make-compound-plot+zero















bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zeroi













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zeroi
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plot+













bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+z
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=local+viz=make-compound-plot+z














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+ze












v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.6+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zeroin

v=0 v=4 v=8 v=12 v=16 v=20

chi² error

generation

testing
training (actual)
replicate seed=1
replicate seed=2

training error (actual)

testing error

v
v=0
v=4
v=8
v=12
v=16
v=20

final-generation testing phenotype distribution across v

phenotype fraction

v (visible genes)

train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other

final training (actual) / testing loss vs model size

min-over-time training (actual) / testing loss vs model size

double descent: median testing error

generation (training time)

median test chi² error

v=0 v=4 v=8 v=12 v=16 v=20

chi² error

generation

testing
training (actual)
replicate seed=1
replicate seed=2

training error (actual)

testing error

v
v=0
v=4
v=8
v=12
v=16
v=20

final-generation testing phenotype distribution across v

phenotype fraction

v (visible genes)

train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other

final training (actual) / testing loss vs model size

min-over-time training (actual) / testing loss vs model size

double descent: median testing error

generation (training time)

median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plo















bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=local+viz=make-compound-plo















bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.990+l2scale=0.002+schedulemode=local+viz=make-compound-plot














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=local+viz=make-compound-plot














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=local+viz=make-compound-plot+zer














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=bitflip+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zero
















v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

v=0 v=4 v=8 v=12 v=16 v=20

chi² error

generation

testing
training (actual)
replicate seed=1
replicate seed=2

training error (actual)

testing error

v
v=0
v=4
v=8
v=12
v=16
v=20

final-generation testing phenotype distribution across v

phenotype fraction

v (visible genes)

train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other

final training (actual) / testing loss vs model size

min-over-time training (actual) / testing loss vs model size

double descent: median testing error

generation (training time)

median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.9966+l2scale=0.003+schedulemode=none+viz=make-compound-plot+














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)

double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.998+l2scale=0.002+schedulemode=none+viz=make-compound-plot+z













bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=local+viz=make-compound-plot+














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teeplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z















bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=0.999+l2scale=0.001+schedulemode=none+viz=make-compound-plot+z












v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
chi² error
generation


testing error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error


v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error

bindle/teaplots/2026-07-28-exploratory-sweep-randomblip/blipfreq=0.66+blipmode=random+dataset=exploratory-sweep-randomblip+l1scale=1.0+l2scale=0.0+schedulemode=none+viz=make-compound-plot+zerol














v=0
v=4
v=8
v=12
v=16
v=20
chi² error
generation
testing
training (actual)
replicate seed=1
replicate seed=2


training error (actual)
testing error
chi² error
generation
v
v=0
v=4
v=8
v=12
v=16
v=20


final-generation testing phenotype distribution across v
phenotype fraction
v (visible genes)
train (test1)
train (test4)
train (test7)
test-only (test2)
test-only (test3)
test-only (test5)
test-only (test6)
test-only (test8)
blip s1
blip s2
blip s3
other


final training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


min-over-time training (actual) / testing loss vs model size
chi² error
v (visible genes)
testing
training (actual)


double descent: median testing error
generation (training time)
v (visible genes)
median test chi² error