

Review Data for the article "Gender health-mortality paradox rests on false premises: results of a scoping review"

Type 1: Health operationalized by morbidity rates or prevalence of poor health, mortality operationalized by mortality rates

Citation	Text defining the paradox
Austad (2006, p.1550)	Paradoxically, although women have lower mortality rates they have higher overall rates of physical illness than do men.
Bambra et al. (2021, p.17)	"gender health paradox" (...) men have shorter life expectancies and higher mortality rates than women, and yet, women report higher morbidity.
Bastos et al. (2015, p.2)	The higher prevalence of morbidity in women and, on the other hand, the higher male mortality rate is a contrast that (...) has been evidenced in several health research called gender paradox.
Belon et al. (2014, p.2)	This contrast between female disadvantage in morbidity and female advantage in mortality is known as the male-female health-survival paradox.
Biz et al. (2024, p.1)	The review addresses the morbidity–mortality paradox, where women, despite appearing less healthy on frailty indexes, show lower mortality rates.

Biz et al. (2024, p.8)	Despite scoring higher on the frailty index, suggesting poorer health, including poorer bone and cartilage health, women experience lower mortality rates across all age groups, a phenomenon referred to as the "morbidity–mortality paradox".
Canetto and Sakinofsky (1998, p.1)	Puzzling paradox in the epidemiology of suicidal behavior. In most countries where the prevalence of suicidality has been studied, females have higher rates of suicidal ideation and behavior than males, yet mortality from suicide is typically lower for females than for males.
Chun et al. (2006, p.576)	Despite women's lower mortality, they seemed to have higher rates of morbidity than men.
DeWitte (2024, p.1)	In many human populations today, females experience lower age-specific mortality rates compared to males at most, if not all ages, and women live longer on average than men (...). However, in some of those same populations, women tend to experience higher burdens of disease and disability and poorer self-rated health.
Erving (2011, p.384)	Women's lower mortality rate but higher morbidity rate, compared to men, is referred to as the gender-health paradox
Fridh et al. (2022, p.2)	The fact that psychological distress is more often reported by women than men while mortality rates are higher among men is an example of the male-female health-survival paradox.
García-Calvente et al. (2012, p.913)	In Spain, there is also the paradox that, although women show worse perceived health, mortality rates are higher for men.

Lakomý and Petrová Kafková (2017, p.373)	Older women are frailer, have poorer health and functional status (...) Despite all this adversity, women have lower mortality rates than men in all age categories and across all causes of death. This phenomenon is often called the "gender paradox"
Nusselder et al. (2019, p.917)	Women experience lower mortality, but report more disability compared to men of the same age. (...) the "health-survival paradox".
Oksuzyan et al. (2008, p.91)	There is a remarkable discrepancy between the health and survival of the sexes: men are physically stronger and have fewer disabilities, but have substantially higher mortality at all ages compared with women: the so-called male-female health-survival paradox.
Oksuzyan et al. (2010, p.213)	Men have higher death rates than women, but women do worse with regard to physical strength, disability, and other health outcomes, the so called male-female health-survival paradox.
Padua et al. (2018, p.510)	We have explored, the male-female health-survival paradox, observed in several reports (...), which defines the tendency of the higher mortality, but lower disability in men as compared with women.
Singh-Manoux et al. (2008, p.2251)	This discrepancy between morbidity and mortality rates is referred to as the "gender paradox", which refers to higher morbidity but lower mortality among women than among men.
Van Oyen et al. (2013, p.143)	In many countries the mortality advantage of women is balanced by a disability disadvantage. This contrast is called the female–male health-survival paradox

Type 2: Health operationalized by prevalence of poor health, mortality operationalized by life expectancy

Citation	Text defining the paradox
Ahrenfeldt et al. (2019, p.1025)	Despite the longer life expectancy, women generally report worse health than men "the so-called male-female health survival paradox."
Alberts et al. (2014, p.339)	The male-female health-survival paradox - the phenomenon observed in modern human societies in which women experience greater longevity and yet higher rates of disability and poor health than men.
Archer et al. (2018, p.4)	Human females tend to live longer but are in poorer health than males late-in-life. At any given age, men are more likely to die than women, but women have poorer health at older ages.
Arosio et al. (2020, p.1)	The "male-female health-survival paradox" evidences that the survival advantage observed in women is linked to higher rates of disability and poor health status compared to men.
Arosio et al. (2020, p.5)	The sex-frailty paradox is a well-described phenomenon, in which women have experienced greater longevity than men since the 18th century. However, this survival advantage in females is linked to higher rates of disability and poor health status during their lives, as demonstrated by the higher FI shown by women compared men in this cohort.
Austad and Fischer (2016, p.1027)	For all their robustness relative to men in terms of survival, women on average appear to be in poorer health than men throughout adult life.
Austad and Fischer (2016, p.1022)	Paradoxically, although women live longer, they suffer greater morbidity particularly late in life.
Avdic et al. (2019, p.2)	The morbidity-mortality paradox (...) women outlive men, while having worse morbidity outcomes.

Balard et al. (2011, p.1)	Gender paradox in old age. Even if women are more numerous in old age and live longer than men, men are in better physical and cognitive health, are higher functioning, and have superior vision.
Chen et al. (2022, p.22)	The phenomenon of the "male-female health-survival paradox", which states that females experience higher rates of health conditions but live longer than males.
Chung et al. (2023, p.22)	Male-female health-survival paradox that women in Hong Kong are living a longer life but with greater disability than men.
Gordon et al. (2017, p.31)	Despite "health advantages" that contribute to longer life expectancy, females have greater levels of disability, more co-morbidities and poorer self-rated health.(...) the "male-female health-survival paradox."
Gordon and Hubbard (2020, p.183)	Compared with age-matched men, women tend to have poorer health status (ie, they are more frail) but longer life expectancy (ie, they are more resilient).
Gorman and Read (2006, p.96)	Women report worse health than men despite the fact that they live longer (Verbrugge 1985), a phenomenon known as the "morbidity paradox."
Green and Pope (1999, p.1363)	Women use more medical services and report more morbidities than do men and, paradoxically, that they live longer.
Hoogendijk et al. (2019, p.80)	This is the phenomenon that higher life expectancy is accompanied by higher rates of poor health in women compared to men. This is seen as a paradox, since poor health is usually associated with lower survival.
Kaplan et al. (1991, p.86)	Although women live longer, it has been reported that they paradoxically experience more physical and psychological illnesses.

Kane and Howlett (2021, p.1)	Clinical studies have used these tools to show that women are frailer than men even though they have longer lifespans. Still, factors responsible for this frailty-mortality paradox.
Keevil et al. (2013, p.5)	Male-female health-survival paradox, since women are known to have longer life expectancies than men but lower physical capability (...)
Kulminski et al. (2008, p.1052)	The traditional sex morbidity-mortality paradox that females have worse health but better survival than males.
Li et al. (2024, p.2)	This finding presents a paradox: A higher level of physiological dysregulation in females appears to contradict their longer life expectancy.
Luy and Minagawa (2014, p.12)	The literature suggests that women report worse health but live longer than men - a phenomenon known as the gender paradox in health and mortality.
Mayor (2015, p.1)	Women have a life-expectancy advantage over men, but a marked disadvantage with regards to morbidity. This is known as the female-male health-survival paradox.
Newman and Brach (2001, p.345)	In spite of the fact that women seem to be hardier and to have a better survival rate than do men, the prevalence of disability is greater in older women. (...) may explain this paradox.
Oksuzyan et al. (2014, p.243)	In high income countries females outlive men, although they generally report worse health, the so-called male-female health-survival paradox.
Oksuzyan et al. (2015, p.1)	The apparent contradiction that women live longer but have worse health than men, the so called male-female health-survival paradox.
Oksuzyan et al. (2009, p.504)	Apparent contradiction "men report better health than females, but women still outlive men in all countries around the world" (...) the health-survival paradox

Olsen et al. (2023, p.35)	(...) male-female health survival paradox- the fact that women outlive men in almost all countries in the world, but at the same time tend to report poorer health.
Ostan et al. (2016, p.1714-1715)	Women pay for their survival advantage (...), women reported a poorer self-perceived health, more long-standing illnesses and/or more health problems than men [10]. A possible explanation for this gender associated health-survival paradox (...).
Perelman et al. (2012, p.2347)	the paradox is still why men show shorter life expectancy despite their better health.
Phillips et al. (2023, p.1)	Despite consistently reporting poorer health, women universally outlive men. (...) might explain this paradox.
Phillips et al. (2023, p.2)	The paradox of women's poorer subjective health but greater longevity.
Redondo-Sendino et al. (2006, p.2)	Compared to men, women live longer but, paradoxically, report greater morbidity and disability and make greater use of health-care services at the end of life
Rieker and Bird (2005, p.40)	Women live longer than men, yet they have higher morbidity rates and in later years a diminished quality of life. The paradox of men's higher mortality and lower morbidity compared with women.
Scheel-Hincke et al. (2020, p.69)	The phenomenon that women outlive men, but at the same time suffer from more disabilities and are physically weaker, is denoted the male-female health survival paradox.
Scheel-Hincke et al. (2021, p.1281)	The contradictory phenomenon that women report poorer health but live longer than men has been denoted the male-female health-survival paradox.
Stephan et al. (2021, p.1)	The male-female health-survival paradox: Although on average women live longer than men (...), women report higher age-specific morbidity burden.

Takahashi et al. (2020, p.1)	The "gender paradox" whereby women enjoy longer life expectancy, but worse self-rated health compared to men.
Theou et al. (2015, p.476)	The phenomenon that women have poorer health but longer life expectancy, known as the male-female health survival paradox.
Vidal-Meliá et al. (2024, p.2814)	"Male-female health-survival paradox", a phenomenon seen in developed countries where women have greater longevity but higher rates of disability and poorer health than men.
Walter-Ginzburg et al. (2005, p.1705)	Aging is characterized by a "gender paradox" with higher life expectancy yet greater morbidity for women as compared to men.
Yong et al. (2011, p.189)	Gender health-survival paradox found in Western countries - that women have higher morbidity rates despite longer life expectancy.
Zeng et al. (2024, p.2)	The phenomenon that females on average live significantly longer than males in spite of having poorer health and lower socioeconomic status is known as the male-female health-survival paradox.

Type 3: Health operationalized by health expectancy, mortality operationalized by life expectancy

Citation	Text defining the paradox
Bambra et al. (2021, p.18)	Men have lower life expectancies than women, but women spend their extra years with higher levels of ill health: the so-called "gender health paradox".
Cambois et al. (2019, p.839)	the male–female health-survival paradox applies in this rural population; women live longer than men, but they also live longer with disability.
di Lego et al. (2021, p.1)	The male-female health-mortality paradox results from the fact that females live longer than males but spend a higher proportion of their total life expectancy in poorer health states.
Gu et al. (2009, p.2171)	The gender paradox in health is widely recognized. However, the reasons why women enjoy greater longevity but worse health are complex.
Kingston et al. (2014, p.1)	Women live longer than men on average, but their longer life expectancy is accompanied by more years with disability, both in absolute terms and as a proportion of remaining life. Understanding the basis of this "disability-survival paradox".
Merrick and Brayne (2024, p.S3)	The "male-female health-survival paradox" is demonstrated whereby women live longer but with more comorbidity and disability.
Shoko (2018, p.324)	"health-survival paradox" (...), whereby females live longer than males on average but their longer life expectancy is accompanied by more years with disability, both in absolute terms and as a proportion of remaining life.
Solé-Auró et al. (2022, p.1)	The gender paradox (women living longer but unhealthier)

Type 4: Health operationalized by probability of being in poor health, mortality operationalized by life expectancy

Citation	Text defining the paradox
Hammond and Renzi-Hammond (2023, p.720)	The mortality-morbidity paradox refers to the inconsistency in survival and disease between males and females: females live longer but tend to suffer greater age-related disease and disability.
Hubbard and Rockwood (2011, p.204)	Although women live longer than men, they tend to have poorer health status. This well described phenomenon has been termed the male-female health-survival paradox.
Karun et al. (2025, p.2)	This phenomenon of female living longer than male (mortality advantage) but simultaneously being more prone to having worse health (disability disadvantage) than male is widely known by several names, including the "male-female health-survival paradox" (...).
Okamoto et al. (2021, p.1)	Females generally live longer than males, but women tend to suffer from more illnesses and limitations than men do, also for dementia.
Pongiglione et al. (2016, p.736)	The gender paradox in health and mortality (...) reflects the finding that women live longer than men, but tend to have more disability than males.

Type 5: Health operationalized at the individual level (health status), mortality operationalized as vulnerability to death.

Citation	Text defining the paradox
Christensen (2008, p.1575)	The male-female health-survival paradox (i.e., males report better health than females, but encounter higher mortality at all ages)
Cohen et al. (2018, p.182)	The male-female health-survival paradox, women are more frail but despite this men are more susceptible to mortality.
Gordon and Hubbard (2019, p.44)	(..."sex-frailty paradox": females may be considered to be more frail (because they have poorer health status) but also less frail (because they are less vulnerable to death) than males of the same age.
Gordon et al. (2018, p.13)	Even though females experience higher levels of frailty, they face a lower risk of mortality than males. This is the "male-female health-survival paradox".
Gordon and Hubbard (2020, p.184)	In community dwelling populations aged over 65 years, women are more likely to be frail and to have a greater burden of frailty than men of the same age. Yet women appear to be more resilient at any given age or level of frailty, their mortality rates are lower. This sex-frailty paradox (...)
Veronese et al. (2019, p.82)	These findings overall suggest that women have a poorer health status and higher levels of frailty, and a lower risk of mortality, than men [2]. This phenomenon has been defined as the "male-female health-survival paradox".

Type 6: Other definitions paradox

Citation	Text defining the paradox
Arber and Cooper (1999, p.61)	The well known paradox that men are more likely to die than women, but that women suffer from higher levels of morbidity than men.
Chen et al. (2025, p.1)	The male-female health-survival paradox is characterized by the phenomenon where “women get sicker, but men die quicker.”
Chen et al. (2025, p.2)	Despite men's higher mortality rates, women are more likely to experience worse health, spending a larger proportion of their remaining life in poor health. (...) gender paradox.
DeWitte (2024, p.1)	The paradox referenced by all of these descriptors is the seeming contradiction between good health as indicated by greater survivorship (or lower mortality) for females/women versus relatively poor health experiences for them in adulthood.
Draper and Abrahamson (2014, p.655)	The paradoxical observation that in old age there are more women than men (= women have lower mortality rates) but the men are in better health.
Luy (2024, p.291)	not own words, but citation "women get sicker, but men die quicker" from Lorber and Moore (2002)
Oksuzyan et al. (2010, p.213)	Men die, women suffer: that is what is called the male-female health paradox.
Schunemann et al. (2017, p.80)	The inverse association between health and longevity across sexes is known as the morbidity-mortality paradox.

Type 7: Health operationlized by incidence of disease, mortality operationlized by probability of death

Citation	Text defining the paradox
Boccuzzi et al. (2005, p.965)	This study supports the concept of a "gender paradox" even in a diabetic population after PCI. Women with diabetes undergoing PCI present with overall worse clinical and angiographic characteristics and may still pay a price in initial risk even with current techniques, but fare surprisingly well long-term after coronary stenting.
Dekleva et al. (2024, p.1)	(The opposite the standard health-mortality paradox:) There is therefore a "sex paradox" despite the lower prevalence of obstructive CAD and HF with reduced ejection fraction (HFrEF), women have a higher mortality rate after MI.
DesJardin et al. (2024, p.902)	Female sex is one of the strongest known risk factors for pulmonary arterial hypertension (PAH), and yet males with PAH have worse survival - a phenomenon which has been referred to as the "sex paradox" or "sex puzzle" in PAH.
Foderaro and Ventetuolo (2016, p.1)	Female sex has been shown to be a risk factor for the development of PAH, but women have improved survival compared to men with PAH. These paradoxical observations (...)
Stehli et al. (2023, p.1)	The apparent sex paradox seen in women undergoing transcatheter aortic valve implantation refers to the phenomenon of women experiencing higher rates of short-term mortality and bleeding events, but demonstrating improved long-term survival as compared to men.

Paradox not stated in the article, or even mentioned, but studies differences in health and mortality of women and men

Avdic and Johansson (2017, p.440)	(...) seemingly contradictory public health patterns between men and women, often called the morbidity-mortality paradox.
Dix (2014, p.213)	The abundance of data demonstrating that females are better suited to survival than males argues against any "health-survival paradox". Women outlive men because they are healthier.
Doblhammer and Hoffmann (2010, p.482)	Why women live longer than men, but suffer from worse health, is, however, still an unsolved puzzle.
Howlett et al. (2014, p.7)	Women had lower mortality than did men for any level of either FI [frailty index].
Macintyre et al. (1996)	Citations of other studies of the paradox.
Sen et al. (2002, p.107)	(...) men die of their illnesses while women have to live with theirs.
Verbrugge (1989, p.282)	(...) higher morbidity and health services use for women, while mortality rates are higher for men.
Verbrugge (1985, p.163)	There is no contradiction between the health and mortality statistics since both point to more serious health problems for men.

References

- Ahrenfeldt, L. J., S. Möller, M. Thinggaard, K. Christensen, and R. Lindahl-Jacobsen (2019, 9). Sex differences in comorbidity and frailty in Europe. *International Journal of Public Health* 64(7), 1025–1036.
- Alberts, S. C., E. A. Archie, L. R. Gesquiere, J. Altmann, J. W. Vaupel, and K. J. Christensen (2014). The male-female health-survival paradox: A comparative perspective on sex differences in aging and mortality. *Sociality, Hierarchy, Health: Comparative Biodemography: A Collection of Papers*, 339 – 364.
- Arber, S. and H. Cooper (1999). Gender differences in health in later life: the new paradox? *Social Science Medicine* 48(1), 61–76.
- Archer, C. R., M. Recker, E. Duffy, and D. J. Hosken (2018). Intralocus sexual conflict can resolve the male-female health-survival paradox. *Nature Communications* 9(1), 5048.
- Arosio, B., F. R. Guerini, A. S. Costa, A. Dicitore, E. Ferri, D. Mari, E. Torresani, M. Clerici, M. Cesari, and G. Vitale (2020). Vitamin d receptor polymorphisms in sex-frailty paradox. *Nutrients* 12(9).

- Austad, S. N. (2006). Why women live longer than men: Sex differences in longevity. *Gender Medicine* 3(2), 79–92.
- Austad, S. N. and K. E. Fischer (2016, 6). Sex differences in lifespan. *CELL METABOLISM* 23(6), 1022–1033.
- Avdic, D., P. Hägglund, B. Lindahl, and P. Johansson (2019). Sex differences in sickness absence and the morbidity-mortality paradox: a longitudinal study using swedish administrative registers. *BMJ open* 9(8), e024098.
- Avdic, D. and P. Johansson (2017). Absenteeism, gender and the morbidity–mortality paradox. *Journal of Applied Econometrics* 32(2), 440–462.
- Balard, F., I. Beluche, I. Romieu, D. C. Willcox, and J.-M. Robine (2011). Are men aging as oaks and women as reeds? a behavioral hypothesis to explain the gender paradox of french centenarians. *Journal of aging research* 2011(1), 371039.
- Bambra, C., V. Albani, and P. Franklin (2021, 2). COVID-19 and the gender health paradox. *Scandinavian Journal of Public Health* 49(1), 17–26.
- Bastos, T. F., A. M. Canesqui, and M. B. Barros (2015). "healthy men" and high mortality: Contributions from a population-based study for the gender paradox discussion. *PloS one* 10(12), e0144520.
- Belon, A. P., M. G. Lima, and M. B. Barros (2014, 6). Gender differences in healthy life expectancy among Brazilian elderly. *Health and Quality of Life Outcomes* 12, 88.
- Biz, C., R. Khamisy-Farah, L. Puce, L. Szarpak, M. Converti, H. Ceylan, A. Crimi, N. L. Bragazzi, and P. Ruggieri (2024, 4). Investigating and practicing orthopedics at the intersection of sex and gender: Understanding the physiological basis, pathology, and treatment response of orthopedic conditions by adopting a gender lens: A narrative overview. *Biomedicines* 12(5).
- Boccuzzi, G., G. Belli, P. Pagnotta, M. L. Rossi, D. Z. Parenti, F. Milone, A. Aldrovandi, M. Scatturin, E. Morengi, and P. Presbitero (2005, 12). Evidence for a "gender paradox" in diabetic patients undergoing percutaneous coronary intervention: adverse preprocedural risk but favorable long-term clinical outcome in women. *Italian Heart Journal: Official Journal of the Italian Federation of Cardiology* 6(12), 962–7.

- Cambois, E., G. Duthe, A. B. Soura, and Y. Compaore (2019, 12). The patterns of disability in the peripheral neighborhoods of Ouagadougou, Burkina Faso, and the male-female health-survival paradox. *Population and Development Review* 45(4), 835+.
- Canetto, S. S. and I. Sakinofsky (1998). The gender paradox in suicide. *Suicide Life-threatening Behavior* 28(1), 1–23.
- Chen, H., M. Li, and Y. Zhang (2025, 2). Educational attainment and male-female health-survival paradox among older adults in China: a nationally representative longitudinal study. *BMC Geriatrics* 25(1), 112.
- Chen, H., X. Zhang, Q. Feng, and Y. Zeng (2022, 5). The effects of "diet-smoking-gender" three-way interactions on cognitive impairment among Chinese older adults. *Nutrients* 14(10).
- Christensen, K. (2008, 9). Human biodemography: Some challenges and possibilities for aging research. *Demographic Research* 19, 1575–1586.
- Chun, H., L. Doyal, S. Payne, S.-I. Cho, and I.-H. Kim (2006). Understanding women, health, and social change: The case of South Korea. *International Journal of Health Services* 36(3), 575–592.
- Chung, G. K.-K., M. Marmot, I. Y.-Y. Ho, S.-M. Chan, E. T.-C. Lai, S. Y.-S. Wong, E.-K. Yeoh, J. Woo, and R. Y.-N. Chung (2023, 12). Secular trends of life expectancy and disability-free life expectancy at age 65 and associated gender and area-level socioeconomic inequalities in Hong Kong: a serial cross-sectional study between 2007 and 2020. *Lancet Regional Health - Western Pacific* 41.
- Cohen, A. A., V. Legault, Q. Li, L. P. Fried, and L. Ferrucci (2018, 3). Gender effect on well-being of the oldest old: a survey of nonagenarians living in Tuscany: the Mugello study. *Neurological Sciences: Official Journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology* 39(3), 509–517.
- Dekleva, M., A. Djordjevic, S. Zivkovic, and J. S. Lazic (2024, 12). Specificities of myocardial infarction and heart failure in women. *Journal of Clinical Medicine* 13(23).
- DesJardin, J. T., N. Kime, N. A. Kolaitis, R. A. Kronmal, M. R. Lammi, S. C. Mathai, C. E. Ventetuolo, and T. De Marco (2024). Investigating the “sex paradox” in pulmonary arterial hypertension: Results from the pulmonary hypertension association registry (PHAR). *The Journal of Heart and Lung Transplantation* 43(6), 901–910.

- DeWitte, S. N. (2024, 9). Assessing the existence of the male-female health-survival paradox in the past: Dental caries in medieval London. *American Journal of Biological Anthropology* 185(1), e24990.
- di Lego, V., P. Lazarevič, and M. Luy (2021). The male-female health-mortality paradox. In D. Gu and M. E. Dupre (Eds.), *Encyclopedia of Gerontology and Population Aging*, pp. 5070 – 5077.
- Dix, D. (2014). The female health-survival advantage: paradox unwarranted. *International Journal of Public Health* 59(1), 213–213.
- Doblhammer, G. and R. Hoffmann (2010). Gender differences in trajectories of health limitations and subsequent mortality. a study based on the german socioeconomic panel 1995–2001 with a mortality follow-up 2002–2005. *The Journals of Gerontology: Series B* 65(4), 482–491.
- Draper, T. W. and H. Abrahamson (2014, 10). Developmental timing of the male-female health-survival paradox. *Perceptual and Motor Skills* 119(2), 655–60.
- Erving, C. L. (2011, 9). Gender and physical health: A study of African American and Caribbean black adults. *Journal of Health and Social Behaviour* 52(3), 383–399.
- Foderaro, A. and C. E. Ventetuolo (2016, 11). Pulmonary arterial hypertension and the sex hormone paradox. *Current Hypertension Reports* 18(11), 84.
- Fridh, M., M. Pirouzifard, M. Rosvall, and M. Lindstrom (2022, 11). Poor psychological health and 8-year mortality: a population-based prospective cohort study stratified by gender in Scania, Sweden. *BMJ open* 12(11), e056367.
- García-Calvente, M., N. Hidalgo-Ruzzante, M. Del Río-Lozano, J. Marcos-Marcos, E. Martínez-Morante, G. Maroto-Navarro, I. Mateo-Rodríguez, and E. Gil-García (2012). Exhausted women, tough men: a qualitative study on gender differences in health, vulnerability and coping with illness in Spain. *Sociology of Health Illness* 34(6), 911–26.
- Gordon, E. H. and R. E. Hubbard (2019). Do sex differences in chronic disease underpin the sex-frailty paradox? *Mechanisms of Ageing and Development* 179, 44 – 50.
- Gordon, E. H. and R. E. Hubbard (2020, 3). Differences in frailty in older men and women. *The Medical Journal of Australia* 212(4), 183–188.
- Gordon, E. H., N. M. Peel, and R. E. Hubbard (2018, 1). The male-female health-survival paradox in hospitalised older adults. *Maturitas* 107, 13–18.

- Gordon, E. H., N. M. Peel, M. Samanta, O. Theou, S. E. Howlett, and R. E. Hubbard (2017, 3). Sex differences in frailty: A systematic review and meta-analysis. *Experimental Gerontology* 89, 30–40.
- Gorman, B. K. and J. G. Read (2006). Gender disparities in adult health: An examination of three measures of morbidity. *Journal of Health and Social Behavior* 47(2), 95–110.
- Green, C. A. and C. R. Pope (1999). Gender, psychosocial factors and the use of medical services: a longitudinal analysis. *Social Science Medicine* 48(10), 1363–1372.
- Gu, D., M. E. Dupre, D. F. Warner, and Y. Zeng (2009). Changing health status and health expectancies among older adults in China: Gender differences from 1992 to 2002. *Social Science Medicine* 68(12), 2170–2179.
- Hammond, B. R. and L. Renzi-Hammond (2023). The influence of the macular carotenoids on women's eye and brain health. *Nutritional Neuroscience* 26(8), 720–726.
- Hoogendijk, E. O., M. van der Noordt, B. D. Onwuteaka-Philipsen, D. J. Deeg, M. Huisman, L. Enroth, and M. Jylhä (2019). Sex differences in healthy life expectancy among nonagenarians: A multistate survival model using data from the vitality 90+ study. *Experimental Gerontology* 116, 80–85.
- Howlett, S. E., M. R. Rockwood, A. Mitnitski, and K. Rockwood (2014). Standard laboratory tests to identify older adults at increased risk of death. *BMC Medicine* 12(1), 171.
- Hubbard, R. E. and K. Rockwood (2011). Frailty in older women. *Maturitas* 69(3), 203–207.
- Kane, A. E. and S. E. Howlett (2021, 9). Sex differences in frailty: Comparisons between humans and preclinical models. *Mechanisms of Ageing and Development* 198, 111546.
- Kaplan, R. M., J. P. Anderson, and D. L. Wingard (1991). Gender differences in health-related quality of life. *Health Psychology* 10(2), 86–93.
- Karun, S., L. McDougal, and A. Singh (2025). Sex disparities in health of older adults in India: assessing the morbidity-mortality paradox through disability-free life expectancy. *Genus* 81(1), 11.
- Keevil, V. L., S. Hayat, N. Dalzell, S. Moore, A. Bhaniani, R. Luben, N. J. Wareham, and K.-T. Khaw (2013). The physical capability of community-based men and women from a British cohort: the European prospective investigation into cancer (epic)-norfolk study. *BMC Geriatrics* 13(1), 93.

- Kingston, A., K. Davies, J. Collerton, L. Robinson, R. Duncan, J. Bond, T. B. Kirkwood, and C. Jagger (2014). The contribution of diseases to the male-female disability-survival paradox in the very old: results from the Newcastle 85+ study. *PloS one* 9(2), e88016.
- Kulminski, A. M., I. V. Culminskaya, S. V. Ukraintseva, K. G. Arbeev, K. C. Land, and A. I. Yashin (2008, 12). Sex-specific health deterioration and mortality: the morbidity-mortality paradox over age and time. *Experimental Gerontology* 43(12), 1052–7.
- Lakomý, M. and M. Petrová Kafková (2017). Resilience as a factor of longevity and gender differences in its effects. *Sociologicky Casopis* 53(3), 369–392.
- Li, G., G. Tampubolon, A. Maharani, and C. Tu (2024). Sex differences in allostatic load trajectories among midlife and older adults: Evidence from the China health and retirement longitudinal study. *PloS one* 19(12), e0315594.
- Lorber, J. and L. J. Moore (2002). *Gender and the social construction of illness*, Volume 4. Rowman Altamira.
- Luy, M. (2024). Cross-sectional association between life expectancy and unhealthy life years: Proof of concept tests of the CroHaM hypothesis. *Comparative Population Studies* 49, 273–296.
- Luy, M. and Y. Minagawa (2014). Gender gaps–life expectancy and proportion of life in poor health. *Health reports* 25(12), 12–9.
- Macintyre, S., K. Hunt, and H. Sweeting (1996). Gender differences in health: Are things really as simple as they seem? *Social Science Medicine* 42(4), 617–624.
- Mayor, E. (2015). Gender roles and traits in stress and health. *Frontiers in Psychology* 6, 779.
- Merrick, R. and C. Brayne (2024). Sex differences in dementia, cognition, and health in the cognitive function and ageing studies (cfas). *Journal of Alzheimer's Disease* 100.
- Newman, A. B. and J. S. Brach (2001). Gender gap in longevity and disability in older persons. *Epidemiologic Reviews* 23(2), 343–50.
- Nusselder, W. J., E. M. Cambois, D. Wapperom, F. Meslé, C. W. N. Looman, R. T. C. Yokota, H. Van Oyen, C. Jagger, and J. M. Robine (2019). Women's excess unhealthy life years: disentangling the unhealthy life years gap. *European Journal of Public Health* 29(5), 914–919.

- Okamoto, S., E. Kobayashi, H. Murayama, J. Liang, T. Fukaya, and S. Shinkai (2021). Decomposition of gender differences in cognitive functioning: National survey of the Japanese elderly. *BMC Geriatrics* 21(1), 38.
- Oksuzyan, A., H. Brønnum-Hansen, and B. Jeune (2010). Gender gap in health expectancy. *European Journal of Ageing* 7(4), 213–218.
- Oksuzyan, A., K. Juel, J. W. Vaupel, and K. Christensen (2008, 4). Men: good health and high mortality. sex differences in health and aging. *Aging Clinical and Experimental Research* 20(2), 91–102.
- Oksuzyan, A., I. Petersen, H. Stovring, P. Bingley, J. W. Vaupel, and K. Christensen (2009, 7). The male-female health-survival paradox: a survey and register study of the impact of sex-specific selection and information bias. *Annals of Epidemiology* 19(7), 504–11.
- Oksuzyan, A., M. Shkolnikova, J. W. Vaupel, K. Christensen, and V. M. Shkolnikov (2014, 4). Sex differences in health and mortality in Moscow and Denmark. *European Journal of Epidemiology* 29(4), 243–52.
- Oksuzyan, A., M. Shkolnikova, J. W. Vaupel, K. Christensen, and V. M. Shkolnikov (2015). Sex differences in biological markers of health in the study of stress, aging and health in Russia. *PloS one* 10(6), e0131691.
- Olsen, C. D. H., S. Möller, and L. J. Ahrenfeldt (2023). Sex differences in quality of life and depressive symptoms among middle-aged and elderly Europeans: results from the SHARE survey. *Aging Mental Health* 27(1), 35–42.
- Ostan, R., D. Monti, P. Guerresi, M. Bussolotto, C. Franceschi, and G. Baggio (2016). Gender, aging and longevity in humans: an update of an intriguing/neglected scenario paving the way to a gender-specific medicine. *Clinical Science* 130(19), 1711–1725.
- Padua, L., P. Pasqualetti, D. Coraci, I. Imbimbo, A. Giordani, C. Loreti, C. Marra, R. Molino-Lova, G. Pasquini, I. Simonelli, et al. (2018). Gender effect on well-being of the oldest old: a survey of nonagenarians living in Tuscany: the Mugello study. *Neurological Sciences* 39(3), 509–517.
- Perelman, J., A. Fernandes, and C. Mateus (2012, 12). Gender disparities in health and healthcare: results from the Portuguese National Health Interview Survey. *Cadernos de Saude Publica* 28(12), 2339–48.

- Phillips, S., M. O'Connor, and A. Vafaei (2023, 1). Women suffer but men die: survey data exploring whether this self-reported health paradox is real or an artefact of gender stereotypes. *BMC Public Health* 23(1), 94.
- Pongiglione, B., B. L. De Stavola, H. Kuper, and G. B. Ploubidis (2016, 8). Disability and all-cause mortality in the older population: evidence from the English Longitudinal Study of Ageing. *European Journal of Epidemiology* 31(8), 735–746.
- Redondo-Sendino, , P. Guallar-Castillón, J. R. Banegas, and F. Rodríguez-Artalejo (2006). Gender differences in the utilization of health-care services among the older adult population of Spain. *BMC Public Health* 6(1), 155.
- Rieker, P. P. and C. E. Bird (2005). Rethinking gender differences in health: why we need to integrate social and biological perspectives. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences* 60, 40–7.
- Scheel-Hincke, L. L., L. J. Ahrenfeldt, and K. Andersen-Ranberg (2021, 12). Sex differences in activity and health changes following COVID-19 in Europe- results from the SHARE COVID-19 survey. *European Journal of Public Health* 31(6), 1281–1284.
- Scheel-Hincke, L. L., S. Moller, R. Lindahl-Jacobsen, B. Jeune, and L. J. Ahrenfeldt (2020, 3). Cross-national comparison of sex differences in ADL and IADL in Europe: findings from SHARE. *European Journal of Ageing* 17(1), 69–79.
- Schunemann, J., H. Strulik, and T. Trimborn (2017, 7). The gender gap in mortality: How much is explained by behavior? *Journal of Health Economics* 54, 79–90.
- Sen, G., A. S. George, and P. Östlin (2002). The case for gender equity in health research. *Journal of Health Management* 4(2), 99 – 117.
- Shoko, M. (2018). *New approaches to measuring ageing in South Africa*, pp. 315 – 329.
- Singh-Manoux, A., A. Guéguen, J. Ferrie, M. Shipley, P. Martikainen, S. Bonenfant, M. Goldberg, and M. Marmot (2008, 12). Gender differences in the association between morbidity and mortality among middle-aged men and women. *American Journal of Public Health* 98(12), 2251–7.
- Solé-Auró, A., P. Zueras, M. Lozano, and E. Rentería (2022). Gender gap in unhealthy life expectancy: The role of education among adults aged 45. *International Journal of Public Health* 67, 1604946.

- Stehli, J., S. Zaman, and B. E. Stähli (2023). Sex discrepancies in pathophysiology, presentation, treatment, and outcomes of severe aortic stenosis. *Frontiers in Cardiovascular Medicine* 10, 1256970.
- Stephan, A.-J., L. Schwettmann, C. Meisinger, K.-H. Ladwig, B. Linkohr, B. Thorand, H. Schulz, A. Peters, and E. Grill (2021). Living longer but less healthy: The female disadvantage in health expectancy. results from the KORA-Age study. *Experimental Gerontology* 145, 111196.
- Takahashi, S., S. N. Jang, S. Kino, and I. Kawachi (2020). Gender inequalities in poor self-rated health: Cross-national comparison of South Korea and Japan. *Social Science Medicine* 252, 112919.
- Theou, O., M. D. L. O'Connell, B. L. King-Kallimanis, A. M. O'Halloran, K. Rockwood, and R. A. Kenny (2015). Measuring frailty using self-report and test-based health measures. *Age and Ageing* 44(3), 471–477.
- Van Oyen, H., W. Nusselder, C. Jagger, P. Kolip, E. Cambois, and J. M. Robine (2013, 2). Gender differences in healthy life years within the EU: an exploration of the "health-survival" paradox. *International Journal of Public Health* 58(1), 143–55.
- Verbrugge, L. M. (1985). Gender and health: An update on hypotheses and evidence. *Journal of Health and Social Behavior* 26(3), 156–182.
- Verbrugge, L. M. (1989). The twain meet: Empirical explanations of sex differences in health and mortality. *Journal of Health and Social Behavior* 30(3), 282–304.
- Veronese, N., G. Siri, A. Cella, J. Daragjati, A. J. Cruz-Jentoft, M. C. Polidori, F. M. S. Raso, M. Paccalin, E. Topinkova, and A. P. Greco (2019). Older women are frailer, but less often die than men: a prospective study of older hospitalized people. *Maturitas* 128, 81 – 86.
- Vidal-Meliá, C., M. Ventura-Marco, and A. M. Garvey (2024). Analyzing the demographic coherence of selected US, Australian and Chinese biometric data sets used to price long-term care insurance and life care annuities. *Quality and Quantity* 58(3), 2813 – 2836.
- Walter-Ginzburg, A., D. Shmotkin, T. Blumstein, and A. Shorek (2005, 4). A gender-based dynamic multidimensional longitudinal analysis of resilience and mortality in the old-old in Israel: the Cross-sectional and Longitudinal Aging Study (CALAS). *Social Science Medicine* (1982) 60(8), 1705–15.
- Yong, V., Y. Saito, and A. Chan (2011). Gender differences in health and health expectancies of older

adults in Singapore: an examination of diseases, impairments, and functional disabilities. *Journal of Cross-cultural Gerontology* 26(2), 189–203.

Zeng, Y., H. Chen, X. Liu, Z. Song, Y. Yao, X. Lei, X. Lv, L. Cheng, Z. Chen, C. Bai, Z. Yin, Y. Lv, J. Lu, J. Li, K. C. Land, A. Yashin, A. M. O’Rand, L. Sun, Z. Yang, W. Tao, J. Gu, W. Gottschalk, Q. Tan, K. Christensen, T. Hesketh, X.-L. Tian, H. Yang, V. Egidi, G. Caselli, J.-M. Robine, H. Wang, X. Shi, J. W. Vaupel, M. W. Lutz, C. Nie, and J. Min (2024). Genetic associations with longevity are on average stronger in females than in males. *Heliyon* 10(1).