

CONFIDENTIAL — CLIENT DOCUMENT

Software Requirements Specification

Alsultania Travel CRM & Management System

PREPARED FOR

Alsultania Travel and Tourism Co. L.L.C
Dubai, United Arab Emirates

PREPARED BY

AnyMatch Technologies Private Limited

VERSION

1.0

DATE

11 June 2026

STATUS

Pending Client Approval — v1.0

This document is confidential and prepared exclusively for Alsultania Travel and Tourism Co. L.L.C and AnyMatch Technologies Private Limited.

Table of Contents

This document contains ten main sections plus appendices. Use your PDF reader's bookmark or outline panel for navigation.

1. Introduction
 2. Overall Description
 3. User Roles & Permissions
 4. Functional Requirements
 5. Automation & Workflow Requirements
 6. Data Requirements
 7. External Interface Requirements
 8. Non-Functional Requirements
 9. Phase-wise Delivery & Acceptance
 10. Appendices (A — Screen Inventory, B — Components, C — Lead Creation, D — Third-Party Services)
-

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) defines the functional and non-functional requirements for the **Alsultania Travel CRM & Management System** — a purpose-built, full-stack travel agency platform. It serves as the authoritative requirements baseline for design, development, testing, and client acceptance across all project phases.

1.2 Scope

The System consolidates the following into a single unified platform:

- Lead capture, assignment, and lifecycle management
- Customer profiles and booking workflows
- Financial accounting, invoicing, and expense controls
- Staff performance and HR metrics
- WhatsApp automation and multi-channel notifications
- Reporting, analytics, and multi-branch scalability

In scope: All modules defined in Phases 0–3 of the accepted proposal.

Out of scope (unless agreed in writing post-blueprint approval):

- Custom branding/design beyond structural blueprint
- Third-party WhatsApp API provisioning (Client responsibility)
- Server/hosting provisioning (Client responsibility)
- Features not mapped in the approved Phase 0 blueprint
- Public website inquiry with SMS OTP (SRS §4.1.3b) unless accepted on Phase 0 Acceptance Form

1.3 Definitions & Acronyms

Term	Definition
Lead	A prospective customer inquiry not yet converted to a booking; typed by service category (Flight, Hotel, Visa, etc.) with auto-generated subject
Lead Type	Service category enum that drives dynamic capture fields on Create Lead
Subject	Auto-generated summary line built from type-specific lead fields (e.g. route, room count)
Lead Via	Channel through which the inquiry was received (WhatsApp, Phone, Walk-in, etc.)
Type Details	JSON payload storing fields specific to the selected Lead Type
Pipeline	Kanban-style visualisation of lead lifecycle stages
RBAC	Role-Based Access Control
ERD	Entity-Relationship Diagram
Blueprint	Phase 0 approved screen flows, data model, and component library
Branch	A physical or logical office location under Alsultania
OTP	One-time password sent via SMS to verify customer phone ownership before public inquiry submission
Public Inquiry	Pre-login lead submission on the public website (/inquiry): phone OTP verification → customer completes required inquiry fields → auto-assignment to next available active agent (round-robin, AUTO-02). <i>In scope only if accepted on Phase 0 Acceptance Form (see §4.1.3b).</i>

1.4 References

Document	Location
Project Master Overview	Project Master Overview
Phase 0 Acceptance Form	Phase 0 Acceptance Form
Software Design Document	Software Design Document
Database Schema	Database Schema
Diagrams	Architecture Diagrams
Accepted Proposal	Proposal_AnyMatch_Alsultania.pdf
Interactive Prototype	Interactive Prototype (40 screens) (40 HTML screens)
Data Architecture ERD	FigJam Board
Figma Design Blueprint	design-travel_crm
Blueprint Deliverable Summary	Blueprint Deliverable Summary

2. Overall Description

2.1 Product Perspective

The System is a monolithic full-stack web application:

- **Backend:** Laravel (PHP)
- **Database:** MySQL
- **Frontend:** Laravel Blade with component-based UI
- **Messaging:** WhatsApp Business API (Client-provisioned)
- **Design baseline:** Figma blueprint (structure, flows, fields — not branding)

2.2 Business Objectives

1. Eliminate fragmented tools and manual lead entry
2. Automate WhatsApp inquiry capture and agent follow-ups
3. Centralise lead-to-booking lifecycle tracking
4. Provide financial visibility and staff performance metrics
5. Support multi-branch growth with segregated data and consolidated reporting

2.3 User Classes

Role	Description
Administrator	Full system access — users, roles, settings, branches, automation rules
Sales Manager	Team oversight — lead assignment, approvals, reports, performance
Travel Agent	Day-to-day CRM — leads, customers, bookings, WhatsApp conversations
Finance User	Accounting, invoices, payments, expenses (Phase 2)
HR/Manager	Staff performance, attendance, HR reports (Phase 2)

2.4 Operating Environment

- Desktop-first web application (1440px design baseline)
- Modern browsers (Chrome, Edge, Firefox, Safari — latest two versions)
- Client-provisioned server with PHP 8.x, MySQL 8.x, HTTPS
- WhatsApp Business API credentials provided by Client before Phase 1 go-live

2.5 Constraints

- Development shall not commence until Phase 0 blueprint is client-approved in Figma

- Approved blueprint is locked; scope changes require written agreement
- 3-month delivery timeline contingent on timely client feedback and third-party readiness
- WhatsApp API and server provisioning are Client dependencies

2.6 Assumptions

- Client designates active email addresses for formal project communication
 - Agents have stable internet access during business hours
 - Lead sources include WhatsApp, website forms, walk-in, and referral
 - Currency for financial modules defaults to AED unless configured otherwise
-

3. User Roles & Permissions

3.1 Role Matrix (High Level)

Module	Administrator	Sales Manager	Travel Agent	Finance	HR
User Management	✓	—	—	—	—
Roles & Permissions	✓	—	—	—	—
Dashboard	✓	✓	✓	✓	✓
Lead Management	✓	✓	✓	—	—
Customers & Bookings	✓	✓	✓	R	—
Accounting & Invoices	✓	R	—	✓	—
Expenses & Budgets	✓	✓	—	✓	—
HR & Performance	✓	✓	R	—	✓
Reports	✓	✓	R	✓	✓
Automation & Settings	✓	R	—	—	—
Multi-Branch Admin	✓	R	—	—	—

✓ = Full access · R = Read-only · — = No access (configurable via RBAC matrix)

3.2 Authentication Requirements

ID	Requirement
AUTH-01	System shall provide email/password login
AUTH-02	System shall enforce role-based access on every protected route
AUTH-03	System shall support session management with secure logout
AUTH-04	System shall allow Administrators to invite, activate, and deactivate users
AUTH-05	System shall support password reset via Administrator
AUTH-06	Failed login attempts shall be logged

4. Functional Requirements

Requirements are grouped by delivery phase and **proposal sub-modules**

(`Proposal_AnyMatch_Alsultania.pdf` , §3 Scope of Work). Screen IDs correspond to the Phase 0 blueprint (**Interactive Prototype**). Sub-module structure and scope summaries: §9.1.1.

4.1 Phase 1 — Core CRM, Customer & Booking Management (Screens 01–12, 05a–05d)


4.1.0 End-to-End Sales & Payment Journey

Authoritative cross-phase narrative from lead capture through the Payment Queue operational report.

Navbar structure: §4.1.1a, §4.2.1a, §4.3.1a, §4.3.3a.

Terminal screen: Payment Queue (Screen 16, `payment-tracking.html`) — outstanding and overdue payment operations report. **Financial Reports** (Screen 17) is a separate P&L analysis screen and is not the endpoint of this journey.

Phase boundary: Steps 1–6 ship in Phase 1; steps 7–9 require Phase 2 accounting modules.



Step	Actor	Screen	Nav tab / entry	SRS reference
0 (optional)	Customer	Public OTP → Inquiry → Success	No app shell	§4.1.3b, Appendix C §1a
1	Agent	Create Lead	Leads → Create Lead	§4.1.3a, FR-18a–18m
2	Agent	Leads List / Pipeline	Leads → Leads List / Pipeline	§4.1.3, FR-08–12
3	Agent	Lead Detail	Deep link from list, pipeline, or WhatsApp	FR-13–16
4	Agent	Customer Profile (if converting)	Accounts → Customers (deep link)	§4.1.4, FR-19–21
5	Agent	New Booking	Bookings → New Booking or Lead Detail CTA	FR-20a, FR-22a
6	Agent	Booking Detail	Deep link from booking list	FR-23–25
7	Agent / Finance	Generate Invoice	Booking Detail action → Accounts → Invoices	§4.2.1a step 2
8	Agent / Finance	Record Payment	Booking Detail → Record Payment (primary write path)	§4.2.1a step 3, FR-25
9	Finance	Payment Queue	Accounts → Receivables → Payment Queue	§4.2.1a step 6 — terminal report screen

Flow rules:

- **Detail pages are not nav items** — Lead Detail, Booking Detail, and Customer Profile are reached from lists, CTAs, or deep links only.
- **Payment Queue is read-only** — Finance views outstanding and overdue payments; payment recording happens on Booking Detail. Travel Agents may record deposit payments on assigned bookings only (§3.1).
- **Dashboard is a hub, not a top tab** — brand logo navigates to Dashboard; + **New Lead** enters step 1 (FR-18a).
- **Public inquiry** — step 0 feeds step 2 via AUTO-02 round-robin; inquiry success has no CRM nav link (customer has no login).
- **WhatsApp alternate entry** — Tools → WhatsApp Inbox can launch Create Lead (step 1) via AUTO-01 auto-capture or manual + **New Lead**.

Navbar tab involvement:

Top tab	Role in this journey
Leads	Capture, pipeline, qualification (steps 1–3)
Bookings	Draft booking creation and management (steps 5–6)
Accounts	Invoicing (step 7) and Payment Queue report (step 9)
Tools	WhatsApp Inbox as alternate lead entry (step 1)
Reports	Out of scope for this journey

4.1.1 CRM Foundation & Authentication

Proposal scope: role-based access control, user management, session handling, and foundational CRM infrastructure.

ID	Screen	Requirement
FR-01	Login	User shall authenticate with email, password, and role context
FR-02	User Management	Admin shall create, edit, deactivate users and assign roles
FR-03	Roles & Permissions	Admin shall configure module-level permissions per role via RBAC matrix

4.1.1a Navigation — Leads & Bookings

Canonical source: the approved blueprint navigation. Part of UI-01 top navigation.

Leads dropdown:

Item	Screen	Default tab click
Leads List	<code>leads-list.html</code>	✓ (default)
Create Lead	<code>leads-create.html</code>	
Pipeline	<code>pipeline.html</code>	

Bookings dropdown:

Item	Screen	Default tab click
Booking List	<code>booking-list.html</code>	✓ (default)
New Booking	<code>booking-create.html</code>	

Active top-nav highlighting: The active tab is determined by the current screen. Detail pages highlight their parent tab:

Screen	Active top tab
leads-list.html , leads-create.html , lead-detail.html , pipeline.html	Leads
booking-list.html , booking-create.html , booking-detail.html	Bookings

Dashboard: Not a top-nav item. Brand logo click navigates to dashboard.html (Screen 04). Dashboard has no active top-nav highlight (PAGE_TOP_NAV = null).

4.1.2 Dashboard (included in CRM Foundation & Authentication)

ID	Screen	Requirement
FR-04	Dashboard	System shall display KPI cards: new leads today, active pipeline, bookings this week, conversion rate
FR-05	Dashboard	System shall show recent leads table with source, agent, status, and last contact
FR-06	Dashboard	User shall filter recent leads by source (All, WhatsApp, Web Form, Walk-in, Referral)
FR-07	Dashboard	User shall initiate "New Lead" from dashboard, navigating to the Create Lead screen

4.1.3 Advanced Lead Management

Proposal scope: full lead pipeline — capture, assignment, status tracking, and WhatsApp-integrated follow-ups.

ID	Screen	Requirement
FR-08	Leads List	System shall list all leads with search, status chips, and pagination
FR-09	Leads List	Manager shall bulk-assign leads to agents
FR-10	Leads List	Lead record shall include: ID, customer name, email, phone, lead type, subject, lead via, customer location, type details, departure/return dates, traveler counts (adults, children, infants), remarks, assigned agent, status, created date
FR-11	Pipeline	System shall display Kanban board with stages: New, Contacted, Quoted, Negotiation, Booked, Lost
FR-12	Pipeline	Agent shall drag leads between pipeline stages (status update)
FR-13	Lead Detail	System shall show lead profile: customer name, phone, email, lead type, auto-generated subject, lead via, customer location, type-specific details, traveler counts, travel dates, remarks, assigned agent, created timestamp
FR-14	Lead Detail	System shall maintain activity timeline (creation, subject generation, auto-capture, assignment, messages, status changes)
FR-15	Lead Detail	Agent shall send WhatsApp message, schedule follow-up, and create quotation from lead
FR-16	Lead Detail	Agent shall change status, reassign agent, add internal note, convert to customer, and create booking when lead status is Booked
FR-17	WhatsApp Inbox	System shall display incoming WhatsApp messages with capture status
FR-18	WhatsApp Inbox	System shall show conversation thread with auto-reply and manual reply capability

4.1.3a Create Lead

Full field-level specification: [Appendix C](#)

ID	Screen	Requirement
FR-18a	Create Lead	User shall create a lead from Dashboard, Leads List, Pipeline, or WhatsApp Inbox via + New Lead / + Add Lead — step 1 of §4.1.0 End-to-End Sales & Payment Journey
FR-18b	Create Lead	When arriving from an inbound contact, system shall pre-fill and display the customer phone number (E.164) in the page header
FR-18c	Create Lead	System shall display a Previous Leads panel for the customer phone, showing: ID, created date, name, type, subject, status, handler
FR-18d	Create Lead	Form shall capture common fields: customer name (required), email (optional), lead type (required), lead via (required), customer location (optional), remarks (optional)
FR-18e	Create Lead	Lead Type shall support: <code>Flight</code> , <code>Hotel</code> , <code>Visa</code> , <code>Tour</code> , <code>Umrah</code> , <code>Hajj</code> , <code>Insurance</code> , <code>Package</code> , <code>Other</code>
FR-18f	Create Lead	System shall render type-specific fields dynamically when Lead Type changes (see Appendix C §5)
FR-18g	Create Lead	System shall capture Dates & Travelers : departure/return with checkbox-enabled date pickers, adult/child/infant counts (defaults: 1/0/0); date labels shall vary by lead type
FR-18h	Create Lead	Lead Handling radio options: <code>Create and Takeover (Handle Myself)</code> , <code>Create for Others</code> , <code>Create and Transfer to Staff</code>
FR-18i	Create Lead	When handling is not Takeover, user shall select a target agent before submit
FR-18j	Create Lead	System shall auto-generate a subject line from type-specific fields (e.g. <code>LHE - KHI (OW) Economy</code> , <code>1 Room Economy in JED (Room Only)</code>)
FR-18k	Create Lead	System shall validate required fields per lead type before save; return date shall be ≥ departure when both are provided
FR-18l	Create Lead	On successful save, lead status shall default to <code>New</code> and assignment shall follow the selected handling option
FR-18m	Create Lead	Type-specific field values shall be stored in <code>type_details</code> JSON column on the <code>leads</code> table

4.1.3b Public Website Inquiry — Blueprint Elaboration (Pre-Login, OTP) (Conditional — §4.1.3b)

Conditional scope: Client selects **Accepted** or **Declined** on Phase 0 Acceptance Form. If **Declined**, FR-18n–FR-18t and Screens 05b–05d are excluded; website leads may be captured via staff manual entry or alternate channel only.

Proposal anchor: Phase 1 — Advanced Lead Management (*capture, assignment, status tracking*). The public website flow with SMS OTP (Screens 05b–05d) is a **Phase 0 blueprint elaboration** — not explicitly named in the proposal.

Full field-level specification: [Appendix C §1a](#)

ID	Screen	Requirement
FR-18n	Public Inquiry	Customer shall submit a travel inquiry without CRM login via a public URL (<code>/inquiry</code>)
FR-18o	Verify Phone	Customer shall enter mobile number (E.164 with country code); system shall send a 6-digit SMS OTP
FR-18p	Verify Phone	Customer shall enter OTP to verify ownership of the phone number before accessing the inquiry form
FR-18q	Verify Phone	System shall enforce OTP expiry, resend cooldown, and maximum failed attempts; verified phone shall be stored in session
FR-18r	Public Inquiry	Verified customer shall complete required lead capture fields on the public website: customer name, service type (lead type), type-specific required fields per selected type, dates & travelers; optional email, city, and notes; Lead Handling and Lead Via are excluded (see Appendix C §1a.2)
FR-18s	Public Inquiry	On public submit: <code>lead_via = Website</code> , <code>created_by = null</code> , <code>status = New</code> ; system shall auto-assign the lead to the next available active agent via round-robin (AUTO-02); assigned agent shall be notified in CRM; customer sees confirmation with lead reference only (no agent name)
FR-18t	Public Inquiry	System shall display customer's Previous Inquiries for the verified phone (read-only, no handler column)

Lead status values: `New` , `Contacted` , `Quoted` , `Negotiation` , `Booked` , `Lost`

Lead type values: `Flight` , `Hotel` , `Visa` , `Tour` , `Umrah` , `Hajj` , `Insurance` , `Package` , `Other`

Lead via (source) values: `WhatsApp` , `Phone` , `Walk-in` , `Website` , `Referral` , `Email` , `Manual`

Lead handling values: `Takeover` , `Create for Others` , `Transfer to Staff`

4.1.4 Customer & Booking Management

Proposal scope: customer profiles, booking creation and management, travel itinerary tracking, and document management.

ID	Screen	Requirement
FR-19	Customer List	System shall list customers with search, tags, and booking count
FR-20	Customer List	System shall support lead-to-customer conversion
FR-20a	Lead Detail	When lead status is Booked , agent shall create a linked Draft booking (customer created if needed); lead fields prefill the booking form
FR-21	Customer Profile	Profile shall store contact info, preferences, notes, and booking history
FR-22	Booking List	System shall list bookings with status, destination, payment state, and linked customer
FR-22a	New Booking	Agent shall create a Draft booking from Booking List, Customer Profile, or Lead Detail (prefilled from lead when applicable)
FR-23	Booking Detail	Booking shall include itinerary (dates, destinations, flights, hotels), traveler details
FR-24	Booking Detail	System shall support document upload: passports, visas, tickets
FR-25	Booking Detail	System shall track payment milestones: deposit, balance, reminders; Booking Detail is the primary write path for recording payments ; Payment Queue (FR-29) is the read-only operational payment report destination (step 9 of §4.1.0)

Booking status values: Draft , Confirmed , In Progress , Completed , Cancelled

4.2 Phase 2 — Financials, Expenses & HR Metrics (Screens 13–23)

4.2.1 Accounting Foundation

Proposal scope: revenue recording, invoice generation, payment tracking, and financial reporting.

ID	Screen	Requirement
FR-26	Finance Dashboard	System shall show revenue summary, outstanding balances, overdue counts, and deep links to finance work queues (payment queue, expense approvals, pending revenue)
FR-27	Revenue Adjustments	Finance user shall review auto-posted revenue and create manual adjustments (corrections, reversals, accruals) linked to a booking
FR-28	Invoice List	System shall list, preview PDF, send, and remind on invoices; invoice generation originates on Booking Detail — Invoice List is document management, not the primary create path
FR-29	Payment Queue	System shall display partial/full payment status per booking (outstanding, overdue, reminders); read-only queue — payments are recorded on Booking Detail
FR-30	Financial Reports	System shall produce preset finance-operational reports: P&L and revenue breakdown by agent and destination; Reports Hub (FR-40) links here for the Financials category

4.2.1a Unified Billing & Payment Flow

Booking is the anchor; payment is the event; invoice is the document; revenue is derived (cash basis).

Step	Actor	UI	System behaviour
1	Agent	New Booking / Lead Detail → Create Booking	Create booking in <code>Draft</code> ; copy lead <code>type_details</code> , dates, travelers when linked
2	Agent / Finance	Booking Detail → Generate Invoice	Create primary invoice (<code>draft</code>); PDF optional before send
3	Agent (deposit) / Finance (all)	Booking Detail → Record Payment	Create <code>payment</code> against invoice; update <code>booking.balance_due</code> and milestones; fire <code>PaymentReceived</code>
4	System	—	Auto-post <code>revenue_entry</code> from payment (DATA-18); if cumulative paid $\geq$ deposit, transition <code>Draft</code> → <code>Confirmed</code> (DATA-15)
5	Finance	Revenue Adjustments	Manual entries for corrections/reversals only; require approval when flagged
6	Finance	Payment Queue	View outstanding/overdue queues and reminders; link to Booking Detail to record payment — terminal operational payment report for the §4.1.0 journey
7	Agent / System	Booking Detail or automation	Send payment reminders (AUTO-03)

Payment Queue vs Financial Reports:

Screen	Nav location	Purpose	In §4.1.0 journey?
Payment Queue (<code>payment-tracking.html</code>)	Accounts → Receivables	Outstanding/overdue payment operations report; read-only queue linking back to Booking Detail	Yes — terminal screen
Financial Reports (<code>financial-reports.html</code>)	Accounts → Analysis	P&L and revenue breakdown by agent and destination (FR-30)	No — separate analysis module

Journey nav map (cross-reference §4.1.0):

Journey step	Nav tab	Screen	In dropdown?
1–3	Leads	<code>leads-create.html</code> , <code>leads-list.html</code> , <code>pipeline.html</code> , <code>lead-detail.html</code>	List items + deep link
4	Accounts	<code>customer-profile.html</code>	Deep link from Customers
5–6	Bookings	<code>booking-create.html</code> , <code>booking-list.html</code> , <code>booking-detail.html</code>	List items + deep link
7	Accounts → Receivables	<code>invoice-list.html</code>	✓
8	Bookings (deep link)	<code>booking-detail.html</code>	Deep link — primary write path
9	Accounts → Receivables	<code>payment-tracking.html</code>	✓ — terminal report

Navigation (UI-01): Top nav **Leads · Bookings · Accounts · Tools · Reports**. Operational booking screens under **Bookings**; billing/finance list screens under **Accounts** (grouped dropdown: Customers · Receivables · Payables · Analysis). Detail pages (Booking Detail, Customer Profile, Lead Detail) are not top-nav items — reached from lists or deep links. Leads and Bookings dropdowns: §4.1.1a. Tools dropdown: §4.3.3a.

Accounts dropdown structure:

Section	Items
(ungrouped)	Customers
Receivables	Finance Dashboard, Payment Queue, Invoices, Revenue Adjustments
Payables	Expenses, Log Expense, Expense Approvals (badge: pending count), Cost Centres
Analysis	Financial Reports

Default landing (role-aware): Finance User and Administrator → Finance Dashboard; Sales Manager and Travel Agent → Customer List.

Finance sub-nav (on Accounts finance screens): Overdue Payments · Pending Approvals · Pending Revenue — replaces global reminders sub-nav on those pages.

Screens with finance sub-nav: Finance Dashboard, Payment Queue, Invoices, Revenue Adjustments, Financial Reports, Expense List, Log Expense, Expense Approvals, Cost Centres.

Finance sub-nav link targets: Overdue Payments → [payment-tracking.html?status=overdue](#) · Pending Approvals → [expense-approvals.html](#) · Pending Revenue → [revenue-recording.html?status=pending](#) .

RBAC nav visibility:

Group / Item	Admin	Sales Mgr	Agent	Finance
Customers	✓	✓	✓	R
Receivables (all)	✓	R	—	✓
Payables	✓	✓	—	✓
Financial Reports	✓	R	—	✓

RBAC: Travel Agent may record deposit payments on assigned bookings only; Finance User has full payment and adjustment access; Payment Queue and Revenue Adjustments are Finance-primary modules (SRS §3.1).

4.2.2 Expense & Financial Controls

Proposal scope: expense logging, budget tracking, cost-centre allocation, and approval workflows.

ID	Screen	Requirement
FR-31	Expense List	System shall list expenses filterable by cost centre and approval status
FR-32	Log Expense	User shall log expenses with category, amount, receipt, and cost centre
FR-33	Log Expense	System shall track monthly budget vs actual spend
FR-34	Expense Approvals	Manager shall approve, reject, or request info on pending expenses
FR-35	Cost Centres	Admin shall define branches/departments and allocate expenses

Expense status values: Pending , Approved , Rejected

4.2.3 Staff Performance & HR Metrics

Proposal scope: agent productivity dashboards, lead conversion rates, attendance, and HR reporting.

ID	Screen	Requirement
FR-36	Staff Performance	System shall display agent leaderboard by conversions and revenue
FR-37	Staff Performance	Metrics shall include leads handled, conversion %, average response time
FR-38	Attendance & HR	System shall log attendance (check-in/out) and leave balance
FR-39	Attendance & HR	System shall export HR productivity and attendance reports

4.3 Phase 3 — Automation & Advanced Enterprise Scalability (Screens 24–33)

4.3.1 Reporting & Analytics Suite

Proposal scope: customizable reports across sales, bookings, financials, and agent performance.

ID	Screen	Requirement
FR-40	Reports Hub	System shall categorise reports: Sales, Bookings, Financials (links to Financial Reports screen), Agent Performance
FR-41	Report Builder	User shall build custom reports with date range, agent, destination, and status filters
FR-42	Report Builder	System shall export reports to CSV and PDF

4.3.1a Reports Navigation

Reports dropdown structure:

Section	Items
(ungrouped)	Reports Hub, Report Builder
Performance	Staff Performance, Attendance & HR
Management	Consolidated View

Default landing: Reports Hub (`reports-hub.html`).

Financial Reports relationship: Preset finance-operational reports (FR-30) remain under **Accounts** → **Analysis**. Reports Hub (FR-40) links to Financial Reports for the Financials category; Financial Reports page links back to Reports Hub for sales, agent, and custom analytics.

RBAC nav visibility:

Item	Admin	Sales Mgr	Agent	Finance	HR
Reports Hub	✓	✓	R	✓	✓
Report Builder	✓	✓	R	✓	✓
Staff Performance	✓	✓	R	—	✓
Attendance & HR	✓	✓	—	—	✓
Consolidated View	✓	R	—	—	—

✓ = Full access · R = Read-only · — = Hidden (configurable via RBAC matrix)

4.3.2 Notifications & Communication

Proposal scope: multi-channel notification engine covering WhatsApp, email, and in-app alerts.

ID	Screen	Requirement
FR-43	Notifications Center	System shall display in-app alerts: lead assigned, payment received, follow-up due
FR-44	Notifications Center	User shall filter notifications by read/unread and type
FR-45	Communication Templates	Admin shall create/edit WhatsApp and email templates with variable placeholders
FR-46	Channel Settings	Admin shall configure WhatsApp API credentials and email SMTP settings

4.3.3a Navigation — Tools

Canonical source: the approved blueprint navigation. Part of UI-01 top navigation.

Tools dropdown structure:

Section	Items
(ungrouped)	WhatsApp Inbox
Administration	User Management, Roles & Permissions, Multi-Branch
Communications	Notifications, Communication Templates, Channel Settings
Automation	Automation Rules, Workflow Triggers, System Settings

Default landing: WhatsApp Inbox ([whatsapp-inbox.html](#)).

Lead-capture entry: WhatsApp Inbox is an alternate entry point to Create Lead (step 1 of §4.1.0) via AUTO-01 auto-capture or manual + **New Lead** (FR-17, FR-18, FR-18a).

Active top-nav highlighting: All Tools screens highlight the Tools tab.

RBAC nav visibility:

Group / Item	Admin	Sales Mgr	Agent	Finance
WhatsApp Inbox	✓	✓	✓	✓
Administration (all)	✓	—	—	—
Notifications	✓	✓	✓	✓
Communications (templates, channels)	✓	—	—	—
Automation (rules, triggers, settings)	✓	R	—	—

✓ = Full access · R = Read-only · — = Hidden (configurable via RBAC matrix)

4.3.3 Automation & Workflow Engine

Proposal scope: full rule-based automation for lead routing, reminders, status triggers, and scheduled tasks.

ID	Screen	Requirement
FR-47	Automation Rules	Admin shall define IF/THEN rules (e.g. status change → send notification)
FR-48	Workflow Triggers	Admin shall schedule tasks: daily follow-ups, payment reminders
FR-49	System Settings	Admin shall configure lead rotation rules and FAQ keyword auto-replies

4.3.4 Multi Branch & Scalability

Proposal scope: branch-level data segregation, consolidated management views, and architecture optimized for growth.

ID	Screen	Requirement
FR-50	Multi-Branch Management	Admin shall create branches with data segregation rules
FR-51	Consolidated View	Management shall view cross-branch KPIs: leads, bookings, revenue
FR-52	Multi-Branch	Users shall only access data for their assigned branch unless role grants cross-branch view

5. Automation & Workflow Requirements

Included across all phases per accepted proposal.

ID	Requirement
AUTO-01	Incoming WhatsApp messages shall auto-create CRM leads without manual entry
AUTO-02	New leads (including public website inquiries) shall be auto-assigned to the next available active agent via configurable round-robin rotation; public submissions shall not accept client-supplied agent selection
AUTO-03	System shall send scheduled WhatsApp follow-ups, greetings, and payment/quotation reminders based on lead status and timelines
AUTO-04	System shall notify agent and customer via WhatsApp on lead status or payment status changes
AUTO-05	System shall auto-reply to FAQ queries using predefined keyword matching
AUTO-06	All automation events shall be logged in the lead activity timeline
AUTO-07	Admin shall enable/disable individual automation rules without code deployment

6. Data Requirements

6.1 Core Entities

Entity	Description	Key Relationships
users	System users (agents, managers, admins)	belongs to roles , branches ; assigns leads
roles	RBAC role definitions	has many permissions
permissions	Module-level access grants	belongs to roles
leads	Prospective customer inquiries	has lead_activities , lead_assignments ; converts to customers
lead_activities	Timeline events on a lead	belongs to leads
lead_assignments	Agent rotation history	belongs to leads , users
customers	Converted contacts	has many bookings
bookings	Confirmed travel packages	has itineraries , documents , invoices , expenses
itineraries	Travel schedule per booking	belongs to bookings
documents	Uploaded files (passport, visa, ticket)	belongs to bookings
invoices	Billing records	belongs to bookings ; has payments
payments	Payment transactions	belongs to invoices ; triggers revenue_entries on create
revenue_entries	Recognized revenue (auto + manual)	belongs to bookings ; optional FK to payments
expenses	Operational costs	belongs to bookings , cost_centres
cost_centres	Branch/department budget units	has many expenses
attendance	Staff check-in/out records	belongs to users
performance_metrics	Agent KPI snapshots	belongs to users

Entity	Description	Key Relationships
branches	Office locations	has users , leads
notifications	In-app alerts	triggered by automation_rules
automation_rules	IF/THEN workflow definitions	triggers notifications
whatsapp_messages	Inbound/outbound WhatsApp log	belongs to leads ; uses communication_templates
communication_templates	Message templates	used by whatsapp_messages
otp_verifications	Pending SMS OTP codes for public phone verification	keyed by E.164 phone; expires after configurable TTL

6.2 Data Integrity Rules

ID	Rule
DATA-01	Every lead shall have a unique system-generated ID (format: <code>#LD-XXXX</code>)
DATA-02	Lead status transitions shall be validated against allowed pipeline stages
DATA-03	Converted customers shall retain link to originating lead
DATA-04	Financial records shall not be hard-deleted; soft-delete with audit trail
DATA-05	Branch segregation shall filter all queries by user's branch unless cross-branch role granted
DATA-06	All automation and user actions on leads shall append to <code>lead_activities</code>
DATA-07	Every lead shall store <code>lead_type</code> as one of nine enumerated service categories
DATA-08	Type-specific lead fields shall be persisted in <code>type_details</code> JSON; schema varies by <code>lead_type</code> (see Appendix C §8.2)
DATA-09	System shall auto-generate and store <code>subject</code> from <code>type_details</code> on lead creation
DATA-10	Lead phone numbers shall be stored in E.164 format and indexed for Previous Leads lookup
DATA-11	Traveler counts (<code>adults</code> , <code>children</code> , <code>infants</code>) shall default to 1, 0, 0 respectively
DATA-12	<code>departure_date</code> and <code>return_date</code> shall be nullable; enabled only when user checks the corresponding date toggle
DATA-13	Public inquiry leads shall set <code>created_by</code> to null, <code>lead_via</code> to <code>Website</code> , and <code>assigned_user_id</code> via AUTO-02 (next available agent)
DATA-14	OTP codes shall be stored hashed; plain-text codes shall not be persisted after verification
DATA-15	When cumulative payments for a booking reach or exceed <code>deposit_amount</code> , booking status shall auto-transition from <code>Draft</code> to <code>Confirmed</code>
DATA-16	<code>booking.balance_due</code> shall equal <code>total_amount</code> minus the sum of all <code>payments.amount</code> for invoices linked to that booking

ID	Rule
DATA-17	Each booking shall have one primary invoice unless explicitly split (e.g. separate deposit and balance invoices)
DATA-18	System shall auto-create a <code>revenue_entry</code> when a payment is recorded (cash basis); manual revenue entries require Finance approval when marked pending
DATA-19	Lead status <code>Booked</code> shall require a linked booking or prompt the agent to create one via Lead Detail → Create Booking on save

6.3 Leads Table — Extended Field Reference

Column	Type	Required	Notes
phone	VARCHAR(20)	Yes	E.164; links customer history
customer_name	VARCHAR(255)	Yes	
email	VARCHAR(255)	No	Validated if provided
lead_type	ENUM	Yes	Flight, Hotel, Visa, Tour, Umrah, Hajj, Insurance, Package, Other
lead_via	ENUM	Yes	WhatsApp, Phone, Walk-in, Website, Referral, Email, Manual
customer_location	VARCHAR(100)	No	City
type_details	JSON	Yes	Polymorphic per lead_type
departure_date	DATE	No	Label varies by type
return_date	DATE	No	Must be ≥ departure_date when set
adults	TINYINT UNSIGNED	Yes	Default 1
children	TINYINT UNSIGNED	Yes	Default 0
infants	TINYINT UNSIGNED	Yes	Default 0
remarks	TEXT	No	
subject	VARCHAR(500)	Yes	Auto-generated
status	ENUM	Yes	Default New
assigned_user_id	FK → users	Yes*	*Public inquiry: next available agent (AUTO-02); staff: per Lead Handling
created_by	FK → users	No**	**Required for staff; null for public OTP submissions

6.4 ERD Reference

Full entity-relationship diagram: [FigJam ERD Board](#)

7. External Interface Requirements

7.1 WhatsApp Business API

ID	Requirement
EXT-01	System shall integrate with Client-provisioned WhatsApp Business API
EXT-02	System shall receive inbound messages via webhook
EXT-03	System shall send outbound messages (manual, automated, template-based)
EXT-04	API credentials shall be stored encrypted in <code>channel_settings</code>

7.2 SMS OTP (Public Inquiry)

ID	Requirement
EXT-07	System shall integrate with SMS gateway (Client-provisioned) for public inquiry OTP delivery
EXT-08	OTP send rate shall be limited per phone number to prevent abuse

7.3 Email (SMTP)

ID	Requirement
EXT-05	System shall send transactional emails via configurable SMTP
EXT-06	Email templates shall support variable substitution

7.4 User Interface

ID	Requirement
UI-01	Desktop layout baseline: 1440px width, top navigation (Leads · Bookings · Accounts · Tools · Reports). Full dropdown specifications: Leads & Bookings §4.1.1a, Accounts §4.2.1a, Tools §4.3.3a, Reports §4.3.1a. Dashboard accessed via brand logo click (not a top tab). Global sub-nav on Leads, Bookings, Tools, and Reports screens; finance sub-nav on Accounts finance screens (see UI-01 detail below). Role-aware Accounts default: Finance/Admin → Finance Dashboard; Sales Manager/Agent → Customer List
UI-02	UI shall follow approved Phase 0 component blueprint library
UI-03	Primary interaction colour: #17608c (structural, not final branding)
UI-04	Typography: Inter (Regular, Semi Bold, Bold)

UI-01 — Navigation detail:

Element	Specification
Top tabs	Leads · Bookings · Accounts · Tools · Reports
Dashboard	Brand logo → <code>dashboard.html</code> ; not a top-nav item
Leads dropdown	Leads List, Create Lead, Pipeline — §4.1.1a
Bookings dropdown	Booking List, New Booking — §4.1.1a
Accounts dropdown	Customers · Receivables · Payables · Analysis — §4.2.1a
Tools dropdown	WhatsApp Inbox · Administration · Communications · Automation — §4.3.3a
Reports dropdown	Reports Hub · Report Builder · Performance · Management — §4.3.1a
Global sub-nav	My Reminders · Add Reminder · Links — on Leads, Bookings, Tools, and Reports screens
Finance sub-nav	Overdue Payments · Pending Approvals · Pending Revenue — on Finance Dashboard, Payment Queue, Invoices, Revenue Adjustments, Financial Reports, Expense List, Log Expense, Expense Approvals, Cost Centres
End-to-end journey	Lead creation through Payment Queue — §4.1.0

7.5 API & Integration (Internal)

ID	Requirement
API-01	Monolithic Laravel architecture — no separate public API in Phase 1–3 unless scoped
API-02	All forms shall use server-side validation with user-friendly error messages

8. Non-Functional Requirements

8.1 Performance

ID	Requirement
NFR-01	Dashboard and lead list shall load within 3 seconds on standard broadband
NFR-02	System shall support minimum 50 concurrent authenticated users
NFR-03	WhatsApp webhook processing shall complete within 5 seconds

8.2 Security

ID	Requirement
NFR-04	All traffic shall be served over HTTPS
NFR-05	Passwords shall be hashed (bcrypt or Argon2)
NFR-06	RBAC shall be enforced server-side on every request
NFR-07	Uploaded documents shall be stored outside public web root
NFR-08	Session tokens shall expire after configurable inactivity period
NFR-11	Public inquiry OTP session shall expire after configurable timeout (e.g. 30 minutes post-verification)
NFR-12	Public inquiry routes shall be rate-limited independently of authenticated CRM routes

8.3 Availability & Backup

ID	Requirement
NFR-09	Target uptime: 99% during business hours (Client-hosted environment)
NFR-10	Database backups shall be performed daily (Client or AnyMatch per hosting agreement)

8.4 Maintainability

ID	Requirement
NFR-11	Codebase shall follow Laravel conventions and PSR standards
NFR-12	Database migrations shall be version-controlled
NFR-13	30-day bug-fix warranty per phase following handover

8.5 Usability

ID	Requirement
NFR-14	Core agent workflows (view lead, reply WhatsApp, update status) shall require ≤ 3 clicks
NFR-15	Status badges and pipeline colours shall be consistent across all screens

9. Phase-wise Delivery & Acceptance

9.1 Delivery Phases

Phase	Duration	Phase deliverable
Phase 0	1–2 weeks	Rapid Implementation Blueprint
Phase 1	3–4 weeks	Core CRM, Customer & Booking Management
Phase 2	3–4 weeks	Financials, Expenses & HR Metrics
Phase 3	3–4 weeks	Automation & Advanced Enterprise Scalability
Total	~3 months	Full-stack Laravel platform

9.1.1 Sub-Module Breakdown (Accepted Proposal)

Source: [Proposal_AnyMatch_Alsultania.pdf](#) , §3 Scope of Work. Functional requirements for each sub-module are in §4. Commercial terms and pricing: see the accepted proposal only.

Phase 0 — Rapid Implementation Blueprint

Mandatory technical prerequisite; client-approved in Figma before Phase 1 development begins. Not a branding exercise — structural design of the entire system. Once approved, the blueprint is locked; post-approval scope changes require written agreement.

Sub-deliverable	Description
Screen Flow Mapping	All screen flows and UI layouts mapped in Figma
Data Architecture	Database schema and entity relationships defined
Component Blueprint Library	Full reusable component blueprint library produced

Phase 1 — Core CRM, Customer & Booking Management

Sub-module	Proposal scope summary	SRS §
CRM Foundation & Authentication	Role-based access control, user management, session handling, and foundational CRM infrastructure	§4.1.1, §4.1.2
Advanced Lead Management	Full lead pipeline — capture, assignment, status tracking, and WhatsApp-integrated follow-ups	§4.1.0, §4.1.3–§4.1.3b
Customer & Booking Management	Customer profiles, booking creation and management, travel itinerary tracking, and document management	§4.1.0, §4.1.4

Screens: 01–12, 05a–05d (16 screens).

Phase 2 — Financials, Expenses & HR Metrics

Sub-module	Proposal scope summary	SRS §
Accounting Foundation	Revenue recording, invoice generation, payment tracking, and financial reporting	\$4.1.0, \$4.2.1
Expense & Financial Controls	Expense logging, budget tracking, cost-centre allocation, and approval workflows	\$4.2.2
Staff Performance & HR Metrics	Agent productivity dashboards, lead conversion rates, attendance, and HR reporting	\$4.2.3

Screens: 13–23

Phase 3 — Automation & Advanced Enterprise Scalability

Sub-module	Proposal scope summary	SRS §
Reporting & Analytics Suite	Customizable reports across sales, bookings, financials, and agent performance	\$4.3.1
Notifications & Communication	Multi-channel notification engine covering WhatsApp, email, and in-app alerts	\$4.3.2
Automation & Workflow Engine	Full rule-based automation for lead routing, reminders, status triggers, and scheduled tasks	\$4.3.3
Multi Branch & Scalability	Branch-level data segregation, consolidated management views, and architecture optimized for growth	\$4.3.4

Screens: 24–33

Cross-cutting — Core Automation & Workflow Engine

Included across all phases per accepted proposal (Proposal §2). Requirements: §5 (AUTO-01–AUTO-07).

9.2 Phase 0 Acceptance Criteria

Formal attestation: see **Phase 0 Acceptance Form**. Checkboxes below are updated after the client signs.

- ☐ All 37 application screens mapped and client-approved in Figma
- ☐ Data architecture ERD reviewed and signed off
- ☐ Component blueprint library documented
- ☐ Blueprint treated as locked baseline for development

9.3 Phase 1 Acceptance Criteria

- ☐ AUTH-01 through AUTH-06 implemented and tested
- ☐ FR-01 through FR-25 and FR-18a through FR-18t implemented per blueprint screens
- ☐ AUTO-01 through AUTO-06 operational with test WhatsApp account
- ☐ RBAC enforced for Admin, Manager, and Agent roles
- ☐ 14-day post-handover validation period

9.4 Phase 2 Acceptance Criteria

- ☐ FR-26 through FR-39 implemented
- ☐ Invoice PDF generation and payment tracking verified
- ☐ Expense approval workflow tested end-to-end
- ☐ Agent performance metrics match sample data
- ☐ 14-day post-handover validation period

9.5 Phase 3 Acceptance Criteria

- ☐ FR-40 through FR-52 implemented
- ☐ Custom report export (CSV/PDF) verified
- ☐ Automation rules trigger correctly on status changes
- ☐ Multi-branch data segregation tested with ≥ 2 branches
- ☐ 14-day post-handover validation period

9.6 Client Dependencies

Dependency	Required Before
Figma blueprint approval	Phase 1 start
Server provisioning (PHP, MySQL, HTTPS)	Phase 1 start
WhatsApp Business API access	Phase 1 go-live
SMS gateway for public inquiry OTP (if §4.1.3b accepted on Phase 0 Acceptance Form)	Phase 1 go-live
Designated project email contacts	Project commencement

Full provisioning detail, checklists, and credential requirements: [Appendix D](#).

9.7 Client Approval Record

SRS **v1.0** is submitted for client review together with the **Phase 0 Acceptance Form**.

After client signs (signed copy retained by both parties):

1. Client records approval date and Public Inquiry decision on the acceptance form

2. Vendor updates project status to Phase 0 approved
 3. Phase 0 acceptance criteria (§9.2) are verified before development commences
 4. If Public Inquiry was **Declined**, that feature remains explicitly out of scope per §1.2
-

10. Appendices

Appendix A — Screen Inventory

Nav tab column maps each screen to its active top-nav parent per the approved blueprint navigation

PAGE_TOP_NAV . Detail pages highlight parent tab but are not dropdown items. Dashboard (04) has no nav tab — accessed via brand logo.

#	Screen	Phase	Nav tab	Blueprint File
01	Login	1	—	prototype/login.html
02	User Management	1	Tools	prototype/user-management.html
03	Roles & Permissions	1	Tools	prototype/roles-permissions.html
04	Dashboard	1	—	prototype/dashboard.html
05	Leads List	1	Leads	prototype/leads-list.html
05a	Create Lead (Staff)	1	Leads	prototype/leads-create.html
05b	Verify Phone (OTP — Public Website)	1	—	prototype/inquiry-otp.html
05c	Public Inquiry Form (Required Fields)	1	—	prototype/inquiry-create.html
05d	Inquiry Submitted (Confirmation)	1	—	prototype/inquiry-success.html
06	Lead Pipeline	1	Leads	prototype/pipeline.html
07	Lead Detail	1	Leads	prototype/lead-detail.html
08	WhatsApp Inbox	1	Tools	prototype/whatsapp-inbox.html
09	Customer List	1	Accounts	prototype/customer-list.html
10	Customer Profile	1	Accounts	prototype/customer-profile.html
11	Booking List	1	Bookings	prototype/booking-list.html
11a	New Booking	1	Bookings	prototype/booking-create.html
12	Booking Detail	1	Bookings	prototype/booking-detail.html
13	Finance Dashboard	2	Accounts	prototype/accounting-dashboard.html
14	Revenue Adjustments	2	Accounts	prototype/revenue-recording.html
15	Invoice List	2	Accounts	prototype/invoice-list.html
16	Payment Queue	2	Accounts	prototype/payment-tracking.html
17	Financial Reports	2	Accounts	prototype/financial-reports.html
18	Expense List	2	Accounts	prototype/expense-list.html
19	Log Expense / Budget	2	Accounts	prototype/log-expense.html

#	Screen	Phase	Nav tab	Blueprint File
20	Expense Approvals	2	Accounts	prototype/expense-approvals.html
21	Staff Performance	2	Reports	prototype/staff-performance.html
22	Attendance & HR	2	Reports	prototype/attendance-hr.html
23	Cost Centres	2	Accounts	prototype/cost-centres.html
24	Reports Hub	3	Reports	prototype/reports-hub.html
25	Custom Report Builder	3	Reports	prototype/report-builder.html
26	Notifications Center	3	Tools	prototype/notifications-center.html
27	Communication Templates	3	Tools	prototype/communication-templates.html
28	Channel Settings	3	Tools	prototype/channel-settings.html
29	Automation Rules	3	Tools	prototype/automation-rules.html
30	Workflow Triggers	3	Tools	prototype/workflow-triggers.html
31	Multi-Branch Management	3	Tools	prototype/multi-branch.html
32	Consolidated Branch View	3	Reports	prototype/consolidated-view.html
33	System Settings	3	Tools	prototype/system-settings.html

Appendix B — Component Blueprint Library

Reusable UI primitives defined in **Component Blueprint Library**:

- Primary / Secondary buttons
- Status badges (New, Contacted, Quoted, Booked, Lost, Pending, Approved)
- Stat cards, filter chips, form fields
- Data table rows, pipeline cards
- Timeline items, WhatsApp message bubbles
- OTP input group, step indicator, public inquiry layout
- Top navigation, sub-nav, page header layout

Appendix C — Lead Creation: User Flow, Fields & Data Types

Lead creation happens in **two contexts**: customers may submit inquiries on the **public website** (phone-verified, no CRM login — *in scope only if accepted on Phase 0 Acceptance Form, see §4.1.3b*), and staff

capture leads inside the CRM. Both paths persist the same lead model; only auth, assignment, and a few UI labels differ.

Context	Reference UI	Screenshots / prototype
Public Inquiry	Website <code>/inquiry</code>	<code>prototype/inquiry-otp.html</code> → <code>inquiry-create.html</code> → <code>inquiry-success.html</code>
Staff Create Lead	CRM <code>/leads/create</code>	lead creation/ (9 captures, one per Lead Type variant)

1. Overview

Context	Actor	Auth	Entry point	Assignment
Public Inquiry	Customer	No login — phone verified via SMS OTP	Public website <code>/inquiry</code>	Auto-assigned to the next available agent (round-robin, AUTO-02)
Staff Create Lead	Agent / Manager	Logged in (RBAC)	Dashboard, Leads List, Pipeline, WhatsApp Inbox, or inbound contact	Per Lead Handling choice (Takeover / Others / Transfer)

Public website flow (summary)

1. Customer opens the public inquiry page on the agency website.
2. Customer enters a mobile number and verifies it with a **6-digit SMS OTP**.
3. After verification, the customer completes the inquiry form with **all required information** (name, service type, type-specific fields, dates & travelers).
4. On submit, the system saves the lead with status `New`, sets `lead_via` = `Website`, and **automatically assigns it to the next available active agent** in the rotation queue — the customer does not choose an agent.
5. Customer sees a confirmation screen with a lead reference ID.

Staff create flow (summary)


Agents capture a new travel inquiry for a customer identified by phone number. The staff form is split into:


Area	Purpose
Left — Create New Lead	Data entry form with type-specific fields
Right — Previous Leads	History for the same phone number (read-only context)


The **Public Inquiry** form reuses the same type-specific fields and dates/travelers block, but **omits Lead Handling** (assignment is automatic) and sets **Lead Via** to `Website` without user input.

1a. Public Inquiry Flow (Customer, Pre-Login)

Customers submit travel inquiries on the **public website** without a CRM account. Identity is established by **phone verification** (SMS OTP). After verification, the customer fills the inquiry form with required information; on submit the lead is **auto-assigned to the next available agent** — no manual routing by the customer.







1a.1 Step-by-step (public)

Step	Actor	Action	System response
1	Customer	Opens <code>/inquiry</code> on the public website (no login)	Shows phone entry + country code
2	Customer	Enters mobile number, clicks Send verification code	Sends SMS OTP; starts resend cooldown (e.g. 60s)
3	Customer	Enters 6-digit OTP	Validates code against <code>otp_verifications</code> record
4	System	OTP verified	Creates short-lived verified-phone session; loads inquiry form with verified phone locked
5	Customer	Completes required fields: name, service type, type-specific fields, dates/travelers; optional email, city, notes	Same field validation as staff form (minus Lead Handling and Lead Via)
6	Customer	Submits inquiry	Lead saved with status <code>New</code> ; auto-assigned to next available active agent (AUTO-02); confirmation shown with reference ID

1a.2 Required information (public form)

After phone verification, the customer must provide the following before submit succeeds:

Category	Required fields	Optional fields
Identity	Customer name	Email, city/location
Service	Service type (Lead Type)	—
Type-specific	All fields marked required for the selected type (see §5.3–5.11)	Type-dependent optional fields
Dates & travelers	Adult count (default 1)	Departure/return dates (when checkbox enabled), child/infant counts
Notes	—	Additional notes (maps to <code>remarks</code>)

Fields **not shown** on the public form: Lead Via (fixed `Website`), Lead Handling, Target Agent.

1a.3 Auto-assignment to next available agent (AUTO-02)

When a public inquiry is submitted, the system assigns the lead without customer or staff input:

Rule	Behavior
Trigger	Successful public form submit (and staff leads using Transfer / default rotation where applicable)
Pool	Active agents eligible for lead assignment (configurable)
Algorithm	Round-robin — next agent in rotation after the last assignment
Result	<code>assigned_user_id</code> set to the selected agent; rotation pointer advanced
Customer visibility	Assignment is internal only; confirmation shows reference ID, not agent name
Agent visibility	Assigned agent sees the new lead in their CRM inbox / My Leads

See §4.1.3, §5, §6 AUTO-02 and FR-18s. Diagram: `[../diagrams/public-inquiry-flow.mmd]`
`(../diagrams/public-inquiry-flow.mmd)` .

1a.4 Public vs staff differences

Aspect	Staff (<code>leads-create</code>)	Public (<code>inquiry-create</code>)
Authentication	CRM login required	Phone OTP only
Phone number	Pre-filled from inbound / header	Set and locked by OTP verification
Lead Via	User selects	Fixed: <code>Website</code>
Lead Handling	Takeover / Others / Transfer	Hidden — next available agent (AUTO-02)
Target Agent	Shown when not Takeover	N/A — system assigns automatically
Remarks label	Internal remarks	Additional notes (customer-facing)
Previous leads panel	Full columns incl. handler	Customer view — no handler column
<code>created_by</code>	Current user FK	<code>NULL</code> (public submission)
Post-submit	Lead detail / list	Confirmation page with reference

1a.5 Public screen layout

Alsultania Travel · Travel & Tourism

Verified Phone: +971...

[Change number]

1. Phone ✓

2. OTP ✓

3. Inquiry

YOUR TRAVEL INQUIRY

Your Details (name*, type*)

Type-specific section

Dates & Travelers

Additional notes (optional)

[SUBMIT INQUIRY]

YOUR PREVIOUS INQUIRIES

ID | Created | Name | Type | Subject


| Status (no handler column)


1a.6 OTP rules (inferred)


Rule	Detail
Code length	6 digits
Delivery	SMS to E.164 number
Expiry	e.g. 10 minutes
Resend cooldown	e.g. 60 seconds between sends
Max attempts	e.g. 5 failed attempts before logout
Session	Verified phone stored in session until submit or timeout

2. User Flow (Staff)

The **Lead Type** dropdown drives which service-specific fields appear below the common customer section. All types share the same **Dates & Travelers**, **Remarks**, and **Lead Handling** blocks.







2.1 Step-by-step

Step	Actor	Action	System response
1	Agent	Lands on Create Lead (typically from an inbound contact)	Displays phone number in header (e.g. +923110000000)
2	System	Loads Previous Leads for that phone	Table shows ID, created date, name, type, subject, status, handler
3	Agent	Enters Customer Name (required)	—
4	Agent	Optionally enters Email and Customer Location	—
5	Agent	Selects Lead Type	Dynamic fields section updates (Flight, Hotel, Visa, etc.)
6	Agent	Selects Lead Via (source channel)	—
7	Agent	Fills type-specific fields	Validation rules apply per type
8	Agent	Sets travel dates (checkbox + date picker) and traveler counts	Departure/Return optional via checkbox
9	Agent	Adds Remarks if needed	Optional
10	Agent	Chooses Lead Handling radio option	May reveal agent picker for “Others” / “Transfer”
11	Agent	Clicks CREATE NEW LEAD	Lead saved; handler assigned per selection; subject line auto-generated from type fields

2.2 Navigation context (from screenshots)

- **Top nav:** Leads · Bookings · Accounts · Tools · Reports
- **Sub-nav:** My Reminders · Add Reminder · Links
- **Page title:** Create Lead
- **Header context:** Phone Number (read-only, ties form to customer record)

3. Screen Layout

Al-Sultania Travel Leads | Bookings | Accounts | Tools | Reports |
My Reminders | Add Reminder | Links   

Create Lead Phone: +923110000000

CREATE NEW LEAD

Customer info (common)
Type-specific section
Dates & Travelers
Remarks
Lead Handling
[CREATE NEW LEAD]

N Previous Leads

ID | Created | Name | Type | ... |
...

4. Common Fields (All Lead Types)

These fields are always visible regardless of **Lead Type** (staff form). On the **public website** form, phone is shown as verified in the header; Lead Via and Lead Handling are omitted (see §1a.2).

#	Field label	UI control	Data type	Required	Max / format	Notes
—	Phone Number	Read-only text (header)	string (E.164)	Yes (context)	e.g. +923110000000	Staff: pre-filled from inbound. Public: locked after OTP verification
1	Customer Name	Text input	string	Yes	—	Staff placeholder: CUSTOMER NAME . Public: YOUR NAME
2	Email	Text input	string (email)	No	RFC 5322	Placeholder: Optional
3	Lead Type	Dropdown	enum	Yes	See §5	Public label: Service Type ; drives dynamic section
4	Lead Via	Dropdown	enum	Yes* (staff only)	See §5.1	Public: hidden, fixed Website
5	Customer Location	Text input	string	No	—	Public label: Your City
6	Remarks	Textarea	text	No	—	Staff: REMARKS (OPTIONAL) . Public: Additional notes
7	Lead Handling	Radio group	enum	Yes (staff only)	See §7	Public: omitted — auto-assign to next available agent

Lead Via appears required in staff production UI; dropdown may start empty until user selects.

4.1 Dates & Travelers (shared block)

#	Field label	UI control	Data type	Required	Default	Notes
8	Departure / Travel Start / Check-in / Service Date / Travel Date	Checkbox + date picker	date + boolean	Conditional	Unchecked	Label varies by lead type (see §5)
9	Return / Travel End / Check- out	Checkbox + date picker	date + boolean	Conditional	Unchecked	Not shown for all types; checkbox enables field
10	Adult	Dropdown (numeric)	unsignedTinyInteger	Yes	1	Range typically 0– 9+
11	Child	Dropdown (numeric)	unsignedTinyInteger	Yes	0	—
12	Infant	Dropdown (numeric)	unsignedTinyInteger	Yes	0	—

Date field naming by type:

Lead Type	Departure label	Return label
FLIGHT	Departure	Return
HOTEL	Check-in	Check-out
VISA	Travel Date	Return
TOUR	Departure	Return
UMRAH	Departure	Return
HAJJ	Departure	Return
INSURANCE	Travel Start	Travel End
PACKAGE	Departure	Return
OTHER	Service Date	Return

5. Lead Type — Dynamic Fields

Selecting **Lead Type** swaps the middle section of the form. Nine variants are documented in the reference screenshots.

5.1 Lead Type enum

Value	Screenshot reference
FLIGHT	screenshot-...-00_04_26.png
HOTEL	screenshot-...-00_04_47.png
VISA	screenshot-...-00_04_59.png
TOUR	screenshot-...-00_05_10.png
UMRAH	screenshot-...-00_05_24.png
HAJJ	screenshot-...-00_05_36.png
INSURANCE	screenshot-...-00_05_48.png
PACKAGE	screenshot-...-00_06_02.png
OTHER	screenshot-...-00_06_26.png

5.2 Lead Via enum (inferred)

Value	Description
WHATSAPP	WhatsApp inquiry
PHONE	Phone call
WALK_IN	Walk-in customer
WEBSITE	Website form
REFERRAL	Referral
EMAIL	Email
MANUAL	Manual staff entry

Exact options not visible in screenshots; align with SRS source values where applicable.

5.3 FLIGHT

Field	UI control	Data type	Required	Notes
From	Text input	string	Yes	Departure city/airport (IATA or city name)
To	Text input	string	Yes	Arrival city/airport
Type	Dropdown	enum	Yes	e.g. ONE_WAY , RETURN , MULTI_CITY
Class	Dropdown	enum	Yes	e.g. ECONOMY , PREMIUM_ECONOMY , BUSINESS , FIRST

Auto-generated subject example: LHE - KHI (OW) ECONOMY

5.4 HOTEL

Field	UI control	Data type	Required	Notes
City	Text input	string	Yes	Destination city
Rating	Dropdown	enum / unsignedTinyInteger	No	Star rating filter
Rooms	Dropdown	unsignedTinyInteger	Yes	Default: 1
Board Basis	Dropdown	enum	Yes	e.g. ROOM_ONLY , BB , HB , FB , AI

Auto-generated subject example: 1 ROOM ECONOMY IN JED (ROOM ONLY)

5.5 VISA

Field	UI control	Data type	Required	Notes
Country	Text input	string	Yes	Destination country
Type	Text input	string	Yes	Visa category (Tourist, Business, etc.)

5.6 TOUR

Field	UI control	Data type	Required	Notes
Destination City (or Cities)	Text input	string	Yes	One or more cities
Need Visa	Dropdown	boolean / enum	No	YES / NO
Hotel	Dropdown	enum	No	Hotel tier or inclusion
Days	Dropdown	unsignedSmallInteger	Yes	Tour duration

5.7 UMRAH

Field	UI control	Data type	Required	Notes
Route	Dropdown	enum	Yes	e.g. package route
Makkah	Dropdown (Nights)	unsignedTinyInteger	Yes	Nights in Makkah
Madina	Dropdown (Nights)	unsignedTinyInteger	Yes	Nights in Madina
Package	Dropdown	enum	Yes	Predefined Umrah package

5.8 HAJJ

Field	UI control	Data type	Required	Notes
Package	Dropdown	enum	Yes	Hajj package selection
Days	Dropdown / input	unsignedSmallInteger	Yes	Package duration

5.9 INSURANCE

Field	UI control	Data type	Required	Notes
Country	Text input	string	Yes	Coverage destination
Stay	Dropdown	enum	Yes	Duration tier
Vendor	Text input	string	No	Placeholder: OPTIONAL
Plan Name	Text input	string	No	Placeholder: OPTIONAL

5.10 PACKAGE

Field	UI control	Data type	Required	Notes
Required At (City/Country)	Text input	string	Yes	Service location
Package/Service Detail	Text input	string	Yes	Free-text package description

5.11 OTHER

Field	UI control	Data type	Required	Notes
Required Service Detail	Text input / textarea	string	Yes	Catch-all service description

6. Previous Leads Panel (Read-only)

Displayed on the right when a phone number is known. Helps agents avoid duplicate entries and see customer history.

Column	Data type	Example	Notes
ID	unsignedInteger	1080	System-generated lead ID
Created	date	06-JUN-26	Format: DD-MMM-YY
Name	string	NEW CUSTOMER	Customer name at time of lead
Type	enum	HOTEL , FLIGHT	Same as Lead Type
Subject	string	1 ROOM ECONOMY IN JED (ROOM ONLY)	Auto-generated summary
Status	enum	SUCCESS , CLOSED	Color-coded badge
Handler	string	Nadeem	Assigned agent display name

Status values observed:

Status	UI color	Meaning
SUCCESS	Green	Lead progressed / converted
CLOSED	Grey	Lead closed without conversion

Map to Alsultania CRM pipeline statuses (*New* , *Contacted* , *Quoted* , etc.) during implementation.

7. Lead Handling Options

Radio group — exactly one must be selected before submit.

Value	Label	Data type	Behavior
TAKEOVER	Create and Takeover (Handle Myself)	enum	<code>assigned_user_id</code> = current logged-in user
CREATE_FOR_OTHERS	Create for Others	enum	User picks target agent; lead owned by selected agent
TRANSFER_TO_STAFF	Create and Transfer to Staff	enum	Lead enters staff queue / rotation for assignment

Additional field when not TAKEOVER:

Field	UI control	Data type	Required
Target Agent	Dropdown / searchable select	<code>foreignId</code> → <code>users.id</code>	Yes

8. Submit Action

Context	Element	Type	Notes
Staff	CREATE NEW LEAD	Primary button (green, full width)	Validates + saves; assignment per Lead Handling
Public	SUBMIT INQUIRY	Primary button (full width)	Validates required fields + saves; auto-assigns to next available agent

8.1 Expected server-side payload — staff (conceptual)

```
{
  "phone": "+923110000000",
  "customer_name": "string",
  "email": "string|null",
  "lead_type": "FLIGHT|HOTEL|VISA|TOUR|UMRAH|HAJJ|INSURANCE|PACKAGE|OTHER",
  "lead_via": "WHATSAPP|PHONE|...",
  "customer_location": "string|null",
  "type_details": { },
  "departure_date": "date|null",
  "departure_enabled": "boolean",
  "return_date": "date|null",
  "return_enabled": "boolean",
  "adults": 1,
  "children": 0,
  "infants": 0,
  "remarks": "string|null",
  "handling": "TAKEOVER|CREATE_FOR_OTHERS|TRANSFER_TO_STAFF",
  "assigned_user_id": "integer|null"
}
```

8.1a Expected server-side payload — public inquiry (conceptual)

Phone comes from the verified session, not the request body. Assignment is computed server-side (AUTO-02); client must not send `handling` or `assigned_user_id`.

```
{
  "customer_name": "string",
  "email": "string|null",
  "lead_type": "FLIGHT|HOTEL|VISA|TOUR|UMRAH|HAJJ|INSURANCE|PACKAGE|OTHER",
  "customer_location": "string|null",
  "type_details": { },
  "departure_date": "date|null",
  "departure_enabled": "boolean",
  "return_date": "date|null",
  "return_enabled": "boolean",
  "adults": 1,
  "children": 0,
  "infants": 0,
  "remarks": "string|null"
}
```

Server-set on public submit: `phone` (from session), `lead_via` = `Website`, `status` = `New`, `created_by` = `null`, `assigned_user_id` = next available agent (round-robin).

`type_details` is a JSON object whose shape depends on `lead_type` (see §5.3–5.11).

8.2 Suggested `type_details` schemas

lead_type	JSON keys	Types
FLIGHT	from , to , trip_type , class	string , string , enum , enum
HOTEL	city , rating , rooms , board_basis	string , `enum
VISA	country , visa_type	string , string
TOUR	destinations , need_visa , hotel , days	string , boolean , enum , int
UMRAH	route , makkah_nights , madina_nights , package	enum , int , int , enum
HAJJ	package , days	enum , int
INSURANCE	country , stay , vendor , plan_name	string , enum , `string
PACKAGE	required_at , service_detail	string , string
OTHER	service_detail	string

9. Suggested Database Mapping

Aligns with Alsultania CRM `leads` entity (see §6).

DB column	Source field	SQL type	Notes
id	—	BIGINT UNSIGNED PK	Auto-increment; display as #LD-XXXX
phone	Header phone	VARCHAR(20)	Indexed; E.164 format
customer_name	Customer Name	VARCHAR(255)	
email	Email	VARCHAR(255) NULL	
lead_type	Lead Type	ENUM(...)	9 values
lead_via	Lead Via	ENUM(...)	Source channel
customer_location	Customer Location	VARCHAR(100) NULL	
type_details	Dynamic section	JSON	Polymorphic per type
departure_date	Departure / Check-in / etc.	DATE NULL	
return_date	Return / Check-out / etc.	DATE NULL	
adults	Adult	TINYINT UNSIGNED	Default 1
children	Child	TINYINT UNSIGNED	Default 0
infants	Infant	TINYINT UNSIGNED	Default 0
remarks	Remarks	TEXT NULL	
subject	— (generated)	VARCHAR(500)	Built from type_details
status	—	ENUM(...)	Default New
assigned_user_id	Lead Handling (staff) or AUTO-02 (public)	FK → users	Public: next available agent via round-robin
created_by	Current user (staff)	FK → users NULL	NULL for public website submissions
created_at	—	TIMESTAMP	
updated_at	—	TIMESTAMP	

Related tables:

- `lead_activities` — log creation event, assignment, status changes
- `lead_assignments` — rotation history when `TRANSFER_TO_STAFF` or reassignment occurs
- `otp_verifications` — stores pending OTP codes for public phone verification (phone, code hash, expires_at, attempts)

10. Validation Rules (Inferred)

10.1 Shared (staff + public)

Rule	Applies to
Verified phone session required (public only)	Public submit
Customer Name must not be empty	All types
Lead Type / Service Type must be selected	All types
Type-specific required fields must be filled	Per §5
If departure checkbox is checked, date must be provided	Dates block
If return checkbox is checked, date must be provided and $\geq$ departure	Dates block
Adults $\geq$ 1 recommended for travel leads	Dates block
Email, if provided, must be valid format	Customer info

10.2 Staff only

Rule	Applies to
Lead Via must be selected	Staff submit
Exactly one Lead Handling option selected	Staff submit
Target agent required when handling $\neq$ TAKEOVER	Staff submit

10.3 Public only

Rule	Applies to
OTP must be verified before form access	Public flow
lead_via forced to Website	Public submit
assigned_user_id set by server (next available agent)	Public submit
Customer must not supply handling or agent selection	Public submit

11. Reference Screenshots

File	Lead Type shown
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_04_26.png	FLIGHT
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_04_47.png	HOTEL
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_04_59.png	VISA
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_05_10.png	TOUR
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_05_24.png	UMRAH
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_05_36.png	HAJJ
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_05_48.png	INSURANCE
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_06_02.png	PACKAGE
lead_creation/screenshot-my-airtravelcrm-leads-create-2026-06-07-00_06_26.png	OTHER

Appendix D — Required Third-Party Services (Client-Provisioned)

Client-provisioned dependencies. AnyMatch integrates during development; the Client is responsible for accounts, billing, credentials, and ongoing subscription costs unless agreed otherwise in writing.

E.0 Summary

#	Service	Purpose	Provisioned by	Required before
1	Hosting & server	Run Laravel app, MySQL, HTTPS	Client	Phase 1 start
2	Domain & SSL	Public CRM URL + secure traffic	Client	Phase 1 start
3	WhatsApp Business API	Lead capture, inbox, automated messaging	Client	Phase 1 go-live
4	SMS gateway	OTP verification on public inquiry	Client	Phase 1 go-live
5	Email SMTP	Transactional email, templates	Client	Phase 1 go-live
6	Database backups	Daily data protection	Client or AnyMatch	Phase 1 go-live

Out of scope (AnyMatch does not provision): WhatsApp API accounts, SMS credits, SMTP/email provider accounts, production servers, domain registration, or Meta Business verification — unless explicitly added to scope.

1. Hosting & Server Infrastructure

Item	Detail
Purpose	Host the monolithic Laravel application and MySQL database in production
Provisioned by	Client (or hosting partner designated by Client)
Required before	Phase 1 development start
SRS reference	SRS §2.4, §2.5, §9.6 — server provisioning

Minimum environment

Component	Requirement
OS	Linux recommended (Ubuntu 22.04+ or equivalent)
Web server	Nginx or Apache with PHP-FPM
PHP	8.x with extensions required by Laravel (mbstring, openssl, pdo_mysql, tokenizer, xml, ctype, json, bcmath, fileinfo)
Database	MySQL 8.x
HTTPS	Valid TLS certificate (see §2)
Process manager	Queue worker support for WhatsApp webhooks, OTP, and scheduled jobs
Storage	Disk space for uploads (invoices, documents) — stored outside public web root (NFR-07)
Concurrency	Support minimum 50 concurrent authenticated users (NFR-02)

Client must provide

- ☐ SSH/sFTP access for deployment (or agreed CI/CD pipeline)
- ☐ Staging environment (recommended before go-live)
- ☐ `.env` secrets vault or secure credential handoff process
- ☐ Firewall rules allowing inbound HTTPS and outbound API calls (WhatsApp, SMS, SMTP)

Notes

- Development and blueprint work run locally; this service applies to **production/staging** only.
- Backup responsibility: daily DB backups per NFR-10 (Client or AnyMatch per hosting agreement).

2. Domain & SSL Certificate

Item	Detail
Purpose	Public URL for CRM login, public inquiry (<code>/inquiry</code>), and WhatsApp webhook endpoint
Provisioned by	Client
Required before	Phase 1 start (staging); go-live (production domain)
SRS reference	NFR-04 — all traffic over HTTPS

Client must provide

- ☐ Registered domain (e.g. `crm.alsultania.ae` or agreed subdomain)

- ☐ DNS access to point A/CNAME records to server IP
- ☐ TLS certificate (Let's Encrypt or commercial CA)
- ☐ Stable **webhook URL** for WhatsApp (must remain reachable; see §3)

Used by

Feature	Endpoint (example)
CRM login	<code>https://{domain}/login</code>
Public inquiry	<code>https://{domain}/inquiry</code>
WhatsApp webhook	<code>https://{domain}/webhooks/whatsapp</code> (exact path TBD in Phase 1)

3. WhatsApp Business API

Item	Detail
Purpose	Inbound lead capture, agent inbox, manual replies, template-based automation
Provisioned by	Client
Required before	Phase 1 go-live
SRS reference	EXT-01–EXT-04, AUTO-01, AUTO-03, AUTO-04, FR-17, FR-18, NFR-03
Configured in	Screen 28 — Channel Settings (<code>channel-settings.html</code>)

Capabilities required

Capability	CRM use
Inbound webhook	Receive customer messages; auto-create leads (AUTO-01)
Outbound messages	Agent manual reply from Lead Detail and WhatsApp Inbox
Message templates	Approved templates for follow-ups, status updates, payment reminders (AUTO-03, AUTO-04)
Phone number	Business number linked to Alsultania WhatsApp presence

Client must provide

- ☐ Meta Business Manager account with verified business
- ☐ WhatsApp Business Platform access (Cloud API or approved BSP)
- ☐ Phone number registered and approved for API use

- ☐ API credentials: access token, phone number ID, business account ID, app secret
- ☐ Webhook verify token and public HTTPS callback URL
- ☐ Pre-approved message templates for automation flows (or plan for template approval lead time)

Integration notes

- Credentials stored **encrypted** in `channel_settings` (EXT-04).
- Webhook processing target: complete within 5 seconds (NFR-03).
- Test WhatsApp account required for Phase 1 acceptance (AUTO-01 through AUTO-06).
- Typical providers: Meta Cloud API directly, or BSPs such as Twilio, 360dialog, MessageBird — **Client chooses provider**; AnyMatch implements against documented API.

Automation dependencies

Rule ID	Trigger	WhatsApp action
AUTO-01	Inbound message	Auto-create lead
AUTO-02	New public website / staff lead	Next available agent via round-robin (AUTO-02); no WhatsApp required for assignment itself
AUTO-03	Scheduled / status-based	Follow-up, greeting, payment/quotation reminders
AUTO-04	Status or payment change	Notify agent and customer

4. SMS Gateway (Public Inquiry OTP)

Conditional dependency: Required only if Public Website Inquiry is **Accepted** on Phase 0 Acceptance Form (SRS §4.1.3b). If **Declined**, this service is not required for Phase 1 go-live.

Item	Detail
Purpose	Send 6-digit OTP to verify customer phone before public website inquiry submission; after verification customer completes required fields and lead is auto-assigned to next available agent
Provisioned by	Client
Required before	Phase 1 go-live
SRS reference	EXT-07, EXT-08, FR-18o–FR-18t, NFR-11, NFR-12
Flow screens	05b OTP (<code>inquiry-otp.html</code>), 05c Public Inquiry (<code>inquiry-create.html</code>), 05d Submitted (<code>inquiry-success.html</code>)
Deep-dive	Appendix C §1a (OTP, required fields, AUTO-02 assignment)

OTP behaviour

Rule	Value
Code length	6 digits
Delivery	SMS to E.164 mobile number
Expiry	~10 minutes (configurable)
Resend cooldown	~60 seconds
Max failed attempts	~5 before lockout
Rate limiting	Per phone number (EXT-08)

Client must provide

- ☐ SMS provider account with UAE/international send capability
- ☐ API credentials (API key, sender ID / alphanumeric sender as supported)
- ☐ Sufficient SMS credits for production volume
- ☐ Sender ID registered with provider (where required by TRA/local regulations)

Typical provider categories

- Regional SMS aggregators (UAE/GCC coverage)
- Global providers with UAE routes (Twilio, Vonage, etc.)

Client selects provider — AnyMatch integrates via REST API documented by the chosen gateway.

Data entity

- OTP records stored in `otp_verifications` (phone, code hash, expiry, attempt count).

5. Email SMTP

Item	Detail
Purpose	Transactional email — notifications, reports, template-based communication
Provisioned by	Client
Required before	Phase 1 go-live (if email notifications enabled at launch)
SRS reference	EXT-05, EXT-06, FR-45, FR-46
Configured in	Screen 28 — Channel Settings; Screen 27 — Communication Templates

Client must provide

- ☐ SMTP host, port, encryption (TLS/SSL)
- ☐ Username and password or API key
- ☐ From address (e.g. `noreply@alsultania.ae`) and display name
- ☐ SPF/DKIM/DMARC DNS records (recommended for deliverability)

CRM use cases

Use case	Phase
User invite / password reset (admin-initiated)	1
Email communication templates with variables	3
Report export delivery (optional)	3

WhatsApp is the **primary** customer channel for Phase 1; email is secondary but must be configurable (EXT-05).

6. Database Backups

Item	Detail
Purpose	Daily protection of CRM data (leads, bookings, financials)
Provisioned by	Client or AnyMatch — per hosting agreement
Required before	Phase 1 go-live
SRS reference	NFR-10

Requirements

- ☐ Automated daily MySQL backups
- ☐ Off-server or off-site backup storage
- ☐ Documented restore procedure and test restore before go-live
- ☐ Retention policy agreed with Client (e.g. 30 days rolling)

Configuration Checklist (Go-Live)

Use this checklist when handing credentials to AnyMatch for Phase 1 integration:

Service	Credentials received	Tested in staging	Production ready
Server / SSH	☐	☐	☐
Domain + SSL	☐	☐	☐
MySQL	☐	☐	☐
WhatsApp API + webhook	☐	☐	☐
SMS gateway	☐	☐	☐
SMTP	☐	☐	☐
Daily backups	☐	☐	☐

Enter production values via **System Settings** and **Channel Settings** (Screens 28, 33) — never commit secrets to the repository.

Timeline & Blocking Risks

Milestone	Blocked without
Phase 1 development start	Server, database, staging domain/SSL
Phase 1 UAT	Staging WhatsApp test number, SMS test credits
Phase 1 go-live	Production WhatsApp, SMS, SMTP, backups
Automation acceptance	WhatsApp templates approved by Meta

Delays in Client provisioning may shift the 3-month delivery timeline (SRS §2.5).

Optional / Future Services

Not required for Phase 1–3 baseline unless scoped separately:

Service	Potential use
Payment gateway (Stripe, PayTabs, etc.)	Online payment collection — not in current SRS
Cloud object storage (S3, etc.)	Large document archive — local disk sufficient for baseline
Push notifications	Mobile app — out of scope
Analytics (Google Analytics, etc.)	Marketing — out of scope

This document is confidential and prepared for Alsultania Travel and Tourism Co. L.L.C and AnyMatch Technologies Private Limited.