Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Hospital Admin

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Hospital Admin
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	02_Hospital_Admin_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3
2. Signing in and first-time setup 6
2.1 Signing in 6
2.2 First-time setup: change a temporary password 8
2.3 Forgotten password 10
3. Your dashboard 13
4. Administration 14
4.1 User accounts 14
4.2 Roles & permissions 16
4.3 Departments & services 18
4.4 Doctors & nurses directory 20
4.5 Hospital settings 21
4.6 Audit log 24
5. Reports 27
5.1 Reports 27
6. My workspace, notifications and search 30
6.1 My workspace — attendance, leave and payslips 30
6.2 Notifications 33
6.3 Global search 35
7. Workflows 37
7.1 Change a service price 37
7.2 Monthly management pack 37
8. Troubleshooting 38
9. Best practices and security 39
10. Glossary 40
11. Support 41

1. Introduction

The Hospital Admin runs the hospital's configuration and operations: users, roles, departments, services and prices, staff directory, hospital settings, audit and reports, with access to the operational modules.

> **How this role is set up in the system.** Hospital Admin has every staff permission except reading all patients' clinical records (emr.view_all) and doctors' clinical notes (clinical.notes.view), which are reserved for clinicians and the Super Admin.

Menus available to this role

Section	Menu items
Overview	Dashboard
Patient care	Patients, Appointments, Nursing queue, My consultations, Emergency, Admissions / IPD
Diagnostics & pharmacy	Laboratory, Pharmacy, Inventory, Purchase requests, Purchase orders
Finance	Billing, Insurance claims
People	My workspace, HR & attendance, Leave approvals, Payroll, Recruitment
Administration	Reports, Users, Roles & permissions, Doctors & nurses, Departments & services, Hospital settings, Audit log

Permissions held by default

Permission	Allows
`system.config`	Manage hospital configuration, numbering, tax and notification settings
`departments.manage`	Create and edit departments
`services.manage`	Manage billable services and prices
`users.view`	View user accounts
`users.manage`	Create, edit, deactivate users and reset passwords
`roles.manage`	Create roles and change role permissions
`audit.view`	Read the audit log
`staff.view`	View doctors and nurses directory
`staff.manage`	Create and edit doctor and nurse profiles
`dashboard.executive`	Hospital-wide KPIs and charts
`dashboard.financial`	Revenue and outstanding figures

`patients.view`	Search and view patient demographics
`patients.create`	Register patients
`patients.update`	Edit patient demographics, insurance, allergies and history
`patients.documents`	Upload and download patient documents
`appointments.view`	View appointment calendar and lists
`appointments.manage`	Book, reschedule, cancel and mark no-show
`appointments.checkin`	Check patients in
`nursing.queue`	View the nursing assessment queue
`vitals.record`	Record vital signs and submit nursing assessments
`vitals.view`	View vital sign history
`emr.view`	View EMR of patients under the user's care
`clinical.queue`	View doctor consultation queue
`clinical.consult`	Start/complete consultations, write notes, diagnoses and treatment plans
`prescriptions.create`	Create and cancel prescriptions
`prescriptions.view`	View prescriptions
`lab.order`	Order laboratory tests
`lab.results.view`	View laboratory results
`medication.manage`	View medication adherence, record doses for patients, stop schedules
`lab.process`	Collect samples, enter results
`lab.verify`	Verify lab results
`lab.manage`	Manage lab test master and pricing
`pharmacy.dispense`	Dispense prescriptions
`pharmacy.controlled`	Dispense and log controlled medicines
`inventory.view`	View stock and batches
`inventory.manage`	Items, adjustments, transfers
`purchasing.manage`	Suppliers, purchase orders and goods receipts
`purchasing.approve`	Approve purchase orders
`emergency.view`	View the emergency board and cases
`emergency.manage`	Quick-register and triage emergency patients
`emergency.treat`	Take emergency cases, treat and record disposition

`ipd.view`	View bed board and inpatients
`ipd.manage`	Admit, transfer, reserve beds and update bed housekeeping
`ipd.discharge`	Discharge inpatients and write discharge summaries
`ipd.config`	Configure wards, rooms, beds and bed charges
`billing.view`	View invoices and payments
`billing.manage`	Create and issue invoices, add charges, cancel drafts
`payments.receive`	Record payments and print receipts
`refunds.process`	Process refunds
`insurance.manage`	Manage insurance claims
`hr.employees`	Manage employees, contracts and performance
`hr.attendance`	Manage attendance
`hr.leave.approve`	Approve leave requests
`payroll.manage`	Salary structures and payroll runs
`payroll.approve`	Approve payroll runs prepared by someone else
`recruitment.manage`	Jobs, candidates, interviews, offers
`recruitment.approve`	Approve offer letters and hire candidates
`self.service`	Clock in/out, request leave, view own attendance and payslips
`reports.clinical`	Clinical and operational reports
`reports.financial`	Financial reports
`reports.hr`	HR and payroll reports

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

Reports available

Patient inflow · Patient demographics · OPD / IPD statistics · Doctor appointments · Lab turnaround time · Emergency response time · Medication adherence · Revenue by department · Revenue by doctor · Outstanding payments · Insurance claims · Pharmacy stock · Medicine expiry · Purchase report · Staff attendance · Payroll summary · Leave summary

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: admin@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Hospital overview dashboard with KPIs and charts.




Figure 3.1 — Hospital Admin dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Administration

4.1 User accounts

Feature	User accounts
Purpose	Create staff accounts, assign one or more roles, deactivate leavers and reset passwords.
Who can use it	users.view to list; users.manage to create, edit, deactivate and reset.
Before you start	The roles you want to assign must exist (Roles & permissions).
Where to find it	Sidebar → Administration → Users.

Steps

1. Search or filter the list by name, email or role; click a column heading to sort.
2. Click New user.
3. Enter full name, email and choose the roles.
4. Save. A temporary password is generated and shown once; give it to the user privately.
5. To deactivate or reset a password, open the user and use the actions in the drawer.




Figure 4.1 — User management list




Figure 4.2 — Create user drawer

Fields

Field	Meaning / rules
Full name	As it should appear on records and audit entries.
Email	Login name; must be unique.
Roles	One or more roles; permissions are the union of all roles.
Active	Inactive users cannot sign in.

Example (synthetic data)

Full name “Sana Iqbal”, email sana.iqbal@example.com, role Receptionist.

Expected result

The user appears in the list; at first sign-in they must change the temporary password.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“A user with this email already exists”	Use a different email or reactivate the existing account.

“You cannot deactivate your own account”	Ask another administrator.
“One or more roles do not exist”	Refresh the page; a role may have been deleted.

Warnings

> Deactivate accounts of staff who leave on their last working day.
>
> Assign the smallest set of roles a person needs.

Next steps

- Link the user to a doctor/nurse profile (Doctors & nurses) or an employee record (HR) where relevant.

4.2 Roles & permissions

Feature	Roles & permissions
Purpose	View and change which permissions each role grants. The matrix shows every permission grouped by module.
Who can use it	roles.manage.
Before you start	Understand the permission descriptions shown in the matrix; changes take effect at the users’ next request.
Where to find it	Sidebar → Administration → Roles & permissions.

Steps

1. Select a role.
2. Tick or untick permissions.
3. Save. The change is written to the audit log with old and new values.
4. To create a custom role, use the new-role action and give it a name.




Figure 4.3 — Roles & permissions matrix

Fields

Field	Meaning / rules
Role name	System roles cannot be renamed.
Permissions	Each permission is enforced by the server on every request.

Example (synthetic data)

Give the Management role the extra permission reports.clinical (it already has it by default).

Expected result

Users holding the role see the new menus after refreshing.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“System roles cannot be renamed”	Create a custom role instead.
“You cannot remove role management from your own system role”	Prevents locking every administrator out.

Warnings

> Removing a permission hides menus and makes the server refuse the action — test with a non-admin account after changes.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.3 Departments & services

Feature	Departments & services
Purpose	Maintain clinical and non-clinical departments and the billable services price list.
Who can use it	departments.manage for departments; services.manage for services and prices.
Before you start	None.
Where to find it	Sidebar → Administration → Departments & services.

Steps

1. Use the Departments tab to add or edit departments.
2. Open Services & prices to add a service with its code, department and price, or change a price.




Figure 4.4 — Departments




Figure 4.5 — Services & prices

Fields

Field	Meaning / rules
Code	Short unique code.
Price	In the hospital currency; cannot be negative (“Cannot be negative”).

Example (synthetic data)

Service “ECG”, department Cardiology, price PKR 1,500.

Expected result

The service can be added to invoices.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> Price changes affect new invoice lines only; issued invoices keep their prices.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.4 Doctors & nurses directory

Feature	Doctors & nurses directory
Purpose	Clinical staff profiles: specialisation, department, duty hours and working days used for appointment slots.
Who can use it	staff.view to read; staff.manage to create and edit.
Before you start	A user account for the clinician (Users).
Where to find it	Sidebar → Administration → Doctors & nurses.

Steps

1. Search the directory.
2. Open a profile to edit duty hours, slot length and working days.
3. Create a new profile and link it to the clinician’s user account.




Figure 4.6 — Doctors & nurses directory

Fields

Field	Meaning / rules
Specialisation	Required for doctors (“Specialization is required for doctors”).

Duty hours / working days	Determine which appointment slots are offered.

Example (synthetic data)

Dr. Ayesha Khan — General Medicine — 09:00–17:00, Monday–Saturday.

Expected result

Booking screens offer slots inside the duty hours.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.5 Hospital settings

Feature	Hospital settings
Purpose	Hospital information, logo, numbering formats (MRN, invoices), currency and tax, configurable catalogues (appointment types, payment methods, medicine categories, designations) and message delivery providers.
Who can use it	system.config.
Before you start	None.
Where to find it	Sidebar → Administration → Hospital settings.

Steps

1. Edit the hospital information section and save.
2. Scroll to the catalogues to enable/disable appointment types, payment methods and categories, or add new entries.
3. Scroll to Message delivery providers to see which channels (SMS, email) are configured and which run in demo mode, and enable or disable channels.




Figure 4.7 — Hospital information and numbering




Figure 4.8 — Catalogues: appointment types, payment methods, medicine categories




Figure 4.9 — Message delivery providers and channel switches

Fields

Field	Meaning / rules
Currency	Shown on invoices and reports (demo: PKR).
Appointment types	Each type has a fee basis used when the consultation is billed.
Payment methods	Disabled methods are refused at payment time.
Message delivery providers	“Not configured — demo mode” means messages are logged, not sent.

Example (synthetic data)

Disable the “Online” payment method until the bank integration is ready.

Expected result

The change applies immediately to new transactions; it is audited.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> An SMS gateway is configured by the server administrator through environment variables (SMS_GATEWAY_URL, SMS_API_KEY, SMS_SENDER_ID), not on this screen. In Pakistan, bulk SMS sender IDs must be registered with PTA/operators before use.

Next steps

- Verify with a test patient that reminders show the expected delivery status in Notifications.

4.6 Audit log

Feature	Audit log
Purpose	Read-only history of sign-ins and every create, change, approval and deletion, with old and new values.
Who can use it	audit.view.
Before you start	None.
Where to find it	Sidebar → Administration → Audit log.

Steps

1. Filter by module, action, user or date range.
2. Click an entry to see old and new values.




Figure 4.10 — Audit log




Figure 4.11 — Audit entry with old and new values

Fields

Field	Meaning / rules
Action	For example patient.created, payment.recorded, consent.withdrawn.
User / IP	Who performed the action and from where.

Example (synthetic data)

Filter action “auth.login_failed” to review failed sign-ins this week.

Expected result

Matching entries are listed newest first.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> Audit entries cannot be edited or deleted by anyone, including administrators.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Reports

5.1 Reports

Feature	Reports
Purpose	Clinical, financial, pharmacy/stores and HR reports with filters, a chart and export to Excel, PDF, CSV or print.
Who can use it	Each report needs one of reports.clinical / reports.financial / reports.hr or a module permission (for example lab.manage for lab turnaround). You only see the reports you may open.
Before you start	Data for the chosen period.
Where to find it	Sidebar → Administration → Reports.

Steps

1. Pick a report from the catalogue.
2. Set the date range and optional department or doctor filter.
3. Click Run report.
4. Use Excel, PDF, CSV or Print to export.




Figure 5.1 — Report centre




Figure 5.2 — Revenue by department with chart and export buttons

Fields

Field	Meaning / rules
Date range	Preset ranges such as the last 90 days, or custom dates.
Department / Doctor	Optional filters where the report supports them.

Example (synthetic data)

Revenue by department, last 90 days.

Expected result

A table with totals and a chart; exports contain the same rows.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You do not have access to this report”	Your role lacks the report’s permission.

Warnings

> Exports can contain personal data — store them securely and delete them when no longer needed.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).




Figure 5.3 — Staff attendance report

6. My workspace, notifications and search

6.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 6.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 6.2 — My workspace — leave balances and requests




Figure 6.3 — Apply for leave dialog




Figure 6.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

6.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 6.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 6.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number…

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. Workflows

7.1 Change a service price

1. Departments & services → Services & prices → edit the price.
2. New invoice lines use the new price; issued invoices are unchanged.
3. The change is in the audit log.

7.2 Monthly management pack

1. Reports → Revenue by department (last month) → Excel.
2. Reports → Patient inflow and OPD/IPD statistics → PDF.
3. Reports → Staff attendance.

8. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

9. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient’s name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital’s policies.

10. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

11. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.