Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Receptionist

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Receptionist
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	03_Receptionist_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3
2. Signing in and first-time setup 5
2.1 Signing in 5
2.2 First-time setup: change a temporary password 7
2.3 Forgotten password 9
3. Your dashboard 12
4. Patients 13
4.1 Find a patient 13
4.2 Register a patient 14
4.3 Patient profile, consent and portal access 17
5. Appointments 20
5.1 Appointments: book, check in, reschedule 20
6. Emergency & admissions 24
6.1 Emergency: quick registration and board 24
6.2 Bed board and admissions 26
7. My workspace, notifications and search 28
7.1 My workspace — attendance, leave and payslips 28
7.2 Notifications 31
7.3 Global search 33
8. Workflows 35
8.1 New walk-in patient to the doctor 35
8.2 Give a patient portal access 35
8.3 Record that a patient does not want SMS 35
9. Troubleshooting 36
10. Best practices and security 37
11. Glossary 38
12. Support 39

1. Introduction

The Receptionist registers patients, books and checks in appointments, records consent and creates portal logins, registers emergency arrivals, and admits patients to beds. Receptionists can view invoices but cannot record refunds.

Menus available to this role

Section	Menu items
Overview	Dashboard
Patient care	Patients, Appointments, Emergency, Admissions / IPD
Finance	Billing
People	My workspace
Administration	Reports, Doctors & nurses

Permissions held by default

Permission	Allows
`patients.view`	Search and view patient demographics
`patients.create`	Register patients
`patients.update`	Edit patient demographics, insurance, allergies and history
`patients.documents`	Upload and download patient documents
`appointments.view`	View appointment calendar and lists
`appointments.manage`	Book, reschedule, cancel and mark no-show
`appointments.checkin`	Check patients in
`staff.view`	View doctors and nurses directory
`billing.view`	View invoices and payments
`ipd.view`	View bed board and inpatients
`ipd.manage`	Admit, transfer, reserve beds and update bed housekeeping
`emergency.view`	View the emergency board and cases
`emergency.manage`	Quick-register and triage emergency patients
`self.service`	Clock in/out, request leave, view own attendance and payslips

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

What this role cannot do

Receptionists cannot see clinical notes or vitals (“Not available for your role” on the profile), cannot record refunds and cannot dispense or enter results.

Reports available

Emergency response time · Outstanding payments

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: reception@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Front desk dashboard: today’s appointments, check-ins and quick actions.




Figure 3.1 — Receptionist dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Patients

4.1 Find a patient

Feature	Find a patient
Purpose	Search before registering to avoid duplicate records.
Who can use it	patients.view.
Before you start	None.
Where to find it	Sidebar → Patient care → Patients.

Steps

1. Type a name, MRN, CNIC or phone number.
2. Open the matching row to see the patient profile.




Figure 4.1 — Patient list

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC or phone.

Example (synthetic data)

Search “0321” to list patients whose phone contains 0321.

Expected result

Matching patients are listed; click one to open the profile.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.2 Register a patient

Feature	Register a patient
Purpose	Create the patient record and generate the MRN. Duplicate detection checks CNIC, name, date of birth and phone.
Who can use it	patients.create.
Before you start	Search first (Find a patient). Ask for CNIC or another ID, phone and date of birth.
Where to find it	Patients → Register patient (or /patients/new).

Steps

1. Fill in identity: first and last name, father/husband name, CNIC/ID, date of birth, gender.
2. Fill in contact: phone, city, address, emergency contact.
3. Add known allergies and conditions with the Add allergy / Add condition buttons.
4. Click Register & generate MRN.
5. If possible duplicates are shown, review them; open the existing record or confirm this is a new patient.




Figure 4.2 — Registration form filled with a synthetic example




Figure 4.3 — Required fields highlighted when the form is submitted empty




Figure 4.4 — New patient profile with the generated MRN

Fields

Field	Meaning / rules
CNIC / ID	CNIC 12345-1234567-1 (dashes optional) or a passport/other ID of 6–20 letters and digits.
Phone	Digits with optional +, spaces or dashes.
Date of birth	Used to show the age.
Allergies	Severity Mild, Moderate, Severe or Life-threatening; shown in red banners to clinicians and pharmacy.

Example (synthetic data)

Hina Rashid, father/husband Rashid Mehmood, CNIC 35202-8812345-6, born 08 Apr 1992, female, +92 321 4567890, Lahore (all synthetic).

Expected result

A success message shows the MRN (for example SH-2026-000032) with Print summary; the profile opens.

Validation rules

- “Enter a valid CNIC (12345-1234567-1) or ID number”
- “Enter a valid phone number”

Common errors

Message shown	What it means / what to do
“A patient with this CNIC/ID is already registered”	Open the existing record instead.
“Possible duplicate patient found. Review the matches or confirm this is a new patient.”	Compare the matches carefully before confirming.

Warnings

> Never create a second record for an existing patient: clinical history would be split.
>
> Record allergies exactly as reported; they drive prescription and dispensing warnings.

Next steps

- Book an appointment (Book button on the profile).
- Record consent and, if wanted, enable portal access on the profile Overview.

4.3 Patient profile, consent and portal access

Feature	Patient profile, consent and portal access
Purpose	Demographics, allergies, history, insurance, documents, billing, appointments and admissions in one place; record consent decisions and create the patient’s portal login.
Who can use it	patients.view to read; patients.update to edit, record consent and enable portal access; patients.documents for documents.
Before you start	A registered patient.
Where to find it	Patients → click the patient.

Steps

1. Review the header (name, MRN, age, phone, allergies).
2. Use Edit on Demographics to correct details.
3. In Consent & communication, click Record consent or Record refusal, choose how it was given (Written or Verbal) and save.
4. In Patient portal access, click Enable portal access, enter the patient’s email and click Create login. Give the one-time temporary password to the patient privately.




Figure 4.5 — Patient profile with consent and portal access cards

Fields

Field	Meaning / rules
Consent types	Consent to treatment, Data sharing (insurer/referral), SMS messages, Email messages, App notifications.
Method	Written or Verbal when recorded by staff; Portal when the patient changes a message preference.

Example (synthetic data)

Record “SMS messages — refusal (Verbal)” for a patient who does not want SMS reminders.

Expected result

The latest decision is shown with date, method and staff name; the full history is kept. SMS is then never sent to that patient (delivery status “Opted out”).

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Complete the registration before enabling portal access”	Provisional (emergency) registrations must be completed first.

“This patient already has portal access”	Use Disable, then enable again if a new login is needed.
“A user with this email already exists”	Use another email address.

Warnings

> The temporary portal password is shown only once and must be changed by the patient at first sign-in.
>
> No consent record means care-related messages are allowed by default.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Appointments

5.1 Appointments: book, check in, reschedule

Feature	Appointments: book, check in, reschedule
Purpose	Book patients into a doctor's free slots, check them in on arrival (which issues the consultation invoice and token), reschedule, cancel or mark no-show.
Who can use it	appointments.view; appointments.manage to book/change; appointments.checkin to check in.
Before you start	Registered patient; doctor with duty hours.
Where to find it	Sidebar → Patient care → Appointments. Switch between List, Day and Week views.

Steps

1. Click Book appointment (or Book on a patient profile).
2. Choose the patient, doctor, appointment type and date; pick a free slot.
3. Save. The patient gets an in-app reminder (and SMS/email if configured and allowed).
4. On arrival, find the appointment in the list and click Check in. A token number is assigned and the patient moves to the nursing queue.




Figure 5.1 — Book appointment drawer




Figure 5.2 — Appointments list with check-in actions




Figure 5.3 — Day view by doctor




Figure 5.4 — Week view

Fields

Field	Meaning / rules
Appointment type	From the hospital catalogue (for example New, Follow-up); determines the fee.
Slot	Only free slots inside the doctor’s duty hours can be chosen.

Example (synthetic data)

Hina Rashid with Dr. Ayesha Khan, New consultation, tomorrow 10:30.

Expected result

Status Booked; after check-in status Checked in with a token.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Cannot book an appointment in the past”	Choose a later time.
“This slot has just been booked. Pick another time.”	Someone else booked it at the same moment; the system prevents double booking.

“The patient already has an appointment at this time”	Check the patient’s existing bookings.
“Cannot mark a future appointment as no-show”	Only past appointments can be marked no-show.

Warnings

> Check-in is only possible on the day of the appointment.

Next steps

- The nurse records vitals; the doctor then sees the patient.

6. Emergency & admissions

6.1 Emergency: quick registration and board

Feature	Emergency: quick registration and board
Purpose	Register an emergency patient in seconds (a provisional record can be completed later) and follow every case on the emergency board.
Who can use it	emergency.view; emergency.manage to register and triage.
Before you start	An emergency department configured (“Configure an emergency department first”).
Where to find it	Sidebar → Patient care → Emergency.

Steps

1. Click Quick registration.
2. Search for an existing patient or enter minimal details (name, approximate age, gender, arrival mode).
3. Save. The case appears on the board as Registered, waiting for triage.




Figure 6.1 — Emergency board




Figure 6.2 — Quick registration

Fields

Field	Meaning / rules
Arrival mode	Walk-in, Ambulance, Police, Referred or Other.

Example (synthetic data)

Unknown adult male, about 40, arrived by ambulance.

Expected result

A case number and a provisional MRN are created; triage starts the clock for door-to-triage time.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> Complete provisional registrations as soon as identity is known.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6.2 Bed board and admissions

Feature	Bed board and admissions
Purpose	See every ward and bed with its status, admit patients, reserve beds and transfer between beds.
Who can use it	ipd.view; ipd.manage to admit, reserve and transfer; ipd.discharge (doctors) to discharge.
Before you start	Wards and beds configured (ipd.config).
Where to find it	Sidebar → Patient care → Admissions / IPD.

Steps

1. Review bed colours: Available, Reserved, Occupied, Cleaning, Maintenance.
2. Click Admit patient, choose the patient, source, attending doctor and an available bed, then Admit.
3. Open an admission to transfer the patient or record ward notes and vitals.




Figure 6.3 — Bed board

Fields

Field	Meaning / rules
Source	OPD, Emergency, Direct or Referral.
Bed	Only available beds can be selected.

Example (synthetic data)

Admit Maryam Sheikh from OPD to General Ward bed GW-04 under Dr. Ayesha Khan.

Expected result

The bed becomes Occupied and daily bed charges accrue on the IPD invoice.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“That bed is no longer available. Choose another bed.”	Another user took it a moment ago.
“This patient is already admitted”	Open the existing admission.
“Occupancy changes only through admission, transfer or discharge”	Bed status cannot be set to Occupied by hand.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. My workspace, notifications and search

7.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 7.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 7.2 — My workspace — leave balances and requests




Figure 7.3 — Apply for leave dialog




Figure 7.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

7.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 7.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 7.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number...

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

8. Workflows

8.1 New walk-in patient to the doctor

1. Search the patient (avoid duplicates).
2. Register & generate MRN.
3. Book appointment for today and Check in → token issued, consultation invoice issued.
4. The patient goes to nursing for vitals.

8.2 Give a patient portal access

1. Open the patient profile → Patient portal access → Enable portal access.
2. Enter the patient's email → Create login.
3. Give the temporary password privately; the patient must change it at first sign-in.

8.3 Record that a patient does not want SMS

1. Profile → Consent & communication → SMS messages → Record refusal → Verbal → Save.
2. From now on SMS deliveries show "Opted out".

9. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

10. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient's name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital's policies.

11. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

12. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.