Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Nurse

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Nurse
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	04_Nurse_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3
2. Signing in and first-time setup 5
2.1 Signing in 5
2.2 First-time setup: change a temporary password 7
2.3 Forgotten password 9
3. Your dashboard 12
4. Nursing 13
4.1 Nursing queue 13
4.2 Vital signs and nursing assessment 14
5. Emergency 17
5.1 Emergency case: triage and treatment record 17
6. Inpatients 19
6.1 Inpatient ward notes and vitals 19
6.2 Bed board and admissions 20
7. My workspace, notifications and search 23
7.1 My workspace — attendance, leave and payslips 23
7.2 Notifications 26
7.3 Global search 28
8. Workflows 30
8.1 OPD patient assessment 30
8.2 Emergency triage 30
9. Troubleshooting 31
10. Best practices and security 32
11. Glossary 33
12. Support 34

1. Introduction

Nurses perform the pre-consultation assessment (vital signs and symptoms), triage emergency patients, record ward vitals and notes for inpatients, and record medicine doses. The head nurse account in the demonstration data has the same Nurse role as staff nurses; the difference is only the employee designation and team (My team tab).

Menus available to this role

Section	Menu items
Overview	Dashboard
Patient care	Patients, Appointments, Nursing queue, Emergency, Admissions / IPD
People	My workspace
Administration	Reports, Doctors & nurses

Permissions held by default

Permission	Allows
`patients.view`	Search and view patient demographics
`appointments.view`	View appointment calendar and lists
`nursing.queue`	View the nursing assessment queue
`vitals.record`	Record vital signs and submit nursing assessments
`vitals.view`	View vital sign history
`emr.view`	View EMR of patients under the user's care
`prescriptions.view`	View prescriptions
`lab.results.view`	View laboratory results
`staff.view`	View doctors and nurses directory
`emergency.view`	View the emergency board and cases
`emergency.manage`	Quick-register and triage emergency patients
`ipd.view`	View bed board and inpatients
`ipd.manage`	Admit, transfer, reserve beds and update bed housekeeping
`medication.manage`	View medication adherence, record doses for patients, stop schedules
`self.service`	Clock in/out, request leave, view own attendance and payslips

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

What this role cannot do

Nurses cannot write prescriptions, order tests, dispense, or edit doctors' notes.

Reports available

Emergency response time · Medication adherence

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: nurse@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Nurse dashboard: patients waiting for assessment.




Figure 3.1 — Nurse dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Nursing

4.1 Nursing queue

Feature	Nursing queue
Purpose	Checked-in patients waiting for the pre-consultation assessment, in token order.
Who can use it	nursing.queue.
Before you start	Patients checked in by reception.
Where to find it	Sidebar → Patient care → Nursing queue.

Steps

1. Pick the next patient in token order.
2. Click to open the assessment.




Figure 4.1 — Nursing assessment queue

Fields

No data entry on this screen.

Example (synthetic data)

Token 2 — Maryam Sheikh — Dr. Ayesha Khan.

Expected result

The assessment screen opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.2 Vital signs and nursing assessment

Feature	Vital signs and nursing assessment
Purpose	Record vitals and presenting symptoms. BMI is calculated automatically and values outside adult reference ranges are highlighted and flagged to the doctor.
Who can use it	vitals.record.
Before you start	Patient checked in.
Where to find it	Nursing queue → patient → Start assessment.

Steps

1. Click Start assessment.
2. Enter BP, heart rate, temperature, SpO_2, respiratory rate, weight, height and pain score.
3. Review red highlights and the “Abnormal” banner.
4. Enter presenting symptoms and any notes.
5. Click Submit — ready for doctor.




Figure 4.2 — Vital signs with automatic BMI and abnormal value highlighting

Fields

Field	Meaning / rules
Systolic / Diastolic BP	mmHg; outside 90–139 / 60–89 is highlighted.
Temperature	°C.
SpO_2	%.
Pain scale	0–10.
BMI	Calculated from weight and height; not editable.

Example (synthetic data)

BP 146/92, HR 88, Temp 37.4, SpO_2 97, weight 72 kg, height 165 cm, pain 3 → BMI 26.4, BP flagged.

Expected result

The patient moves to the doctor's queue with the abnormal flags visible.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
"Patient has not been checked in"	Ask reception to check the patient in.

Warnings

> Highlights are reference-range alerts, not a diagnosis. Escalate clinically concerning values directly to the doctor — do not rely on the flag alone.
>
> Verify the patient's identity and allergies on the red banner before you start.

Next steps

- The doctor sees the patient.

5. Emergency

5.1 Emergency case: triage and treatment record

Feature	Emergency case: triage and treatment record
Purpose	Assign a triage level, record vitals and notes; doctors take the case, treat and record the disposition.
Who can use it	emergency.manage to triage; emergency.treat (doctors) to take the case and record disposition.
Before you start	Case registered on the board.
Where to find it	Emergency → click the case.

Steps

1. Choose the triage level and record vitals, then Save triage.
2. Add notes as care progresses (Add note).
3. Doctor: click Take case, treat, then record the disposition.




Figure 5.1 — Emergency case record

Fields

Field	Meaning / rules

Triage level	Critical, Urgent, SemiUrgent or NonUrgent.
Disposition	Discharged, Admitted, Referred, Left without being seen, Deceased.

Example (synthetic data)

Triage “Urgent”, BP 160/100, chest discomfort.

Expected result

The board re-orders by triage level and shows waiting times.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only doctors can take emergency cases”	Ask the duty doctor.
“A treating doctor must record this disposition”	Dispositions such as admission are recorded by the doctor.

Warnings

> The triage level is a staff decision; the system does not assign it automatically.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6. Inpatients

6.1 Inpatient ward notes and vitals

Feature	Inpatient ward notes and vitals
Purpose	Record ward vitals and progress notes for admitted patients and give medicine doses.
Who can use it	ipd.view, vitals.record, medication.manage.
Before you start	An admitted patient.
Where to find it	Admissions / IPD → click the occupied bed or the admission.

Steps

1. Use Record vitals to add a set of observations.
2. Add a ward note.
3. Record medicine doses given in the medications section.




Figure 6.1 — Inpatient admission

Fields

No data entry on this screen.

Example (synthetic data)

Night observation: BP 128/82, Temp 37.0, patient comfortable.

Expected result

Entries appear in the timeline with your name and time.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only doctors and nurses can write ward notes”	Other roles can read only.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6.2 Bed board and admissions

Feature	Bed board and admissions
Purpose	See every ward and bed with its status, admit patients, reserve beds and transfer between beds.
Who can use it	ipd.view; ipd.manage to admit, reserve and transfer; ipd.discharge (doctors) to discharge.
Before you start	Wards and beds configured (ipd.config).
Where to find it	Sidebar → Patient care → Admissions / IPD.

Steps

1. Review bed colours: Available, Reserved, Occupied, Cleaning, Maintenance.
2. Click Admit patient, choose the patient, source, attending doctor and an available bed, then Admit.
3. Open an admission to transfer the patient or record ward notes and vitals.




Figure 6.2 — Bed board

Fields

Field	Meaning / rules
Source	OPD, Emergency, Direct or Referral.
Bed	Only available beds can be selected.

Example (synthetic data)

Admit Maryam Sheikh from OPD to General Ward bed GW-04 under Dr. Ayesha Khan.

Expected result

The bed becomes Occupied and daily bed charges accrue on the IPD invoice.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“That bed is no longer available. Choose another bed.”	Another user took it a moment ago.
“This patient is already admitted”	Open the existing admission.

“Occupancy changes only through admission, transfer or discharge”	Bed status cannot be set to Occupied by hand.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. My workspace, notifications and search

7.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 7.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 7.2 — My workspace — leave balances and requests




Figure 7.3 — Apply for leave dialog




Figure 7.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

7.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 7.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 7.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number...

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

8. Workflows

8.1 OPD patient assessment

1. Nursing queue → next token.
2. Start assessment → vitals → symptoms.
3. Escalate abnormal values to the doctor directly if concerning.
4. Submit — ready for doctor.

8.2 Emergency triage

1. Emergency board → new case.
2. Triage level + vitals → Save triage.
3. Inform the duty doctor of Critical/Urgent cases.

9. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

10. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient's name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital's policies.

11. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

12. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.