Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Doctor

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Doctor
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	05_Doctor_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3

2. Signing in and first-time setup 5

2.1 Signing in 5

2.2 First-time setup: change a temporary password 7

2.3 Forgotten password 9

3. Your dashboard 12

4. Consultations 13

4.1 Consultation queue 13

4.2 Consultation: notes, diagnosis, plan 14

4.3 Electronic prescription 16

4.4 Order laboratory tests 18

5. Records and results 20

5.1 Patient EMR: timeline, vitals, notes, medicines 20

5.2 Review verified lab results 23

6. Emergency and inpatients 25

6.1 Emergency case: triage and treatment record 25

6.2 Discharge an inpatient 26

7. Reports 29

7.1 Reports 29

8. My workspace, notifications and search 32

8.1 My workspace — attendance, leave and payslips 32

8.2 Notifications 35

8.3 Global search 37

9. Workflows 39

9.1 OPD consultation end to end 39

9.2 Lab result follow-up 39

10. Troubleshooting 40

11. Best practices and security 41

12. Glossary 42

13. Support 43

1. Introduction

Doctors run consultations: review vitals, write versioned notes, record diagnoses and plans, prescribe electronically, order and review lab tests, treat emergency cases, admit and discharge inpatients, and follow patients' medicine adherence.

Menus available to this role

Section	Menu items
Overview	Dashboard
Patient care	Patients, Appointments, My consultations, Emergency, Admissions / IPD
People	My workspace
Administration	Reports, Doctors & nurses

Permissions held by default

Permission	Allows
`patients.view`	Search and view patient demographics
`appointments.view`	View appointment calendar and lists
`vitals.view`	View vital sign history
`emr.view`	View EMR of patients under the user's care
`clinical.queue`	View doctor consultation queue
`clinical.consult`	Start/complete consultations, write notes, diagnoses and treatment plans
`clinical.notes.view`	Read doctor clinical notes
`prescriptions.create`	Create and cancel prescriptions
`prescriptions.view`	View prescriptions
`lab.order`	Order laboratory tests
`lab.results.view`	View laboratory results
`patients.documents`	Upload and download patient documents
`staff.view`	View doctors and nurses directory
`reports.clinical`	Clinical and operational reports
`emergency.view`	View the emergency board and cases
`emergency.treat`	Take emergency cases, treat and record disposition

`ipd.view`	View bed board and inpatients
`ipd.manage`	Admit, transfer, reserve beds and update bed housekeeping
`ipd.discharge`	Discharge inpatients and write discharge summaries
`medication.manage`	View medication adherence, record doses for patients, stop schedules
`self.service`	Clock in/out, request leave, view own attendance and payslips

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

What this role cannot do

Doctors can document only their own visits; other doctors' visits are read-only. Doctors cannot verify lab results or dispense.

Reports available

Patient inflow · Patient demographics · OPD / IPD statistics · Doctor appointments · Lab turnaround time · Emergency response time · Medication adherence

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: doctor@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Doctor dashboard: today’s clinic, results to review and emergency alerts.




Figure 3.1 — Doctor dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Consultations

4.1 Consultation queue

Feature	Consultation queue
Purpose	Your patients for today: waiting (assessed by nursing), in consultation and completed.
Who can use it	clinical.queue.
Before you start	Patients checked in and assessed.
Where to find it	Sidebar → Patient care → My consultations.

Steps

1. Pick the next waiting patient.
2. Open the consultation workspace.




Figure 4.1 — Consultation queue

Fields

No data entry on this screen.

Example (synthetic data)

Maryam Sheikh — token 2 — BP flagged.

Expected result

The consultation workspace opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.2 Consultation: notes, diagnosis, plan

Feature	Consultation: notes, diagnosis, plan
Purpose	Document the visit: chief complaint and notes (versioned when amended), diagnoses, treatment plan and follow-up; view vitals with trends and the full EMR.
Who can use it	clinical.consult.
Before you start	Patient checked in (and normally assessed by nursing).
Where to find it	My consultations → patient → Start consultation.

Steps

1. Click Start consultation.
2. Review vitals (arrows show change from the previous reading) and allergies.
3. Write the chief complaint and consultation note; click Save note. If you change a saved note you are asked for a reason; the earlier version is kept.
4. Add one or more diagnoses (Provisional, Final or Differential).
5. Write the plan and follow-up date; Save plan.
6. Prescribe and order tests (next sections), then click Complete.




Figure 4.2 — Consultation workspace

Fields

Field	Meaning / rules
Diagnosis type	Provisional, Final or Differential.
Amendment reason	Required when changing a saved note; shown with the “Amended” badge and earlier versions.

Example (synthetic data)

Chief complaint “Fever and body aches for 3 days”; diagnosis “Viral fever (Provisional)”.

Expected result

On Complete, the visit closes, the consultation is billed and the patient leaves your queue.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Record the consultation note before completing”	Follow the message; the action was refused and nothing was changed.
“Add at least one diagnosis before completing”	Follow the message; the action was refused and nothing was changed.

“This visit belongs to another doctor”	You can view but not document it.
“This visit is closed; clinical records can no longer be changed”	Closed visits are read-only.

Warnings

> The system does not suggest diagnoses or treatment; all clinical decisions are yours.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.3 Electronic prescription

Feature	Electronic prescription
Purpose	Prescribe from the formulary; the prescription goes straight to the pharmacy queue and creates the patient’s medicine reminder schedule.
Who can use it	prescriptions.create.
Before you start	An open consultation.
Where to find it	Consultation workspace → New prescription.

Steps

1. Start typing a medicine name and choose it from the list.
2. Set dosage, frequency, route, days; the quantity is calculated and can be adjusted.
3. Add instructions (for example “After meals”) and more medicines with Add medicine.
4. Click Sign & send to pharmacy.




Figure 4.3 — Prescription builder

Fields

Field	Meaning / rules
Medicine	From the hospital formulary.
Frequency	Determines reminder times.
Route	Oral, IV, IM, SC, Topical, Inhalation and others.
Days / Quantity	Quantity = doses per day × days for tablets; adjust for liquids.

Example (synthetic data)

Paracetamol 500 mg, 1 tablet, 3 times daily, oral, 3 days, quantity 9, after meals.

Expected result

The prescription appears in the pharmacy queue; dose reminders start for the patient.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only the prescribing doctor can cancel this prescription”	Follow the message; the action was refused and nothing was changed.

Warnings

> Allergy warnings are shown when a medicine matches a recorded allergy. They are an aid — always confirm allergies with the patient.
>
> The system never changes doses or prescribes automatically.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.4 Order laboratory tests

Feature	Order laboratory tests
Purpose	Order tests during the consultation with a priority; the lab receives the order and the charge is billed.
Who can use it	lab.order.
Before you start	An open consultation.
Where to find it	Consultation workspace → Laboratory → Order tests.

Steps

1. Search and tick tests (for example CBC).
2. Choose priority Routine, Urgent or STAT and add clinical notes.
3. Click Send to lab.




Figure 4.4 — Laboratory order dialog

Fields

Field	Meaning / rules
Priority	Routine, Urgent or STAT.

Example (synthetic data)

CBC, priority Routine, note “fever 3 days”.

Expected result

The order appears in the lab worklist; you are notified when results are verified.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“One or more tests are unavailable”	A test was deactivated; choose another.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Records and results

5.1 Patient EMR: timeline, vitals, notes, medicines

Feature	Patient EMR: timeline, vitals, notes, medicines
Purpose	The complete record for patients under your care: chronological timeline, vitals history with trend chart, clinical notes (with versions), prescriptions, lab results and medicine adherence.
Who can use it	emr.view (patients under your care) or emr.view_all.
Before you start	None.
Where to find it	Patient profile → tabs (Timeline, Vitals, Notes, Medications, ...) or Full EMR from the consultation.

Steps

1. Open the Timeline tab for the whole history in date order.
2. Open Vitals for the trend chart.
3. Open Notes for consultation notes and their earlier versions.
4. Open Medications to see adherence (taken, missed, skipped).




Figure 5.1 — EMR timeline




Figure 5.2 — Vital signs history and trend




Figure 5.3 — Clinical notes




Figure 5.4 — Medication adherence

Fields

No data entry on this screen.

Example (synthetic data)

Review three months of BP readings before adjusting treatment.

Expected result

Read-only views; every access to the record is audited.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You are not assigned to this patient”	Without emr.view_all you only see patients under your care.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5.2 Review verified lab results

Feature	Review verified lab results
Purpose	Results reach you after a second person verified them. Abnormal and critical values are flagged; mark the result as reviewed.
Who can use it	lab.results.view; reviewing requires a doctor account.
Before you start	A verified result (you receive a notification).
Where to find it	Dashboard → Results to review, or the notification.

Steps

1. Open the result.
2. Check flags (L/H low/high, LL/HH critical).
3. Mark it reviewed and act clinically as needed.




Figure 5.5 — Verified laboratory result

Fields

Field	Meaning / rules
Flag	N normal, L low, H high, LL/HH critical, A abnormal.

Example (synthetic data)

CBC: Hb 10.9 g/dL (L).

Expected result

The result is marked reviewed with your name and time.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only verified results can be reviewed”	Follow the message; the action was refused and nothing was changed.
“Only doctors can review results”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6. Emergency and inpatients

6.1 Emergency case: triage and treatment record

Feature	Emergency case: triage and treatment record
Purpose	Assign a triage level, record vitals and notes; doctors take the case, treat and record the disposition.
Who can use it	emergency.manage to triage; emergency.treat (doctors) to take the case and record disposition.
Before you start	Case registered on the board.
Where to find it	Emergency → click the case.

Steps

1. Choose the triage level and record vitals, then Save triage.
2. Add notes as care progresses (Add note).
3. Doctor: click Take case, treat, then record the disposition.




Figure 6.1 — Emergency case record

Fields

Field	Meaning / rules

Triage level	Critical, Urgent, SemiUrgent or NonUrgent.
Disposition	Discharged, Admitted, Referred, Left without being seen, Deceased.

Example (synthetic data)

Triage “Urgent”, BP 160/100, chest discomfort.

Expected result

The board re-orders by triage level and shows waiting times.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only doctors can take emergency cases”	Ask the duty doctor.
“A treating doctor must record this disposition”	Dispositions such as admission are recorded by the doctor.

Warnings

> The triage level is a staff decision; the system does not assign it automatically.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6.2 Discharge an inpatient

Feature	Discharge an inpatient
Purpose	Write the discharge summary and discharge the patient; the bed goes to Cleaning and the IPD invoice is finalised.
Who can use it	ipd.discharge (attending doctor).
Before you start	An admitted patient under your care.
Where to find it	Admissions / IPD → admission → Discharge patient.

Steps

1. Choose the discharge type.
2. Write the summary (diagnosis, treatment, advice, follow-up).
3. Confirm. Print the Discharge summary.




Figure 6.2 — Admission record with the discharge action

Fields

Field	Meaning / rules
Discharge type	Routine, Against medical advice, Referred, Deceased.

Example (synthetic data)

Routine discharge after 3 days, follow-up in 1 week.

Expected result

Status Discharged; summary PDF available.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Only the attending doctor can discharge this patient”	Follow the message; the action was refused and nothing was changed.
“The discharge summary is available after discharge”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. Reports

7.1 Reports

Feature	Reports
Purpose	Clinical, financial, pharmacy/stores and HR reports with filters, a chart and export to Excel, PDF, CSV or print.
Who can use it	Each report needs one of reports.clinical / reports.financial / reports.hr or a module permission (for example lab.manage for lab turnaround). You only see the reports you may open.
Before you start	Data for the chosen period.
Where to find it	Sidebar → Administration → Reports.

Steps

1. Pick a report from the catalogue.
2. Set the date range and optional department or doctor filter.
3. Click Run report.
4. Use Excel, PDF, CSV or Print to export.




Figure 7.1 — Report centre




Figure 7.2 — Revenue by department with chart and export buttons

Fields

Field	Meaning / rules
Date range	Preset ranges such as the last 90 days, or custom dates.
Department / Doctor	Optional filters where the report supports them.

Example (synthetic data)

Revenue by department, last 90 days.

Expected result

A table with totals and a chart; exports contain the same rows.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You do not have access to this report”	Your role lacks the report’s permission.

Warnings

> Exports can contain personal data — store them securely and delete them when no longer needed.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

8. My workspace, notifications and search

8.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 8.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 8.2 — My workspace — leave balances and requests




Figure 8.3 — Apply for leave dialog




Figure 8.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

8.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 8.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

8.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 8.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number...

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

9. Workflows

9.1 OPD consultation end to end

1. My consultations → patient → Start consultation.
2. Review vitals and allergies.
3. Note → Save note; diagnosis; plan.
4. New prescription → Sign & send to pharmacy.
5. Order tests → Send to lab.
6. Complete.

9.2 Lab result follow-up

1. Notification “Lab result ready”.
2. Open, check flags, mark reviewed.
3. Contact the patient or adjust the plan as you judge appropriate.

10. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

11. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient’s name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital’s policies.

12. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

13. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.