Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Pharmacist

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Pharmacist
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	07_Pharmacist_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3
2. Signing in and first-time setup 5
2.1 Signing in 5
2.2 First-time setup: change a temporary password 7
2.3 Forgotten password 9
3. Your dashboard 12
4. Dispensing 13
4.1 Prescription queue 13
4.2 Dispense (FEFO) 14
5. Stock 18
5.1 Inventory items and stock 18
5.2 Low-stock and expiry alerts 20
5.3 Purchase requests 21
6. My workspace, notifications and search 25
6.1 My workspace — attendance, leave and payslips 25
6.2 Notifications 28
6.3 Global search 30
7. Workflows 32
7.1 Dispense a new prescription 32
8. Troubleshooting 33
9. Best practices and security 34
10. Glossary 35
11. Support 36

1. Introduction

Pharmacists dispense electronic prescriptions using first-expiry-first-out stock, keep the controlled medicine register, manage pharmacy stock and raise purchase requests.

Menus available to this role

Section	Menu items
Overview	Dashboard
Patient care	Patients
Diagnostics & pharmacy	Pharmacy, Inventory, Purchase requests
People	My workspace
Administration	Reports

Permissions held by default

Permission	Allows
`patients.view`	Search and view patient demographics
`prescriptions.view`	View prescriptions
`pharmacy.dispense`	Dispense prescriptions
`pharmacy.controlled`	Dispense and log controlled medicines
`inventory.view`	View stock and batches
`inventory.manage`	Items, adjustments, transfers
`medication.manage`	View medication adherence, record doses for patients, stop schedules
`self.service`	Clock in/out, request leave, view own attendance and payslips

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

What this role cannot do

Pharmacists cannot change a prescription; contact the prescriber to change or cancel it.

Reports available

Medication adherence · Pharmacy stock · Medicine expiry

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: pharmacy@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Pharmacy dashboard: queue, low stock and expiring batches.




Figure 3.1 — Pharmacist dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Dispensing

4.1 Prescription queue

Feature	Prescription queue
Purpose	Electronic prescriptions waiting for dispensing, with stock readiness.
Who can use it	pharmacy.dispense.
Before you start	Prescriptions signed by doctors.
Where to find it	Sidebar → Diagnostics & pharmacy → Pharmacy.

Steps

1. Open the next prescription.




Figure 4.1 — Prescription queue

Fields

No data entry on this screen.

Example (synthetic data)

Prescription for Paracetamol 500 mg × 9.

Expected result

The dispensing screen opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.2 Dispense (FEFO)

Feature	Dispense (FEFO)
Purpose	Dispense from pharmacy stock, earliest-expiry batch first; expired batches are never used. Stock, the pharmacy invoice and the patient's schedule update together.
Who can use it	pharmacy.dispense; pharmacy.controlled for controlled medicines.
Before you start	Stock in the Pharmacy location.
Where to find it	Pharmacy → prescription.

Steps

1. Check the allergy banner and each line's stock.
2. Review the proposed batches (earliest expiry first) and quantities.
3. Dispense. Partial dispensing is possible when stock is short.




Figure 4.2 — Dispensing screen




Figure 4.3 — Dispensing history




Figure 4.4 — Controlled medicine register

Fields

No data entry on this screen.

Example (synthetic data)

Dispense 9 tablets of Paracetamol from the batch expiring first.

Expected result

Status Dispensed (or Partially dispensed); a pharmacy invoice line is created.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Stock would become negative”	Not enough stock; dispense partially or request stock.
“Line does not belong to this prescription”	Refresh the page.

Warnings

> If the network fails while dispensing, retrying is safe: the system recognises the repeated request and does not dispense twice.
>
> Controlled medicines are recorded in the controlled register; follow your provincial drug rules for record keeping.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Stock

5.1 Inventory items and stock

Feature	Inventory items and stock
Purpose	Item master with stock per location (Main Store, Pharmacy), batches with expiry, reorder levels and the stock ledger.
Who can use it	inventory.view; inventory.manage for items, adjustments and transfers.
Before you start	None.
Where to find it	Sidebar → Diagnostics & pharmacy → Inventory.

Steps

1. Search items; sort by stock.
2. Open an item to see batches and the ledger.
3. Use adjustment (with reason) or transfer (Main Store → Pharmacy).




Figure 5.1 — Inventory items




Figure 5.2 — Item detail with batches and ledger

Fields

Field	Meaning / rules
Category	Medicine, Surgical Supplies, Consumables, General Medical Supplies.
Reorder level	Below this, a low-stock alert is raised.

Example (synthetic data)

Transfer 200 tablets of Metformin 500 mg from Main Store to Pharmacy.

Expected result

Both locations and the ledger update in one transaction.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Stock would become negative”	Follow the message; the action was refused and nothing was changed.
“Quantity must be positive”	Follow the message; the action was refused and nothing was changed.

“Source and destination are the same”	Follow the message; the action was refused and nothing was changed.
“SKU already in use”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5.2 Low-stock and expiry alerts

Feature	Low-stock and expiry alerts
Purpose	Items below reorder level and batches expired or expiring soon.
Who can use it	inventory.view.
Before you start	None.
Where to find it	Inventory → Alerts tab.

Steps

1. Review low-stock items and raise purchase requests.
2. Quarantine or return expiring batches.




Figure 5.3 — Low-stock and expiry alerts

Fields

No data entry on this screen.

Example (synthetic data)

Batch of Amoxicillin expiring in 30 days.

Expected result

Actions are recorded in the stock ledger.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5.3 Purchase requests

Feature	Purchase requests

Purpose	Ask the stores/procurement team for stock. Requests are approved by someone other than the requester and converted to purchase orders.
Who can use it	inventory.manage, pharmacy.dispense or purchasing.manage to raise; purchasing.approve to approve.
Before you start	Items exist in the inventory master.
Where to find it	Sidebar → Purchase requests → New request.

Steps

1. Add items and quantities with a reason.
2. Submit.
3. Approver: open the request and approve or reject with a reason.




Figure 5.4 — New purchase request




Figure 5.5 — Purchase requests awaiting approval

Fields

No data entry on this screen.

Example (synthetic data)

Amoxicillin 500 mg × 500 capsules — below reorder level.

Expected result

Status Submitted → Approved → Converted (to a purchase order).

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“A request must be approved by someone other than the requester”	Follow the message; the action was refused and nothing was changed.
“Give a reason for rejecting”	Follow the message; the action was refused and nothing was changed.
“Only draft requests can be edited”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6. My workspace, notifications and search

6.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 6.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 6.2 — My workspace — leave balances and requests




Figure 6.3 — Apply for leave dialog




Figure 6.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

6.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 6.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 6.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number...

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. Workflows

7.1 Dispense a new prescription

1. Queue → prescription.
2. Check allergies and stock.
3. Dispense (FEFO).
4. Counsel the patient; the pharmacy invoice is created automatically.

8. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

9. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient’s name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital’s policies.

10. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

11. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.