Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

HR Manager

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	HR Manager
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	10_HR_Manager_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3

2. Signing in and first-time setup 5

2.1 Signing in 5

2.2 First-time setup: change a temporary password 7

2.3 Forgotten password 9

3. Your dashboard 12

4. Employees 13

4.1 Employees 13

5. Attendance and leave 17

5.1 Attendance 17

5.2 Leave approvals 19

6. Payroll approval 22

6.1 Approve payroll runs 22

7. Recruitment 24

7.1 Candidates, interviews and offers 24

8. Reports 27

8.1 Reports 27

9. My workspace, notifications and search 30

9.1 My workspace — attendance, leave and payslips 30

9.2 Notifications 33

9.3 Global search 35

10. Workflows 37

10.1 Month end 37

10.2 Hire 37

11. Troubleshooting 38

12. Best practices and security 39

13. Glossary 40

14. Support 41

1. Introduction

The HR Manager manages employees, contracts, performance reviews, attendance and leave approvals, approves payroll runs and recruitment offers, and maintains departments and the staff directory.

> **How this role is set up in the system.** There is no separate HR Executive role. The HR Manager role also approves payroll (payroll.approve) and recruitment offers/hiring (recruitment.approve), and can run recruitment itself.

Menus available to this role

Section	Menu items
Overview	Dashboard
People	My workspace, HR & attendance, Leave approvals, Payroll, Recruitment
Administration	Reports, Doctors & nurses, Departments & services

Permissions held by default

Permission	Allows
`hr.employees`	Manage employees, contracts and performance
`hr.attendance`	Manage attendance
`hr.leave.approve`	Approve leave requests
`reports.hr`	HR and payroll reports
`staff.view`	View doctors and nurses directory
`staff.manage`	Create and edit doctor and nurse profiles
`departments.manage`	Create and edit departments
`payroll.approve`	Approve payroll runs prepared by someone else
`recruitment.manage`	Jobs, candidates, interviews, offers
`recruitment.approve`	Approve offer letters and hire candidates
`self.service`	Clock in/out, request leave, view own attendance and payslips

Administrators can change role permissions at runtime (Roles & permissions). If your screens differ from this manual, your hospital may have customised your role.

Reports available

Staff attendance · Payroll summary · Leave summary

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: hr@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

2.3 Forgotten password

Feature	Forgotten password
Purpose	Request a password-reset link by email.
Who can use it	Anyone with an account.
Before you start	Email delivery must be configured by the hospital. In the demonstration build no email provider is configured, so reset emails are only logged by the server — ask an administrator to reset your password instead.
Where to find it	Sign in page → Forgot password?

Steps

1. Enter your account email.
2. Submit the form. The page always shows the same confirmation, whether or not the email exists (this protects account privacy).
3. Open the link in the email and choose a new password.




Figure 2.4 — Forgot password

Fields

Field	Meaning / rules
Email	The address you sign in with.

Example (synthetic data)

nurse@hospital.com

Expected result

If the address belongs to an account and email is configured, a single-use reset link is sent.

Validation rules

- “Enter a valid email”

Common errors

Message shown	What it means / what to do
“This reset link is invalid or has expired”	The link was already used or is too old. Request a new one.

Warnings

> Unconfigured email is never reported as sent. Check Hospital settings → Message delivery providers (administrators).

Next steps

- Sign in with the new password.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

HR dashboard: workforce today, attendance and pending approvals.




Figure 3.1 — HR Manager dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. Employees

4.1 Employees

Feature	Employees
Purpose	Employee records with department, designation, reporting manager, contracts, leave and performance reviews.
Who can use it	hr.employees.
Before you start	Departments and designations configured.
Where to find it	Sidebar → People → HR & attendance → Employees.

Steps

1. Search the directory and open an employee.
2. Use the tabs Overview, Contracts, Salary (if permitted), Leave, Performance.




Figure 4.1 — Employee directory




Figure 4.2 — Employee profile




Figure 4.3 — Contracts




Figure 4.4 — Leave




Figure 4.5 — Performance reviews

Fields

Field	Meaning / rules
Employment type	Full time, Part time, Contract, Intern, Visiting.
Reporting manager	Approves the employee’s leave first.

Example (synthetic data)

EMP-00011, Head Nurse, Emergency.

Expected result

Changes are audited.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“An employee cannot report to themselves”	Follow the message; the action was refused and nothing was changed.
“Reporting manager not found”	Follow the message; the action was refused and nothing was changed.
“You cannot review yourself”	Follow the message; the action was refused and nothing was changed.
“This review has been submitted and can no longer be edited”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Attendance and leave

5.1 Attendance

Feature	Attendance
Purpose	Daily register of clock-ins and statuses, corrections, and the monthly summary used by payroll.
Who can use it	hr.attendance.
Before you start	Employees and working days.
Where to find it	HR & attendance → Daily attendance / Monthly summary.

Steps

1. Pick a date to see who is present, late or absent.
2. Correct an entry with punch times or status only.
3. Open Monthly summary to review totals per employee.




Figure 5.1 — Daily attendance register




Figure 5.2 — Monthly attendance summary




Figure 5.3 — Staff attendance report

Fields

Field	Meaning / rules
Status	Present, Late, Half day, Absent, On leave, Weekly off, Holiday.

Example (synthetic data)

Mark an employee Present 09:05–17:00 after a missed clock-in.

Expected result

The correction is audited and feeds payroll.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Cannot record attendance for a future date”	Follow the message; the action was refused and nothing was changed.
“Cannot close a future day”	Follow the message; the action was refused and nothing was changed.
“Inactive employees cannot clock in”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5.2 Leave approvals

Feature	Leave approvals
Purpose	Approve or reject leave: the reporting manager decides first, then HR.
Who can use it	hr.leave.approve.
Before you start	Pending requests.
Where to find it	Sidebar → People → Leave approvals.

Steps

1. Open a pending request.
2. Check balance and team coverage.
3. Approve or reject with a comment.




Figure 5.4 — Leave approvals

Fields

Field	Meaning / rules
Status	Pending manager, Pending HR, Approved, Rejected, Cancelled.

Example (synthetic data)

Approve 2 days casual leave.

Expected result

Balance updates; the employee is notified; attendance shows On leave.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You cannot approve your own leave”	Follow the message; the action was refused and nothing was changed.
“Only the reporting manager can make this decision”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6. Payroll approval

6.1 Approve payroll runs

Feature	Approve payroll runs
Purpose	Review and approve payroll prepared by the payroll officer (two-person rule).
Who can use it	payroll.approve.
Before you start	A run in Review status prepared by someone else.
Where to find it	Sidebar → People → Payroll → run.

Steps

1. Open the run in Review.
2. Check department totals and individual payslips.
3. Approve (or send back).




Figure 6.1 — Payroll runs

Fields

No data entry on this screen.

Example (synthetic data)

October 2026 run.

Expected result

Status Approved; the payroll officer can process it.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“Payroll must be approved by someone other than the preparer”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

7. Recruitment

7.1 Candidates, interviews and offers

Feature	Candidates, interviews and offers
Purpose	Track candidates from application to hire: shortlist, schedule interviews, record evaluations, draft offers for approval, and hire.
Who can use it	recruitment.manage; recruitment.approve to approve offers and hire.
Before you start	An open job.
Where to find it	Recruitment → Candidates.

Steps

1. Add a candidate with CV (PDF).
2. Shortlist, then Schedule interview.
3. Record the evaluation and recommendation.
4. Select, draft an offer and send it for approval.
5. After acceptance, hire (creates the employee record).




Figure 7.1 — Candidate pipeline




Figure 7.2 — Candidate profile




Figure 7.3 — Schedule interview

Fields

Field	Meaning / rules
Stage	Applied, Shortlisted, Interview, Selected, Offer, Hired, Rejected.
Interview mode	In person, Phone, Video.
Recommendation	Hire, Hold, Reject.

Example (synthetic data)

Synthetic candidate for Staff Nurse, interview by video.

Expected result

Pipeline stage updates; history is kept.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“This candidate has already applied for this job”	Follow the message; the action was refused and nothing was changed.
“Only shortlisted candidates can be interviewed”	Follow the message; the action was refused and nothing was changed.
“Interview time is in the past”	Follow the message; the action was refused and nothing was changed.
“Offers can be made only to selected candidates”	Follow the message; the action was refused and nothing was changed.
“Offers must be approved by someone other than the person who drafted them”	Follow the message; the action was refused and nothing was changed.
“Attach the CV as a PDF”	Follow the message; the action was refused and nothing was changed.

Warnings

> CVs contain personal data; collect only what is needed and restrict sharing.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

8. Reports

8.1 Reports

Feature	Reports
Purpose	Clinical, financial, pharmacy/stores and HR reports with filters, a chart and export to Excel, PDF, CSV or print.
Who can use it	Each report needs one of reports.clinical / reports.financial / reports.hr or a module permission (for example lab.manage for lab turnaround). You only see the reports you may open.
Before you start	Data for the chosen period.
Where to find it	Sidebar → Administration → Reports.

Steps

1. Pick a report from the catalogue.
2. Set the date range and optional department or doctor filter.
3. Click Run report.
4. Use Excel, PDF, CSV or Print to export.




Figure 8.1 — Report centre




Figure 8.2 — Revenue by department with chart and export buttons

Fields

Field	Meaning / rules
Date range	Preset ranges such as the last 90 days, or custom dates.
Department / Doctor	Optional filters where the report supports them.

Example (synthetic data)

Revenue by department, last 90 days.

Expected result

A table with totals and a chart; exports contain the same rows.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You do not have access to this report”	Your role lacks the report’s permission.

Warnings

> Exports can contain personal data — store them securely and delete them when no longer needed.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

9. My workspace, notifications and search

9.1 My workspace — attendance, leave and payslips

Feature	My workspace — attendance, leave and payslips
Purpose	Personal self-service available to every staff member: clock in and out, see your attendance calendar, apply for leave, download your own payslips and read your performance reviews.
Who can use it	self.service (all staff roles).
Before you start	Your user account must be linked to an employee record by HR; otherwise the server answers “Your account is not linked to an employee record”.
Where to find it	Sidebar → People → My workspace.

Steps

1. Click Clock in when you start your shift; the button changes to Clock out.
2. Open the Leave tab to see balances per leave type and your requests.
3. Click Apply for leave, choose the type and dates, give a reason and submit. Your reporting manager (or HR) decides.
4. Open Payslips to view or download payslips of approved payroll runs.
5. Open Reviews to read and acknowledge performance reviews.




Figure 9.1 — My workspace — today’s clock-in status and the attendance calendar




Figure 9.2 — My workspace — leave balances and requests




Figure 9.3 — Apply for leave dialog




Figure 9.4 — My workspace — payslips

Fields

Field	Meaning / rules
Leave type	Annual, Sick, Casual, Maternity, Unpaid or Other — balances come from HR policy.
From / To	Dates of absence. Non-working days are not counted.
Reason	Short explanation for the approver.

Example (synthetic data)

Casual leave, 3–4 November, reason “Family event”.

Expected result

A Pending request appears in the list and the approver is notified.

Validation rules

- “Only sick leave can be applied for past dates”
- “The selected dates contain no working days”
- “You already have leave requested for some of these dates”
- “Split leave that crosses a year end into two requests”

Common errors

Message shown	What it means / what to do

“You are on approved leave today”	Clock-in is refused on approved leave days.
“You have not clocked in today”	Clock out needs a clock-in first.
“Already clocked out”	Only one clock-out per day.
“Leave that has started cannot be cancelled”	Ask HR to correct it.

Warnings

> Clock in only for yourself, on your own device or a supervised terminal — attendance feeds payroll.

Next steps

- HR or your manager approves the leave; you receive a notification.

9.2 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 9.5 — Notification history with delivery status per channel

Fields

Field	Meaning / rules
Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

9.3 Global search

Feature	Global search
Purpose	Find patients, invoices and other records from any page.
Who can use it	Results are limited to what your role can view.
Before you start	None.
Where to find it	Search box at the top of every page, or press Ctrl K.

Steps

1. Type at least two characters of a name, MRN, CNIC, phone number or invoice number.
2. Use the arrow keys or the mouse to pick a result.




Figure 9.6 — Global search results

Fields

Field	Meaning / rules
Search	Name, MRN, CNIC, phone, invoice number...

Example (synthetic data)

Typing “Ayesha” lists patients and staff called Ayesha that you are allowed to see.

Expected result

The selected record opens.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

10. Workflows

10.1 Month end

1. Close attendance for the month.
2. Payroll officer prepares the run.
3. Review and approve the payroll run.

10.2 Hire

1. Recruitment → selected candidate → approve offer.
2. After acceptance, hire → employee record created.

11. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

12. Best practices and security

- Never share your account or password; every action is recorded under your name in the audit log.
- Lock or sign out of the computer when you walk away.
- Use only synthetic (made-up) data for training and demonstrations. Never photograph screens that show real patients.
- Check the patient's name and MRN on the header banner before recording anything.
- Report suspected wrong access or data errors to your administrator immediately.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital's policies.

13. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

14. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.