Medophelp

Smarter Healthcare. Seamless Operations.

MEDOPHELP USER GUIDE

User Manual

Patient Portal

Smarter Healthcare. Seamless Operations.

Product	Medophelp
Role	Patient
Software version	1.0.0 (MVP demonstration build)
Manual date	25 October 2026
Document	13_Patient_Portal_User_Manual.pdf

Screenshots show synthetic demonstration data only. This manual describes the demonstration build; it is not a certification of regulatory compliance or clinical safety.

Contents

1. Introduction 3
2. Signing in and first-time setup 4
2.1 Signing in 4
2.2 First-time setup: change a temporary password 6
3. Your dashboard 9
4. My health 10
4.1 Portal home 10
4.2 My appointments 12
4.3 My records, prescriptions and lab results 14
4.4 My bills 16
4.5 My medicines and dose reminders 18
5. Notifications 21
5.1 Notifications 21
6. Workflows 23
6.1 First sign-in 23
6.2 Daily medicines 23
7. Troubleshooting 24
8. Best practices and security 25
9. Glossary 26
10. Support 27

1. Introduction

The patient portal lets you see your appointments, prescriptions, verified lab results and bills, book appointments, follow your medicine reminders and choose how the hospital contacts you. It works on computers and phones.

Menus available to this role

Section	Menu items
Overview	Dashboard
My health	My appointments, My medicines, My records, My bills

Reports available

None.

About this manual

Screens in this manual are real screenshots of the Medophelp demonstration build, captured with synthetic (made-up) data. Names, CNICs and phone numbers shown are not real people. Error messages are quoted exactly as the system shows them.

2. Signing in and first-time setup

2.1 Signing in

Feature	Signing in
Purpose	Open your personal, role-based workspace. Every account belongs to one person; never share it.
Who can use it	Any active account.
Before you start	An account created by an administrator (staff) or by the front desk (patient portal), and the web address of your hospital's Medophelp site.
Where to find it	Open your hospital's Medophelp web address in a browser. The Sign in page opens automatically.

Steps

1. Type your work email address in Email.
2. Type your password in Password. Use the eye icon to check what you typed.
3. Tick Remember me only on a personal device; it keeps you signed in for longer.
4. Click Sign in. Your dashboard opens.




Figure 2.1 — The Sign in page




Figure 2.2 — Sign in rejected with “Invalid email or password”

Fields

Field	Meaning / rules
Email	Your account email (not case-sensitive).
Password	Your password. Required.
Remember me	Optional. Keeps the session on this browser longer.

Example (synthetic data)

Email: patient@hospital.com (demonstration account — development environment only; the password is in the deployment guide, never in this manual).

Expected result

The dashboard for your role opens and your name and role appear at the top right.

Validation rules

- “Email must be a valid email address (“Enter a valid email”).”
- “Password is required (“Password is required”).”

Common errors

Message shown	What it means / what to do
“Invalid email or password”	Wrong email or password, or the account is inactive. Check spelling and Caps Lock; ask an administrator if it persists.

“Account locked after repeated failed attempts. Try again in N minute(s).”	Five wrong passwords lock the account for 15 minutes.

Warnings

> Every sign-in, failed attempt and lockout is written to the audit log.

Next steps

- If you were given a temporary password, you are taken to Change password first (see “First-time setup”).

2.2 First-time setup: change a temporary password

Feature	First-time setup: change a temporary password
Purpose	Accounts created by an administrator (or portal access created by the front desk) start with a temporary password that must be replaced before anything else can be used.
Who can use it	Any account.
Before you start	You signed in with a temporary password, or you want to change your password.
Where to find it	Automatic after the first sign-in; otherwise click your name (top right) → Change password.

Steps

1. Enter your Current password (the temporary one).
2. Enter a New password that follows the policy shown below.
3. Enter it again in Confirm password.
4. Click the save button. You stay signed in with the new password.




Figure 2.3 — Change password

Fields

Field	Meaning / rules
Current password	The password you used to sign in.
New password	At least 10 characters with an uppercase letter, a lowercase letter, a digit and a symbol.
Confirm password	Must match the new password.

Example (synthetic data)

New password: a long passphrase such as “Blue-Lantern-River-42” (example only — do not use it).

Expected result

The password is changed and other sessions using the old password are signed out.

Validation rules

- “At least 10 characters”
- “Needs a lowercase letter / an uppercase letter / a digit / a symbol”
- “Passwords do not match”
- “New password must differ from current”

Common errors

Message shown	What it means / what to do

“Current password is incorrect”	Re-type the password you signed in with.
“Change your temporary password before continuing”	Shown by the server if any other screen is used before the temporary password is changed.

Warnings

> Until a temporary password is changed the server refuses every other request — this is enforced on the server, not only in the browser.

Next steps

- Forgotten password: use “Forgot password?” on the Sign in page.

Signing out

- Click your name at the top right and choose Sign out.
- Always sign out on shared computers. Sessions also end automatically after a period of inactivity.

3. Your dashboard

Portal home.




Figure 3.1 — Patient dashboard

Finding your way around

- The left sidebar shows only the menus your role can use, grouped by section. On a phone, use the menu button (top left) or the bottom bar.
- The search box at the top (Ctrl K) finds records you are allowed to see.
- The bell shows notifications; the moon/sun icon switches dark and light mode.
- Your name and role are at the top right; click to change password or sign out.
- Click a dashboard card to open the related list.

4. My health

4.1 Portal home

Feature	Portal home
Purpose	Your health at a glance: medicines today, upcoming appointments, amount due and quick links. Also your message preferences.
Who can use it	portal.self.
Before you start	Portal access created by the hospital front desk and your temporary password changed.
Where to find it	Dashboard after signing in. On a phone, use the bottom bar.

Steps

1. Review the cards.
2. Change message preferences (SMS, email, app) under Message preferences.




Figure 4.1 — Portal home




Figure 4.2 — Portal home on a phone

Fields

No data entry on this screen.

Example (synthetic data)

Medicines today 3/3, amount due PKR 3,212.50 (synthetic data).

Expected result

The information is displayed; nothing is changed.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> You only ever see your own records.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.2 My appointments

Feature	My appointments
Purpose	See and book appointments.
Who can use it	portal.self.
Before you start	None.
Where to find it	My appointments (sidebar or bottom bar).

Steps

1. Click Book appointment.
2. Choose doctor, date and a free time.
3. Confirm.




Figure 4.3 — My appointments




Figure 4.4 — Book an appointment

Fields

No data entry on this screen.

Example (synthetic data)

Follow-up with Dr. Ayesha Khan next Tuesday 11:00.

Expected result

Status Booked; a reminder arrives before the visit.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“You can only book appointments for yourself”	Follow the message; the action was refused and nothing was changed.
“Cannot book an appointment in the past”	Follow the message; the action was refused and nothing was changed.
“That slot is already booked. Pick another time.”	Follow the message; the action was refused and nothing was changed.

Warnings

None specific to this feature.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.3 My records, prescriptions and lab results

Feature	My records, prescriptions and lab results
Purpose	Your visit timeline, prescriptions and verified lab results (results appear only after the lab has verified them).
Who can use it	portal.self.
Before you start	None.
Where to find it	My records → tabs.

Steps

1. Open the timeline.
2. Open Prescriptions to see your medicines.
3. Open Lab results and download a report.




Figure 4.5 — My records — timeline




Figure 4.6 — My prescriptions




Figure 4.7 — My lab results

Fields

No data entry on this screen.

Example (synthetic data)

CBC verified yesterday.

Expected result

The information is displayed; nothing is changed.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> Discuss results with your doctor. The portal does not interpret results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.4 My bills

Feature	My bills
Purpose	Invoices, payments and balance.
Who can use it	portal.self.
Before you start	None.
Where to find it	My bills.

Steps

1. Open an invoice to see the lines and payments.




Figure 4.8 — My bills

Fields

No data entry on this screen.

Example (synthetic data)

Pharmacy invoice PKR 1,212.50.

Expected result

The information is displayed; nothing is changed.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> Online payment from the portal is not available in this version; pay at the hospital billing counter.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

4.5 My medicines and dose reminders

Feature	My medicines and dose reminders
Purpose	Today's doses and adherence. Mark each dose as Taken or Skip so your doctor can see how treatment is going.
Who can use it	portal.self.
Before you start	A prescription from your doctor.
Where to find it	My medicines.

Steps

1. At dose time, click Taken (or Skip).
2. Review adherence on the cards.




Figure 4.9 — My medicines




Figure 4.10 — My medicines on a phone

Fields

No data entry on this screen.

Example (synthetic data)

08:00 Metformin 500 mg — Taken.

Expected result

The dose is recorded and visible to your care team.

Validation rules

No feature-specific validation messages.

Common errors

Message shown	What it means / what to do
“This dose is not due yet”	Follow the message; the action was refused and nothing was changed.

“This dose is more than 24 hours old and can no longer be updated”	Follow the message; the action was refused and nothing was changed.

Warnings

> Never change or stop a medicine without talking to your doctor. The app only reminds you; it does not give medical advice.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

5. Notifications

5.1 Notifications

Feature	Notifications
Purpose	In-app messages for events that need your attention (for example a verified lab result, a leave decision, low stock). The bell icon shows the unread count.
Who can use it	Every account.
Before you start	None.
Where to find it	Bell icon (top bar) for the latest items; the full history is at /notifications (“View all”).

Steps

1. Click the bell to open the latest notifications.
2. Click a notification to open the related record; it is marked as read.
3. Open the full list to review older messages and their delivery status per channel.




Figure 5.1 — Notification history with delivery status per channel

Fields

Field	Meaning / rules

Delivery status	Sent (delivered to a configured provider), “demo – not sent” (channel has no provider: logged only), Skipped (channel disabled by the hospital), Opted out (patient declined that channel), Failed (provider error).

Example (synthetic data)

“Lab result ready — CBC for Ayesha Khan” → opens the lab order.

Expected result

The item is marked read and the unread counter decreases.

Validation rules

No feature-specific validation messages.

Common errors

No feature-specific error messages.

Warnings

> SMS and email are not secure channels. The system only sends short reminders through them, never detailed clinical results.

Next steps

Continue with the next task in your workflow (see the Workflows chapter).

6. Workflows

6.1 First sign-in

1. Receive your login email and temporary password from the hospital.
2. Sign in and choose a new password.
3. Set your message preferences.

6.2 Daily medicines

1. A reminder arrives at dose time.
2. Open My medicines → Taken.

7. Troubleshooting

Each row says whether the guidance was verified against this build. Unverified rows are general guidance.

Problem	Likely cause	What to do	Verified
A menu item described in this manual is missing	Your role does not have that permission, or an administrator changed the role.	Ask your administrator to review your role under Roles & permissions.	Yes
“Session expired”	You were inactive too long, or your password was changed elsewhere.	Sign in again.	Yes
“You do not have permission…” / 403 message after clicking a button	The server enforces permissions even if a button is visible.	Ask your administrator; do not use another person’s account.	Yes
Page shows a spinner for a long time	Network problem or server unavailable.	Refresh the page; if it continues, contact your IT support (unverified general guidance).	Unverified

Feature-specific messages and their meaning are listed under “Common errors” in each feature section.

8. Best practices and security

- Keep your password private and change it if you think someone knows it.
- Sign out on shared or public computers.
- The hospital will never ask for your password by phone or SMS.
- Use the portal for information only; for urgent symptoms contact the hospital or emergency services.

> This system supports good practice (role-based access, audit trail, two-person approvals) but using it does not by itself make a hospital compliant with any law or regulation. Follow your hospital's policies.

9. Glossary

Term	Meaning
MRN	Medical Record Number — the unique patient number generated at registration (for example SH-2026-000032).
CNIC	Computerised National Identity Card number (Pakistan), format 12345-1234567-1.
OPD / IPD	Out-patient department / In-patient department (admissions).
Audit log	Permanent, read-only record of who did what and when.
Role	A named set of permissions assigned to a user (for example Receptionist).
Demo mode	An external channel (SMS, email) without a configured provider: messages are logged, not sent.

10. Support

Support contact	[To be provided by the hospital — not configured in this demonstration build]
Support hours	[To be provided by the hospital]
How to report a problem	Note the date and time, the screen, what you did and the exact message, then contact your administrator. Do not send screenshots that contain real patient data by email.