Pharmodry
Precision in Every Batch.

PHARMACEUTICAL OPERATIONS, QUALITY & COMPLIANCE PLATFORM

Warehouse Officer User Manual

Intended audience: Warehouse staff receiving, storing and issuing material (site-scoped).

Product	Pharmodry 0.1.0 (MVP release) — Precision in Every Batch.
Manual	12 — Warehouse Officer User Manual
Document version	1.0
Generated	2026-10-25 from the running application (screenshots captured 2026-10-25)
Role code	WAREHOUSE_OFFICER

Screenshots show fictional demonstration data (NovaCure Pharmaceuticals). Pharmodry is not a validated system; procedures in this manual describe the software and must be used within your company's approved SOPs.

Contents

1. Purpose and scope
2. Role responsibilities
3. Signing in and signing out
4. Home page and dashboard overview
5. Navigation and module overview
6. Features and step-by-step instructions
7. Field-by-field explanations, required inputs and validation rules
8. Buttons and their functions
9. Workflow, approvals and electronic signatures
10. Status meanings
11. Search, filters, sorting and pagination
12. Reports and exports
13. Notifications and alerts
14. Error messages and troubleshooting
15. Common mistakes and how to prevent them
16. Security and access limitations
17. Practical end-to-end example
18. Frequently asked questions
19. Glossary
20. Escalation

List of figures: 40 screenshots captured from the running application.

1 Purpose and scope

Receives goods (GRN), transfers stock, reserves and issues materials to batches and raises deviations — at the sites assigned to the account (the demo officer is limited to Karachi).

This manual covers every Pharmodry screen available to the Warehouse Officer role in release 0.1.0. Your exact access is set by your company's administrator; if your account has additional roles or a site restriction, you may see more or fewer options than described. Configuration-dependent behaviour (for example tolerances, aging thresholds, calibration policy, AI availability) is marked as such.

> **Not available in this release:** Pharmacovigilance, sales/distribution and accounting modules; customer-level distribution in recalls; e-mail notifications; serial-number management; MFA/single sign-on. These are not described as working anywhere in this manual.

2 Role responsibilities

- Record goods receipts exactly per container labels and CoA.
- Store quarantined material in the quarantine area until QA release.
- Transfer stock between locations accurately.
- Issue reserved materials to production.

Dependencies on other departments

- Procurement — PO data.
- QC — sampling.
- QA — release.

3 Signing in and signing out

1. Open the Pharmodry address provided by your administrator in a current browser (Microsoft Edge, Chrome or Firefox).
2. Enter your company e-mail address and password and select Sign in.
3. After five consecutive wrong passwords the account is locked for 15 minutes; an administrator can unlock it.
4. To sign out, open the user menu at the top right and choose Sign out. Always sign out on shared computers.
5. Change your password under Profile & security → Change password (at least 10 characters with upper-case, lower-case and a digit). Your password is also your electronic-signature credential — never share it.
6. Profile → Active sessions lists devices signed in to your account; revoke any session you do not recognise.




Figure 1 — Sign-in page. Sign-in page. Enter your company e-mail and password, then select Sign in.

1. Company e-mail address
2. Password (also your e-signature credential)
3. Sign in




Figure 2 — Profile & security. Profile: password change and active sessions.

4 Home page and dashboard overview

After sign-in you land on My work. It greets you by name and lists the work queues that match your permissions — for example batches awaiting QA release, material lots awaiting disposition, open QC samples, deviations or CAPAs you own, batches on the shop floor, planned batches to prepare and purchase orders awaiting receipt. Each queue links straight to the records. Queues you have no permission for are not shown.




Figure 3 — My work (home). Home page with the work queues available to this role.

Your role has no dashboard or Command Center access; My work is your starting point.

5 Navigation and module overview

- The left sidebar lists only the modules your role can open, grouped into Overview, Supply & inventory, Production, Quality, Master data and Governance.
- The top bar has global search ("Search batches, lots, deviations, CAPAs…", shortcut Ctrl K), a "Demo data" badge in demonstration environments, the light/dark theme toggle, the notification bell and your user menu (name and job title).
- Record numbers are links; detail pages show a status badge, key facts, actions you may perform and tabs with history.

The sidebar below was recorded from the application while signed in as the demo Warehouse Officer (warehouse.officer@novacure.demo).

Sidebar group	Menu entry	Address
Overview	My work	/
Supply & inventory	Purchase orders	/procurement/purchase-orders
Supply & inventory	Goods receipts	/inventory/receipts
Supply & inventory	Inventory	/inventory
Supply & inventory	Stock movements	/inventory/movements
Production	Batches & eBMR	/production/batches
Production	Traceability & recall	/traceability
Quality	Deviations	/quality/deviations
Master data	Products	/master-data/products
Master data	Materials	/master-data/materials
Master data	Suppliers	/master-data/suppliers
Master data	Equipment	/master-data/equipment
Master data	Specifications	/master-data/specifications

6 Features and step-by-step instructions

Each section explains a module you can open, the procedures you are allowed to perform (numbered steps) and screenshots of the real screens. Procedures that need permissions your role does not hold are listed under “Not available to your role”.

Purchase orders

Purchase orders may only be raised with qualified suppliers (APPROVED or CONDITIONALLY APPROVED) for materials on that supplier’s approved list. A new order is a DRAFT until a different user approves it.




Figure 4 — Purchase orders. Purchase order list with status, supplier and value.




Figure 5 — Purchase order detail. Purchase order detail with lines, approval and audit trail.

> **Not available to your role:** Create a purchase order — requires procurement.po.create; Approve a purchase order — requires procurement.po.approve; Cancel a purchase order — requires procurement.po.create or procurement.po.approve.

Goods receipts (GRN)

Every receipt line creates a separate lot with its own internal lot number in QUARANTINE and automatically requests a QC sample. Material only becomes usable after QC approval and QA release. Receipts are refused for expired material, for suppliers that are not qualified, for materials not approved for the supplier, and when the expiry date is before the manufacturing date.




Figure 6 — Goods receipts. Goods receipts (GRN). Every line creates a lot in QUARANTINE.




Figure 7 — Goods receipt detail. Received lots and their status after a goods receipt.

Receive material

1. Open Goods receipts and select New.

2. Choose the Site and the Supplier; optionally choose the Purchase order and select Load lines to copy its lines.
3. Enter the Delivery note / DN number and any Remarks.
4. For each container lot select Add line and enter Material, Supplier batch, Quantity, Containers, Mfg date, Expiry date, Retest date (if applicable), Warehouse and Bin — exactly as on the container labels and certificate of analysis.
5. Select Create GRN. The confirmation shows the GRN number, the lots created in QUARANTINE and the QC samples requested.
6. Label and store the containers in the quarantine area according to your site SOP.




Figure 8 — Create a goods receipt. Goods receipt form: supplier, delivery note and one line per supplier batch.




Figure 9 — Goods receipt created. Receipt created: the lot is in QUARANTINE and a QC sample was requested automatically.

Inventory, lots and stock movements

Inventory is held per lot and location with a status. Only RELEASED, unexpired lots that are not past retest can be reserved or consumed; quarantined, under-test, rejected, blocked or expired lots never can. Tabs: Lots, Stock by material, Stock-out risk and Expiry intelligence. Every quantity change is written to an append-only ledger (Stock movements).




Figure 10 — Inventory. Lot-level inventory with status, location and expiry filters.




Figure 11 — Stock-out risk. Stock-out risk by material (released stock vs planned demand and lead time).




Figure 12 — Expiry intelligence. Expiry intelligence buckets with recommended actions.




Figure 13 — Lot in quarantine. A quarantined lot: release is blocked until QC approval; blockers are listed.




Figure 14 — Released lot. A released material lot with available quantity, location and expiry.




Figure 15 — Stock movements. Append-only inventory ledger of every movement.

Find a lot

1. Open Inventory.

2. Use the quick views (All on hand, Available (released), Awaiting disposition, Expiring ≤ 30 d / ≤ 60 d / ≤ 90 d, Expired) and the Status, Type and Warehouse filters.
3. Type part of a lot or item name in the table search.
4. Select a lot number to open the lot page (Overview, Movements, QC, Used in batches, Audit trail).

Transfer stock

1. Open the lot and select Transfer.
2. Choose the Destination warehouse and Bin, enter Quantity and Reason.
3. Select Transfer. The ledger records a TRANSFER_OUT and TRANSFER_IN.

> **Not available to your role:** Release or reject a material lot (QA disposition) — requires inventory.release; Post a stock adjustment — requires inventory.adjust; Block or unblock a released lot — requires inventory.release; Export inventory and expiry lists — requires report.export.

Batches and electronic batch records (eBMR)

Batch lifecycle: Planned → Material reserved → Ready → In progress → Awaiting QC → Awaiting QA → Released / Rejected → Closed (or Cancelled before start). The batch page has tabs Overview, Manufacturing (eBMR), Materials, QC, Deviations, Approvals and Audit trail, and shows GS1 data (GTIN, expiry, batch) for the 2D DataMatrix when the product has a GTIN.




Figure 16 — Batches & eBMR. Batch list with lifecycle status, yield and QA decision.




Figure 17 — Released batch — overview. Overview of a released batch: yield, finished goods, GS1 data and QA decision.




Figure 18 — Batch in progress — eBMR. Electronic batch record of a batch in progress: steps, parameters, signatures.




Figure 19 — Batch blocked by OOS. A batch whose release is blocked: failed QC and an open OOS investigation.




Figure 20 — Batch with material shortage. A planned batch that cannot reserve materials because released stock is insufficient.




Figure 21 — Printable batch record. Print-ready batch manufacturing record (use the browser's Save as PDF).

Reserve materials (FEFO)

1. Open the PLANNED batch and select Reserve materials.
2. Pharmodry reserves RELEASED lots in first-expiry-first-out order. If stock is insufficient the action is refused.
3. Release reservation returns reserved quantities (with a reason) if the batch will not proceed.




Figure 22 — Materials reserved (FEFO). Reserved lots in first-expiry-first-out order. (screen captured while signed in as Supply Chain Planner)

Issue materials to production

1. Open the MATERIAL RESERVED batch and select Issue materials.
2. Lots are re-checked (released, unexpired). The batch becomes READY.




Figure 23 — Issue materials to a batch. Issuing reserved materials to production.

Print the batch manufacturing record

1. Open the batch and select Batch record (opens in a new tab).
2. Use Print / the browser's Save as PDF.

Raise a deviation from a batch

1. On the batch page select Raise deviation; the batch is pre-filled.

> **Not available to your role:** Create a batch — requires batch.create; Start the batch — requires batch.start; Execute an eBMR step — requires batch.execute; Verify eBMR steps — requires batch.verify; Record a correction — requires batch.execute or batch.verify; Complete manufacturing — requires batch.complete; QA release or rejection of a batch — requires batch.approve.

Traceability and mock recall

Backward genealogy (what went into a batch: material lots, suppliers, supplier batches, GRNs and QC release evidence), forward trace (where a material lot went: batches and finished goods) and the mock-recall reconciliation of a batch (produced vs on hand + dispatched − returned ± adjustments/samples, with any unaccounted quantity highlighted). Customer-level distribution is held in the ERP/distribution system and is not captured in this release.




Figure 24 — Traceability & mock recall. Mock recall reconciliation of a released batch.




Figure 25 — Backward genealogy. Input material lots with supplier, GRN and QC release evidence.

Run a mock recall for a batch

1. Open Traceability & recall (or Trace on a batch page).

2. Type a batch number, internal lot or supplier batch and select Trace; choose the batch in the results.
3. Read the reconciliation cards. “Quantities reconcile” means every unit is accounted for; “Reconciliation gap” shows the unaccounted quantity to investigate.
4. Review Current locations and Finished-goods movements.
5. Users with report.export can select Export recall reconciliation (CSV, audited).

Trace a supplier lot forward

1. Search the internal lot or supplier batch, or select Trace on a material lot page.
2. The forward trace lists every batch that reserved or consumed the lot and the finished-goods lots produced, with on-hand and dispatched quantities.

Deviations

Draft → Submitted → QA review → Investigation → Root cause → CAPA → Effectiveness check → QA closure. Aging: 0–15 days normal, 16–30 attention, more than 30 overdue (configurable). Root-cause analysis uses structured 5-Whys and a fishbone (6M) category; each save is versioned and QA approves the final root cause.




Figure 26 — Deviations. Deviation register with classification, aging and owner.




Figure 27 — Deviation detail. Deviation record with workflow actions, RCA, CAPAs and evidence.

Raise a deviation

1. Open Deviations → New (or Raise deviation on a batch, OOS or lot).
2. Under What happened enter Title, Description, Immediate action taken, Occurred at and optionally a Proposed severity.
3. Under Where & what is affected choose Site, Process stage and any Batch, Product, Material or Equipment.
4. Save as draft (then Submit to QA from the deviation page) or submit directly. Record what happened as soon as possible — QA classifies severity during review.




Figure 28 — Raise a deviation. Deviation form: what happened, immediate action and affected records. (screen captured while signed in as QA Officer)




Figure 29 — Deviation submitted. Submitted deviation awaiting QA review. (screen captured while signed in as QA Officer)

> **Not available to your role:** QA review and classification — requires deviation.approve; Investigate and record the root cause — requires deviation.investigate; CAPA decision and closure — requires deviation.approve; Use the AI investigation assistant — requires ai.assist.use.

Master data: products, materials, suppliers, equipment and specifications

Regulated master data is versioned: every change requires a reason and creates a new immutable version (Version history). Products carry registration, shelf life, storage, GTIN (GS1, check digit verified), BOM and manufacturing template; materials carry type, retest period, safety stock and lead time; suppliers carry qualification status, approved materials and certifications; equipment carries calibration frequency and history; specifications hold versioned acceptance criteria.




Figure 30 — Products. Product master list with GTIN and registration.




Figure 31 — Product detail. Product detail: BOM, manufacturing template, specifications and versions.




Figure 32 — Materials. Material master with released and quarantined stock.




Figure 33 — Material detail. Material detail: lots in FEFO order, approved suppliers, specifications.




Figure 34 — Suppliers. Supplier list with qualification status and scorecards.




Figure 35 — Supplier detail. Supplier qualification, approved materials, certifications and receipts.




Figure 36 — Equipment & calibration. Equipment list with calibration status.




Figure 37 — Equipment detail. Equipment detail with calibration history.




Figure 38 — QC specifications. Versioned QC specifications.




Figure 39 — Specification detail. Specification tests and acceptance criteria.

> **Not available to your role:** Create or edit a product — requires product.manage; Create or edit a material — requires material.manage; Create a supplier — requires supplier.manage; Change supplier qualification / approve a material — requires supplier.approve or supplier.manage; Record equipment calibration — requires equipment.manage.

7 Field-by-field explanations, required inputs and validation rules

General rules: required fields are marked; dates use the date picker; numbers must be positive unless stated; reasons must be at least 5 characters; unknown or malformed inputs are rejected by the server. Forms that you cannot submit are still shown for reference where you can view the module.

Goods receipts (GRN)

Field	Required	Rules and meaning
Site	Yes	Your role may be limited to specific sites.
Supplier	Yes	Must be qualified; a “Supplier not qualified” warning blocks the receipt.
Purchase order	No	Load lines copies materials and open quantities.
Delivery note / DN number	Recommended	Supplier document reference.
Material	Yes	Must be approved for the supplier.
Supplier batch	Yes	Exactly as on the label / CoA.
Quantity	Yes	Positive, in the material’s unit of measure.
Containers	No	Number of containers.
Mfg date / Expiry date	Yes	Expiry must be after manufacturing date and in the future.
Retest date	No	Lots past retest date cannot be used.
Warehouse / Bin	Yes	Storage location.

Inventory, lots and stock movements

Field	Required	Rules and meaning
Destination warehouse / Bin (transfer)	Yes	Target location.
Quantity (transfer)	Yes	Cannot exceed available (unreserved) quantity.
Quantity change (signed) (adjustment)	Yes	Negative reduces stock; the result can never be negative.

Field	Required	Rules and meaning
Reason	Yes	Recorded in the audit trail (minimum 5 characters).

Batches and electronic batch records (eBMR)

Field	Required	Rules and meaning
Product	Yes	Active product with an active BOM and manufacturing template.
Production plan line	No	Plan must be APPROVED.
Batch size	Yes	Material quantities are scaled from the BOM.
Planned start	Yes	Date/time.
Equipment (step start)	If required	Qualified and calibrated equipment only.
Process parameters / IPC readings	Yes	Checked against limits; out-of-limit flagged.
Yield justification	If out of tolerance	At least 10 characters, or link a deviation.

Deviations

Field	Required	Rules and meaning
Title	Yes	Short summary.
Description	Yes	At least 10 characters.
Immediate action taken	Recommended	Containment actions.
Occurred at	Yes	Date and time (local).
Proposed severity	No	QA decides the classification.
Site / Process stage	Yes	Where it happened.
Batch / Product / Material / Equipment	No	Links affected records.

8 Buttons and their functions

Module	Button	What it does	Available to you
Purchase orders	New purchase order	Opens the order form.	No (needs procurement.po.create)
Purchase orders	Add line / Remove line	Adds or removes order lines.	No (needs procurement.po.create)
Purchase orders	Create purchase order	Saves the order as DRAFT.	No (needs procurement.po.create)
Purchase orders	Approve	Approves a draft (not your own).	No (needs procurement.po.approve)
Purchase orders	Cancel order	Cancels with a reason.	No (needs procurement.po.create)
Goods receipts (GRN)	New	Opens the receipt form.	Yes
Goods receipts (GRN)	Load lines	Copies lines from the selected PO.	Yes
Goods receipts (GRN)	Add line / Remove line	Manages receipt lines.	Yes
Goods receipts (GRN)	Create GRN	Posts the receipt; lots go to QUARANTINE.	Yes
Inventory, lots and stock movements	QA release / Reject	QA disposition with electronic signature.	No (needs inventory.release)
Inventory, lots and stock movements	Transfer	Moves stock between locations.	Yes
Inventory, lots and stock movements	Adjust	Posts a signed quantity change with reason.	No (needs inventory.adjust)
Inventory, lots and stock movements	Block / Unblock	Temporarily prevents use of a released lot.	No (needs inventory.release)
Inventory, lots and stock movements	Trace	Opens forward traceability for a material lot.	Yes
Batches and electronic batch records (eBMR)	Reserve materials	FEFO reservation of released lots.	Yes
Batches and electronic batch records (eBMR)	Release reservation	Returns reservations (reason required).	Yes
Batches and electronic batch records (eBMR)	Issue materials	Dispenses reserved lots to production.	Yes
Batches and electronic batch records (eBMR)	Start batch	Moves READY → IN PROGRESS.	No (needs batch.start)
Batches and electronic batch records (eBMR)	Start / Record & sign	Executes and signs eBMR steps.	No (needs batch.execute)
Batches and electronic batch records (eBMR)	Verify	Second-person verification with signature.	No (needs batch.verify)
Batches and electronic batch records (eBMR)	Correct	Corrects a recorded value with reason.	No (needs batch.execute)

Module	Button	What it does	Available to you
Batches and electronic batch records (eBMR)	Complete manufacturing	Calculates yield, books FG into quarantine.	No (needs batch.complete)
Batches and electronic batch records (eBMR)	QA release / Reject	Final disposition with electronic signature.	No (needs batch.approve)
Batches and electronic batch records (eBMR)	Close batch	Closes a released or rejected batch.	No (needs batch.approve)
Batches and electronic batch records (eBMR)	Cancel	Cancels a batch before it starts (reason required).	No (needs batch.create)
Batches and electronic batch records (eBMR)	Trace	Opens traceability & mock recall for the batch (needs inventory.view too).	Yes
Batches and electronic batch records (eBMR)	Batch record	Printable executed batch record.	Yes
Traceability and mock recall	Trace	Searches batches and material lots (needs batch.view and inventory.view).	Yes
Traceability and mock recall	Export recall reconciliation	CSV export, recorded in the audit trail.	No (needs report.export)

Buttons you cannot use are hidden or disabled in the application; the server refuses the action even if attempted another way.

9 Workflow, approvals and electronic signatures

The table shows the main GMP workflow and where your role takes part. Segregation of duties is enforced by the server: the person who performs a step cannot review, verify or approve it.

Workflow step	Permission	Your role
Raise purchase order	procurement.po.create	—
Approve purchase order (different person)	procurement.po.approve	—
Receive goods (GRN) → lots in QUARANTINE, QC sample requested	inventory.receive	You perform this
Collect sample and enter results	qc.result.enter	—
Review results (different person)	qc.result.review	—
Approve QC sample (e-signature)	qc.result.approve	—
QA disposition of material lot (e-signature)	inventory.release	—
Create / approve production plan	production.plan.manage	—
Create batch	batch.create	—
Reserve materials (FEFO, released lots only)	batch.reserve	You perform this
Issue materials to production	inventory.issue	You perform this
Start batch	batch.start	—
Execute and sign eBMR steps	batch.execute	—
Verify eBMR steps (different person, e-signature)	batch.verify	—
Complete manufacturing (yield, FG to QUARANTINE)	batch.complete	—
Finished-product QC (enter / review / approve)	qc.result.enter	—
QA batch release or rejection (e-signature)	batch.approve	—
Raise deviation	deviation.create	You perform this
Investigate deviation / OOS	deviation.investigate	—
Classify, approve and close deviations	deviation.approve	—
Conclude OOS (e-signature)	oos.approve	—
Create and manage CAPA	capa.create	—

Workflow step	Permission	Your role
Close CAPA (e-signature)	capa.close	—

Electronic signatures

- Critical actions (approvals, releases, rejections, verifications, closures) open an Electronic signature dialog.
- Read the meaning of the signature shown in the dialog, enter a reason where requested and re-enter your password.
- "Your signature is legally binding within your company's validated procedures." A wrong password changes nothing and the failed attempt is recorded.
- The signature (your name, meaning, reason, time) is stored with the record and in the audit trail.

10 Status meanings

Status	Meaning
DRAFT	Draft, not yet submitted/approved.
APPROVED	Approved (sample, supplier, PO or plan).
PARTIALLY RECEIVED	Part of the PO quantity received.
RECEIVED	Fully received (PO) / receipt posted (GRN).
CLOSED	Completed and closed.
CANCELLED	Cancelled with a reason; kept on record.
COMPLETED	eBMR step completed and signed by the operator (or CAPA action completed).
QUARANTINE	Received or produced, not yet approved for use.
UNDER TEST	Sampled; QC testing in progress.
RELEASED	Approved by QA (lot) or released for sale (batch).
REJECTED	Rejected by QA; may not be used or sold.
BLOCKED	Temporarily blocked by QA.
EXPIRED	Past expiry date; cannot be used.
RETURNED	Returned stock.
RECALLED	Subject to a recall.
PLANNED	Batch created; materials not yet reserved.
MATERIAL RESERVED	Released lots reserved (FEFO).
READY	Materials issued; batch can start.
IN PROGRESS	Manufacturing in progress (batch, step or CAPA).
AWAITING QC	Manufacturing complete; finished-product QC pending.
AWAITING QA	QC complete; QA decision pending.
PENDING	eBMR step not started.
VERIFIED	eBMR step verified by a second person.
SUBMITTED	Submitted for review.
QA REVIEW	Deviation under QA review.
INVESTIGATION	Deviation under investigation.
ROOT CAUSE	Root cause being documented.
CAPA	CAPA decision stage.
EFFECTIVENESS CHECK	Awaiting effectiveness check.
MINOR	Minor deviation.

Status	Meaning
MAJOR	Major deviation.
CRITICAL	Critical deviation / priority.
ACTIVE	Active master data.
INACTIVE	Inactive; cannot be used for new transactions.
PENDING QUALIFICATION	Supplier not yet qualified.
CONDITIONALLY APPROVED	Supplier approved with conditions.
SUSPENDED	Supplier suspended.
BLACKLISTED	Supplier barred.
QUALIFIED	Equipment qualified.
NOT QUALIFIED	Equipment not qualified.
RETIRED	Equipment retired.

11 Search, filters, sorting and pagination

- Search table: type to filter rows in the current list.
- Quick views and filters above the table (for example Open / Overdue / All, status, type, warehouse) narrow the list; Saved filters stores your combination.
- Choose columns shows or hides columns; select a column header to sort.
- Rows per page and Previous / Next page control pagination (up to 200 rows per page).
- Export CSV downloads the current list (requires the export permission; exports are audited).

12 Reports and exports

Report	Where	Export allowed
Batch summary (CSV)	Reports → Batch summary	View only — export needs report.export
Batch manufacturing record (print / PDF)	Batch page → Batch record	Yes (print)
Inventory status (CSV)	Reports or Inventory → Export CSV	View only — export needs report.export
Near-expiry inventory (CSV)	Reports or Inventory → Expiry intelligence	View only — export needs report.export
Expired stock (CSV)	Reports	View only — export needs report.export
Deviation register (CSV)	Deviations → Export CSV	View only — export needs report.export
Supplier performance (CSV)	Suppliers → Export CSV	View only — export needs report.export
Mock-recall reconciliation (CSV)	Traceability & recall → Export recall reconciliation	View only — export needs report.export

Every export is recorded in the audit trail. CSV files are UTF-8 and protected against spreadsheet formula injection.

13 Notifications and alerts

- The bell shows unread notifications; Notifications → Inbox lists them and Mark all read clears the counter.
- Alerts come from workflows (for example QC sample requested, OOS reported, batch awaiting QA, assignment) and scheduled compliance scans (expiry, low stock, overdue CAPAs/deviations, calibration due, QA backlog).
- My preferences lets you choose which notifications you receive. In-app delivery is on by default; e-mail delivery requires SMTP configuration by an administrator and is not active in this release.




Figure 40 — Notifications. Notification inbox and preferences.

14 Error messages and troubleshooting

Message or symptom	Cause	What to do
403 / “Missing permission …”	Your role does not include the permission, or it is limited to another site.	Ask your Company Admin to review your role assignment.
“Action blocked by business rules” with a list of reasons	A GMP rule prevents the action (for example QC not approved).	Open each reason link and resolve it; the rule cannot be overridden.
“Account locked after repeated failed attempts”	Five wrong passwords.	Wait 15 minutes or ask an administrator to unlock.
Session expired / returned to sign-in	Inactive session or revoked session.	Sign in again.
Electronic signature failed	Wrong password.	Re-enter the password; nothing was saved.
“… was modified concurrently; reload and retry”	Another user changed the record.	Reload the page and repeat your action.
Unknown field / validation messages on forms	Missing or invalid input.	Correct the highlighted fields.
Order rejected by business rules	Supplier not qualified, material not approved for the supplier, or invalid quantities.	Read the listed reasons; ask QA to qualify the supplier/material if needed.
Segregation of duties: the creator of a purchase order cannot approve it	You created the order.	Ask another user with approval rights.
Receipt rejected by business rules	Expired material, unqualified supplier, unapproved material or invalid dates.	Correct the data, or quarantine the delivery physically and inform QA/procurement.
Supplier not qualified	The supplier is pending, suspended or blacklisted.	Do not receive; contact QA (supplier qualification).
This lot cannot be released yet	QC sample not approved, failed, or other blockers.	Complete QC; follow up the listed blocker links.
Insufficient released material to reserve this batch	Released, unexpired stock is lower than required (quarantined stock never counts).	Expedite QC/QA of quarantined lots or procure more.
Insufficient released material to reserve this batch	Shortage of released stock.	Escalate to planning/QA; do not use quarantined stock.
Calibration expired	Selected equipment is past its calibration due date.	Use other equipment or contact Engineering; under BLOCK policy the step cannot start.
Segregation of duties: the operator who performed a step cannot verify it	Same person.	Ask another supervisor.
QA release is blocked	Release blockers exist.	Resolve each listed reason first.
Batch … was modified concurrently; reload and retry	Someone else changed the batch.	Reload the page and repeat.
Action blocked by business rules	Required information missing for the next step.	Read the listed reasons and complete them.

Message or symptom	Cause	What to do
GTIN … is not a valid GS1 GTIN (length or check digit)	Wrong length or check digit.	Enter the 8, 12, 13 or 14-digit GTIN exactly as allocated by GS1.

15 Common mistakes and how to prevent them

- Entering supplier batch, expiry or quantities that differ from the container label or CoA — always copy exactly.
- Trying to use quarantined or under-test material — only RELEASED lots can be reserved; wait for QA release.
- Signing for someone else or sharing passwords — each signature must be your own.
- Delaying deviation reporting — raise the deviation as soon as the event is known; QA classifies it.
- Replacing results to “fix” an OOS — OOS results cannot be replaced during an investigation; follow the OOS procedure.
- Closing CAPAs without objective evidence — the effectiveness check must be documented.

16 Security and access limitations

Permissions granted to your role (as enforced by the server):

Permission	Meaning
batch.reserve	Reserve and dispense materials for batches
batch.view	View batches and eBMR
deviation.create	Raise deviations
deviation.view	View deviations
inventory.issue	Issue materials to production
inventory.receive	Receive goods (GRN)
inventory.transfer	Transfer stock between locations
inventory.view	View inventory lots and movements
masterdata.view	View master data
procurement.po.view	View purchase orders
supplier.view	View suppliers

Not granted (48 permissions): admin.tenant.manage, admin.site.manage, admin.user.manage, admin.role.manage, product.manage, material.manage, supplier.manage, supplier.approve, equipment.manage, spec.manage, procurement.po.create, procurement.po.approve, inventory.adjust, inventory.release, production.plan.view, production.plan.manage, production.plan.approve, batch.create, batch.start, batch.execute, batch.verify, batch.complete, batch.approve, qc.view, qc.sample.create, qc.sample.collect, qc.result.enter, qc.result.review, qc.result.approve, oos.view, oos.create, oos.investigate, oos.approve, deviation.investigate, deviation.approve, capa.view, capa.create, capa.manage, capa.verify, capa.close, audit.view, audit.export, analytics.view, commandcenter.view, report.export, ai.copilot.use, ai.assist.use, ai.admin.

Procedures you cannot perform

- Purchase orders: Create a purchase order — requires procurement.po.create
- Purchase orders: Approve a purchase order — requires procurement.po.approve
- Purchase orders: Cancel a purchase order — requires procurement.po.create or procurement.po.approve
- Inventory, lots and stock movements: Release or reject a material lot (QA disposition) — requires inventory.release
- Inventory, lots and stock movements: Post a stock adjustment — requires inventory.adjust
- Inventory, lots and stock movements: Block or unblock a released lot — requires inventory.release
- Inventory, lots and stock movements: Export inventory and expiry lists — requires report.export
- Batches and electronic batch records (eBMR): Create a batch — requires batch.create
- Batches and electronic batch records (eBMR): Start the batch — requires batch.start
- Batches and electronic batch records (eBMR): Execute an eBMR step — requires batch.execute
- Batches and electronic batch records (eBMR): Verify eBMR steps — requires batch.verify
- Batches and electronic batch records (eBMR): Record a correction — requires batch.execute or batch.verify
- Batches and electronic batch records (eBMR): Complete manufacturing — requires batch.complete

- Batches and electronic batch records (eBMR): QA release or rejection of a batch — requires batch.approve
- Deviations: QA review and classification — requires deviation.approve
- Deviations: Investigate and record the root cause — requires deviation.investigate
- Deviations: CAPA decision and closure — requires deviation.approve
- Deviations: Use the AI investigation assistant — requires ai.assist.use
- Master data: products, materials, suppliers, equipment and specifications: Create or edit a product — requires product.manage
- Master data: products, materials, suppliers, equipment and specifications: Create or edit a material — requires material.manage
- Master data: products, materials, suppliers, equipment and specifications: Create a supplier — requires supplier.manage
- Master data: products, materials, suppliers, equipment and specifications: Change supplier qualification / approve a material — requires supplier.approve or supplier.manage
- Master data: products, materials, suppliers, equipment and specifications: Record equipment calibration — requires equipment.manage

- Your role may additionally be limited to specific sites; records of other sites are then hidden or read-only.
- Never share your password: it is also your electronic-signature credential.
- Sign out or lock your screen when leaving the workstation.

17 Practical end-to-end example

Based on the fictional NovaCure demonstration data:

1. A delivery of microcrystalline cellulose arrives from Lahore Excipients.
2. Goods receipts → New, select the supplier, add a line with material, supplier batch, quantity, Mfg and Expiry dates, Create GRN.
3. The lot is created in QUARANTINE and a QC sample is requested automatically.

18 Frequently asked questions

Why is the release button disabled?
The server has found release blockers; they are listed on the page with links.

Can I delete a record I created by mistake?
No. Regulated records are cancelled or corrected with a reason, never deleted.

Why can I see a module but not its action buttons?
View and action permissions are separate; your role may be read-only for that module.

Does the AI make decisions?
No. The Copilot and assistants only explain computed facts or draft suggestions; people decide and sign.

What time zone are dates shown in?
Times are stored in UTC and displayed in Pakistan time (Asia/Karachi) in this release.

Is this the official batch record?
The executed eBMR in Pharmodry is the electronic record; the printable view is a copy for review. Your SOPs define the official record.

19 Glossary

Term	Meaning
ALCOA+	Data-integrity principles: Attributable, Legible, Contemporaneous, Original, Accurate, plus Complete, Consistent, Enduring, Available.
API	Active Pharmaceutical Ingredient.
BOM	Bill of materials — quantities of materials per standard batch.
CAPA	Corrective and Preventive Action.
CoA	Certificate of Analysis from the supplier.
Deviation	Departure from an approved instruction or standard.
DRAP	Drug Regulatory Authority of Pakistan.
eBMR	Electronic Batch Manufacturing Record.
E-signature	Electronic signature: password re-entry linked to a record, meaning and reason.
FEFO	First Expiry, First Out — earliest-expiring released lots are used first.
FG	Finished goods.
GMP	Good Manufacturing Practice.
GRN	Goods Receipt Note.
GS1 / GTIN	Global standards body / Global Trade Item Number used in the 2D DataMatrix.
IPC	In-process control.
Lot	A quantity of one material or product with one internal lot number at one location.
OOS	Out of specification — a result outside its acceptance criteria.
OOT	Out of trend.
PQR	Product Quality Review (annual review of a product's quality data).
Quarantine	Status of material that may not be used until released by QA.
Retest date	Date after which a material must be re-tested before use.
SoD	Segregation of duties — the same person may not perform and approve/verify.
SOP	Standard Operating Procedure.
Yield	Actual output as a percentage of theoretical output.

20 Escalation

Escalate through the roles configured in your company. This release has no built-in external support desk and no vendor contact details; use your company's documented support and incident procedures.

- Supplier not qualified, expired goods, damaged containers: do not receive; inform the Warehouse Manager and QA.
- Access problems (locked account, missing permission): Company Admin.
- Any suspected data-integrity problem (for example "Integrity failure" on audit verification): QA Manager immediately.