LBC Wallet — the complete beginner's manual

This manual explains everything step by step, in plain words. You do **not** need to know anything about GitHub, programming or the command line. If a word is new to you, look it up in the glossary at the end. You can also download this manual as a PDF to read offline or print.

Other languages: short quick-start guides are available in اردو · العربية · فارسی · Français · Deutsch · Español · Português · Nederlands · Русский · 简体中文 · 日本語 · 한국어 · ไทย · English. The app itself is available in all of these languages.

> **Warning. Please read this first.** LBC Wallet is free, experimental software made by volunteers. **It has not been audited** by independent security experts, and it may contain mistakes that lose money. **You use it at your own risk** — the authors are not responsible for any loss. Start with a small amount you can afford to lose. Read the full disclaimer.

Contents

1. What is LBC Wallet?
2. Five safety rules
3. Download the right file
4. Install on Windows
5. Install on a Mac
6. Install on Linux
7. Install on Android
8. First start: the disclaimer and choosing your language
9. Create a new wallet
10. Restore a wallet you already have
11. Receive LBC
12. Send LBC
13. Your activity (transaction history)
14. Mine LBC
15. Run your own node
16. Settings
17. Backups, new computers and new phones
18. Updating the app
19. Problems and solutions
20. Check that your download is genuine (optional)
21. Glossary

---

1. What is LBC Wallet?

LBC (LBRY Credits) is the cryptocurrency of the LBRY network, the technology behind Odysee. LBC Wallet is an app where you can:

- **keep** your LBC safely on your own computer or phone;
- **receive** LBC from other people, exchanges and mining pools;
- **send** LBC to anyone;
- **mine** LBC with your computer, like in the Monero GUI wallet;
- **run your own LBRY node** (a full copy of the LBC blockchain), so you don't depend on anyone else's servers;
- see and **unlock tips and supports** you received on LBRY / Odysee.

It works on **Windows, Mac, Linux** and **Android** phones, in **14 languages**.

"Non-custodial" means *you* hold your money, not a company. That is good: nobody can freeze or take your coins. It also means **nobody can help you if you lose your recovery phrase** (see the safety rules below).

---

2. Five safety rules

1. **Your recovery phrase is your money.** When you create a wallet, the app shows 12 (or 24) words. Anyone who has these words can take your LBC. **Write them on paper**, in order, and keep the paper somewhere safe. Never photograph them, never type them into a website or a chat, never store them in email or cloud notes.
2. **Nobody legitimate will ever ask for your recovery phrase** — not the developers, not "support", not an exchange. Anyone who asks is trying to steal from you.
3. **Download the app only from the official page:** https://github.com/mnaghshvarian/lBC-wallet-with-mining-ability/releases. Copies from other places may be changed to steal coins.
4. **Check the address before you send.** Payments cannot be reversed. Compare at least the first and last 6 characters.
5. **Start small.** This software is new and unaudited. Try it with a small amount first.

---

3. Download the right file

All downloads are on the **Releases page**. Open it, scroll down to the section called **Assets**, and click the file for your device. Or use these direct links (they always give you the newest version):

Your device	File to download
Windows 10 or 11 (almost every Windows PC)	LBC-Wallet-Setup-x64.exe (installer)
Windows, without installing (USB stick)	LBC-Wallet-Portable-x64.exe
Mac with Apple chip (M1, M2, M3, M4...)	LBC-Wallet-mac-arm64.dmg

Your device	File to download
Mac with Intel chip (older Macs)	LBC-Wallet-mac-x64.dmg
Ubuntu, Debian, Linux Mint, Pop!_OS, Zorin, elementary	lbc-wallet_amd64.deb
Fedora, openSUSE, RHEL, Rocky, AlmaLinux	lbc-wallet.x86_64.rpm
Any other Linux (Arch, Manjaro, Gentoo, Void...)	LBC-Wallet-linux-x86_64.AppImage
Linux on ARM (Raspberry Pi 4/5 with 64-bit OS)	lbc-wallet_arm64.deb, lbc-wallet.aarch64.rpm or LBC-Wallet-linux-arm64.AppImage
Android phone or tablet (Android 7 or newer)	LBC-Wallet-android.apk

Not sure which Mac you have? Click the Apple menu (top-left corner) → **About This Mac**. If it says **Chip: Apple M...**, take the *Apple chip* file. If it says **Processor: Intel**, take the *Intel* file.

Not sure which Linux you have? If your system has an "Ubuntu Software" or "Software Manager" app with an orange or green icon, it is probably Ubuntu/Mint: take the `.deb`. If it is Fedora, take the `.rpm`. When in doubt, the `.AppImage` works almost everywhere.

> **Note.** The download is free. If any website asks you to pay for LBC Wallet, it is a scam.

---

4. Install on Windows

1. **Download** `LBC-Wallet-Setup-x64.exe` (see the table above). Your browser saves it in the **Downloads** folder.
2. **Double-click** the file to start it.
3. Windows may show a blue window: **"Windows protected your PC"**. This appears because the app is new and not signed with a paid Microsoft certificate — not because something is wrong. If you downloaded it from the official page, click **More info**, then **Run anyway**.
4. The installer shows the **disclaimer and license**. Read it, then click **I Agree**.
5. Choose **Only for me** (recommended) and click **Next**.
6. Keep the suggested folder and click **Install**. Wait a few seconds.
7. Click **Finish**. LBC Wallet starts. Next time, open it from the **Start menu** or the **LBC Wallet** icon on your desktop.

Portable version: `LBC-Wallet-Portable-x64.exe` runs without installing — double-click it. Your wallets are still stored in your user folder (see section 17).

Antivirus warning? Some antivirus programs warn about *any* program that can mine cryptocurrency, because criminals hide miners in other software. LBC Wallet mines only when *you* press **Start mining**. If you are worried, compare the file's fingerprint with the official one (section 20).

To uninstall: Windows Settings → Apps → LBC Wallet → Uninstall. Your wallet files are kept; delete them yourself only if you have your recovery phrase.

---

5. Install on a Mac

1. **Download** the right `.dmg` file (Apple chip or Intel — see section 3).
2. **Double-click** the downloaded `.dmg` file. A window with the **disclaimer and license** appears: read it and click **Agree**.
3. A window opens showing the **LBC Wallet** icon and the **Applications** folder. **Drag the LBC Wallet icon onto the Applications folder.**
4. Open your **Applications** folder (Finder → Applications) and **double-click LBC Wallet**.
5. The first time, macOS says the app **"Not Opened"** or **"cannot be opened because Apple cannot check it for malicious software"**. This is because the app is not notarized by Apple (that needs a paid Apple account). Click **Done** (not "Move to Trash"), then:
    1. Open **System Settings** (Apple menu → System Settings).
    2. Click **Privacy & Security** on the left.
    3. Scroll down. You will see *"LBC Wallet" was blocked to protect your Mac.* Click **Open Anyway**.
    4. Enter your Mac password (or use Touch ID) and click **Open**.
6. From now on, LBC Wallet opens normally. You can eject the disk image (the drive icon called "LBC Wallet") in Finder.

To uninstall: drag **LBC Wallet** from Applications to the Trash.

---

6. Install on Linux

Ubuntu, Debian, Linux Mint and similar (`.deb`)

The easy way: double-click `lbc-wallet_amd64.deb` in your Downloads folder. Your software center opens. Click **Install** and enter your password.

With the terminal (open it with **Ctrl + Alt + T**):

```
cd ~/Downloads
sudo apt install ./lbc-wallet_amd64.deb
```

Then open **LBC Wallet** from your applications menu.

Fedora, openSUSE, RHEL and similar (`.rpm`)

Double-click the `.rpm` file to open it in **Software**, then click **Install**. Or in the terminal:

```
cd ~/Downloads
sudo dnf install ./lbc-wallet.x86_64.rpm      # Fedora, RHEL, Rocky, AlmaLinux
sudo zypper install ./lbc-wallet.x86_64.rpm   # openSUSE
```

Any Linux: the AppImage

An AppImage is one file that runs without installing.

1. Right-click `LBC-Wallet-linux-x86_64.AppImage` → **Properties** → **Permissions** → tick **Allow executing file as program** (or in the terminal: `chmod +x ~/Downloads/LBC-Wallet-linux-x86_64.AppImage`).
2. Double-click it.

If it does not start, your system may need the **FUSE** library:

```
sudo apt install libfuse2t64      # Ubuntu 24.04 and newer (libfuse2 on older versions)
sudo dnf install fuse fuse-libs   # Fedora
sudo pacman -S fuse2              # Arch, Manjaro
```

> **Tip.** On **Ubuntu 24.04 and newer**, please use the `.deb` instead of the AppImage. Ubuntu limits a security feature (the "sandbox") that the AppImage needs, while the `.deb` sets it up for you.

Raspberry Pi and other ARM computers

Use the `arm64` files (`lbc-wallet_arm64.deb`, `lbc-wallet.aarch64.rpm` or `LBC-Wallet-linux-arm64.AppImage`). You need a **64-bit** operating system. Mining on a Raspberry Pi earns almost nothing, but the wallet and the node work.

To uninstall: `sudo apt remove lbc-wallet` (deb), `sudo dnf remove lbc-wallet` (rpm), or delete the AppImage file.

---

7. Install on Android

The Android app is not in the Google Play Store (Google does not allow apps like this one to be published easily, and we want to keep it free and independent). You install the **APK file** directly — this is called *sideloading* and is safe when the file comes from the official page.

1. On your phone, open this page in **Chrome** (or your usual browser) and tap the link: **LBC-Wallet-android.apk**.
2. Chrome may warn *"This type of file can harm your device"*. Tap **Download anyway**.
3. When the download finishes, tap **Open** (or open the **Downloads** app / **Files** app and tap `LBC-Wallet-android.apk`).
4. Android says *"For your security, your phone is not allowed to install unknown apps from this source"*. Tap **Settings**, switch on **Allow from this source**, then go **back**.
5. Tap **Install**.
6. **Google Play Protect** may say the app is from an *unknown developer* or *not scanned*. Tap **More details** → **Install anyway**. (If it offers to *scan the app*, you can let it.)
7. Tap **Open**. The app icon (a blue-green hexagon with an "L") is now in your app list.

After installing, you can switch **Allow from this source** off again for your browser (Settings → Apps → Chrome → Install unknown apps).

What the phone app can do: everything except mining and running a node — phones would overheat and drain their battery. The **Mining** page on the phone shows your **pool balance**, so you can follow what your computer earns.


> **Important. Updating the Android app:** install the newer APK the same way; Android keeps your wallets. If Android says *"App not installed as package conflicts with an existing package"*, the new file was signed with a different key (this can happen with test versions). Then you must uninstall the old app first — **which deletes the wallets on the phone**, so make sure you have your recovery phrase written down before doing that.

---

8. First start


The disclaimer

The very first time you open LBC Wallet, it shows **"Read this before you start"**. It explains the risks in plain words. Read it, tick the **three boxes** to confirm you understand, and click **I agree — continue**. If you do not agree, click **Quit**.




Choosing your language

The app starts in your computer's language if it is one of the 14 supported languages. To change it, use the **globe** menu at the top right of the first screens, or later **Settings → General → Language**.




9. Create a new wallet


Use this if you are **new to LBC** or want a separate wallet.



1. On the welcome screen, click **Create a new wallet**.
2. **Name** your wallet (for example "My savings") and choose a **password**.
    - The password protects the wallet *on this device* — it is needed to open the wallet and to send money.
    - Use at least 8 characters; a long sentence that you can remember is best.
    - If you forget the password, you can still restore the wallet with your recovery phrase.
3. Click **Continue**. Click **Reveal recovery phrase**. Take a **pen and paper** and write the words **in order**, with their numbers. Check every word twice.



4. Tick **"I have written down my recovery phrase..."** and click **Continue**.
5. The app asks for **three of your words** (for example word #3, #7 and #11) to make sure your paper is correct. Type them and click **Create wallet**.




6. Done! You see the **Overview** with a balance of 0 LBC.


Advanced options (you can ignore them): a 24-word phrase instead of 12, and "LBRY Desktop compatible" addresses if you also want to use this phrase in the old LBRY Desktop app.

10. Restore a wallet you already have


Use this if you already have a recovery phrase — from this app, from **LBRY Desktop**, from **Odysee**, or from any wallet that uses standard 12/24-word (BIP39) phrases.



1. On the welcome screen, click **Restore from a recovery phrase**.
2. Type your words, separated by spaces (or paste them). The app checks the words as you type: it tells you if a word is misspelled.



3. Click **Continue**. The app looks on the LBRY network for your money with each method LBRY wallets have used, and picks the right one automatically (**"Found your wallet"**).



4. Click **Continue**, give the wallet a name and a password, and click **Restore wallet**.


5. Your balance and history appear after a few seconds to a minute.

Importing a key instead: if you only have an **xprv** key from LBRY Desktop's `wallet.json`, choose **Import an extended key** on the welcome screen. An **xpub** key creates a *watch-only* wallet: it shows the balance (handy for a mining computer) but cannot send.

---

11. Receive LBC

1. Click **Receive** (on a phone: the **Receive** button at the bottom).
2. You see **your receiving address** (a long code starting with `b`) and a **QR code**.
3. Give the address to the person, exchange or pool that sends you LBC:
   - click **Copy address** and paste it into their website or message; or
   - let them scan the QR code with their phone.
4. When the payment arrives, a message pops up and it appears on the **Overview** and in **Activity**. It is *pending* at first and *confirmed* after the next block (about 2.5 minutes).




New address: for more privacy you can click **New address** to use a fresh address for each payment. All your addresses keep working forever.


> The screenshots in this manual come from the app's automatic tests, which run on a private test network. That is why the addresses in the pictures start with `m` or `n`, and the amounts are test money. **Real LBC addresses start with `b`.**

---

12. Send LBC



1. Click **Send**.
2. **Recipient address:** paste the address you want to pay (the clipboard button pastes it for you), or pick a saved contact with the address-book button. A green check mark appears when the address is valid.
3. **Amount:** type how many LBC to send. **Max** sends everything (minus the fee).
4. **Note** (optional): a private note for yourself, for example "Rent".
5. Check the **network fee** shown under the amount. The normal fee is tiny (a fraction of a cent).
6. Click **Review**. Check the address and the amount **very carefully**.



7. Enter your **wallet password** and click **Send**.
8. **"Transaction sent"** — done. It confirms within a few minutes. Click **View in explorer** if you want to see it on the public LBRY block explorer.


> **Caution.** Payments are **final**. If you send to a wrong address, nobody can get the money back.

Contacts: on the **Contacts** page you can save addresses you pay often.

---

13. Your activity

Activity lists every payment. Use the filters (**Received**, **Sent**, **Mining**, **Tips & claims**) and the search box. Click a payment to see its details: date, status, fee, block and transaction ID.



- **Pending** — waiting for its first confirmation.
- **Matures in N blocks** — a mining reward. Rewards can be spent after 100 confirmations (about 4 hours).
- **Verified** — the wallet checked mathematically that the payment is really in the blockchain (it does not just trust the server).

Export CSV saves your history as a spreadsheet file (for your records or taxes).

---


14. Mine LBC

Mining means using your computer's processor to help secure the LBC network. In return you can earn a little LBC.

> **Important. Be realistic.** LBC is mined mostly by specialised machines, so a normal computer earns a **very small** amount — often less than the electricity costs. Mining makes your computer hot and loud. Mine for fun and to support the network, not to get rich. Never mine on a computer that is not yours (work, school, cloud servers).

Mining with a pool (recommended)


A **pool** combines the power of many miners and pays everyone small amounts regularly.



1. Open a wallet, then click **Mining**.
2. The **Mining mode** is **Pool (recommended)** and the pool is **LBRYPool** (lbrypool.net). You don't need an account: the pool pays to your wallet's address automatically.
3. Choose how many **CPU threads** to use (leave one or two free so your computer stays fast).
4. Click **Start mining**. After a few seconds you see your **hashrate** (speed) and **accepted shares** (your work counted by the pool).
5. The pool pays you automatically once your balance there passes its minimum (10 LBC at LBRYPool). The **Pool balance** box shows what the pool owes you.
6. Click **Stop mining** whenever you want.

Useful options:

- **Low priority** — mining gives way to anything else you do (on by default).
- **Pause on battery** — stops mining when a laptop is unplugged (on by default).
- **Only when idle** — mines only when you haven't touched the keyboard or mouse for a few minutes, and stops the moment you come back.



- **Payout address** — by default your wallet's address. You can enter another one, for example your phone wallet's address.

Solo mining (with your own node)

Solo means you mine alone. If you find a block, you get the **whole block reward** — but with a normal computer that may take years. Solo mining needs a full node:

1. Start the built-in node (section 15) and wait until it is ready (100 %).
2. On the **Mining** page choose **Solo (full node)**. You see *"Using the built-in node — ready."*
3. Click **Start mining**.



Following your mining on your phone

On the Android app, open **More → Mining**. Enter the same **payout address** your computer mines to, and you see the **pool balance**.

---

15. Run your own node


A **node** is a program that keeps a full copy of the LBC blockchain, checks every block itself and shares the blocks with other nodes. Running one is like Monero GUI's *local node*:

- your wallet no longer depends on public servers (more privacy and independence);
- you help keep the LBRY network healthy;
- you can **solo mine**.

LBC Wallet includes **lbcd**, LBRY's official node software, unchanged.


What you need:

- about **150 GB** of free disk space (an external disk works);
- **8 GB** of memory (RAM) is recommended;
- time: the first download takes **one to three days**, depending on your internet and disk. You can keep using the wallet meanwhile — it uses public servers until the node is ready.



Start it:

1. Click **Node** in the menu.
2. **Choose where to store the blockchain:** under *Blockchain storage folder*, click **Change…** and pick a folder on a drive with enough space. (You can keep the default if your main drive is big enough.)
3. *Accept incoming connections* (optional): lets other nodes download from you, which helps the network. Leave it off if you are on a limited or mobile data plan.
4. Click **Start node**. The progress bar shows how much of the blockchain has been downloaded and checked, the number of **peers** (other nodes you are connected to) and the time left.
5. When it reaches **100 %**, the page says **"Your node is ready"** and the wallet automatically reads the blockchain from your own node.




Good to know:

- The node runs while LBC Wallet is open. If you close the app, it pauses and continues where it stopped next time. If it was running when you closed the app, it starts again automatically.
- **Stop node** stops it (and it won't start automatically anymore).
- To **move** the blockchain to another disk: stop the node, move the folder with your file manager, then choose the new location with **Change...**.
- The node can also connect to specific nodes you trust: open *Show advanced options* on the Node page and enter their addresses (`host:port`).
- Advanced: you can also connect the wallet to an lbcd node you run yourself elsewhere (**Settings → Network → My own node**).

---

16. Settings



- **General:** language, theme (light/dark), fiat prices (USD, EUR…), hide balances (useful when sharing your screen), block explorer link.
- **Network:** how the wallet reads the blockchain — **Public servers** (the default, fast and light), **Built-in node**, or **My own node**. You can add your own LBRY servers and route everything through **Tor** (SOCKS5 proxy) for more privacy.
- **Security:**
  - **Auto-lock** — the wallet locks itself after some minutes without use (15 by default) and when the computer sleeps.
  - **Ask for the password on every send** — strongly recommended (on by default).
  - **Change password**, **Show recovery phrase** (make sure nobody is watching!) and **Extended public key** (for watch-only wallets).
- **Wallet:** rename, default fee, **Rescan** (if a balance looks wrong), delete the wallet from this device.
- **About:** version, a **Not audited** reminder, the full disclaimer, links to the source code, updates and this manual.

17. Backups, new computers and new phones

Your recovery phrase on paper is your backup. With it you can always restore your wallet on any device, even if your computer breaks or is stolen. Keep two copies in different safe places.

Moving to a new computer or phone: install LBC Wallet there, choose **Restore from a recovery phrase** and type your words. Your money is on the blockchain, not in the device, so it appears again.

Where are my wallet files? (encrypted with your password; you normally don't need them)

System	Folder
Windows	`%APPDATA%\LBC Wallet`
Mac	`~/Library/Application Support/LBC Wallet`
Linux	`~/.config/LBC Wallet`
Android	inside the app (removed when the app is uninstalled)

The exact folder is shown in **Settings → About → Data folder**.

---

18. Updating the app

When a new version is published, download it from the same Releases page and install it over the old one, exactly like the first time. Your wallets and settings are kept. **Settings → About → Check for updates** opens the page for you.

---

19. Problems and solutions

"Disconnected" / "Connecting..." at the bottom left. Check your internet connection. The wallet tries several LBRY servers automatically. In **Settings → Network**, click **Test** next to the servers to see which ones answer.

My balance looks wrong. Wait a minute for the wallet to sync. If it is still wrong: **Settings → Wallet → Rescan**.

I forgot my password. Use **Restore from a recovery phrase** (on the unlock screen: *"Forgot password? Restore from phrase"*) and choose a new password.

I lost my recovery phrase but can still open the wallet. Immediately go to **Settings → Security → Show recovery phrase** and write it down.

I lost both the phrase and the password. Sadly, nobody can recover the wallet. This is how non-custodial wallets work.

Mining shows 0 H/s or an error. Make sure a wallet is open. Check the **Log** box on the Mining page for the reason (for example no internet, or the pool is down). Try again later or choose another pool.

"Paused (on battery)". Plug in your laptop, or switch off *Pause on battery*.

The node finds no peers. Check that your firewall allows LBC Wallet to connect to the internet. On restrictive networks (some offices, some countries) the LBRY network may be blocked.

The node says there is not enough disk space. Choose a folder on a bigger drive with **Change…** on the Node page.

Windows/Mac says the app is from an unknown developer. See the steps in section 4 and section 5.

Something else? Report it (you need a free GitHub account) at https://github.com/mnaghshvarian/lBC-wallet-with-mining-ability/issues. Describe what you did and what happened. **Never include your recovery phrase, password or private keys.**

---

20. Check that your download is genuine (optional)

Every release lists a **SHA-256 fingerprint** for each file (in the files called `SHA256SUMS-…txt` on the Releases page). If the fingerprint of your download matches, the file is exactly the official one.

- **Windows** (PowerShell): `Get-FileHash $HOME\Downloads\LBC-Wallet-Setup-x64.exe`
- **Mac** (Terminal): `shasum -a 256 ~/Downloads/LBC-Wallet-mac-arm64.dmg`
- **Linux**: `sha256sum ~/Downloads/lbc-wallet_amd64.deb`

Compare the long code it prints with the one in the `SHA256SUMS` file.

Everything is built automatically by GitHub from the public source code, so anyone can check how the files were made.

Glossary

- **Address** — like an account number for receiving LBC. Real LBC addresses start with `b`.
- **Block** — a batch of transactions added to the blockchain about every 2.5 minutes.
- **Blockchain** — the public record of all LBC transactions, kept by thousands of computers.
- **Confirmation** — each new block after the one containing your payment. More confirmations mean more certainty.
- **Fee** — a tiny amount paid to miners to include your payment in a block.
- **Hashrate** — how fast your computer mines (hashes per second, H/s).
- **Hub / server** — a public LBRY server that helps light wallets read the blockchain. It never sees your keys.
- **LBC / dewies** — LBRY Credits; 1 LBC = 100,000,000 dewies.
- **Mining** — using computing power to create new blocks; miners earn new LBC and fees.
- **Node (full node)** — a program that keeps and checks the whole blockchain.
- **Non-custodial** — you hold your own keys; no company can freeze or move your coins.
- **Pool** — a group of miners who share their rewards.
- **Recovery phrase (seed)** — the 12 or 24 words that can restore your wallet. Keep them secret.
- **Share** — a piece of mining work counted by the pool.
- **Solo mining** — mining alone; rare but full rewards.
- **Tips and supports** — LBC sent to creators on LBRY/Odysee, or put behind content to boost it.
- **Watch-only wallet** — a wallet that shows a balance but cannot send (no private keys).
- **xprv / xpub** — an extended private / public key: a technical form of a wallet's keys.

LBC Wallet is open-source software under the MIT license, provided "as is", without warranty of any kind. It is not affiliated with LBRY Inc., Odysee, the LBRY Foundation, or any exchange or pool. See the disclaimer.