



PUBLIC / EXTERNAL

QynShield Guide

Quenyx vOPS HUB — v1.0.0 RC1 · Document v2.0

Document Version	2.0
Software Version	v1.0.0 RC1
Applies To	Quenyx vOPS HUB v1.0.0 RC1
Classification	Public / External
Owner	Product
Status	Released
Last Updated	2026-06-29
Document Type	Module guide

REVISION HISTORY

Version	Date	Notes
1.0	2026	Initial v1 pack (through Sprint 19).
2.0	2026-06-29	Aligned to v1.0.0 RC1; AI referenced as the shared platform layer.

Table of Contents

- | 1. QCIF corpus
- | 2. NCA ECC-2:2024
- | 3. Evidence
- | 4. Gap assessment
- | 5. Recommendations
- | 6. Copilot
- | 7. Executive dashboard
- | 8. Explainability
- | 9. Citations
- | 10. Current API / backend status
- | 11. UI status

15 — QynShield Guide

Audience: Compliance users, auditors. **Status:** ● Backend/API built and exercised; UI surface = executive/demo layer (broader UI is roadmap). All routes require the **QynShield entitlement** (`project.qynshield`).

1. QCIF corpus

QynShield is powered by **QCIF** (see Doc 06). The corpus is **official-source-only**, immutable, and provenance-tracked: authorities → frameworks → releases → domains → controls → requirements, with source documents and approved revisions. Browse via `/compliance/corpus/frameworks/{frameworkKey}/releases/{releaseCode}/...` (summary, domains, controls, search).

2. NCA ECC-2:2024

The shipped framework: authority **NCA**, framework `nca-ecc`, release **2:2024**, **Revision v1** active — **5 domains, 108 controls, 108 requirements**, modelled from official source documents.

3. Evidence

Evidence Intelligence tracks evidence per requirement/control with **types** and **statuses** (`compliance/evidence/types`, `.../statuses`, `POST .../evidence/context`). Evidence is the input to gap assessment.

4. Gap assessment

Deterministic, rule-based correlation of evidence to requirements (`compliance/gap/summary`, `.../domains`, `.../controls/{code}`, `.../requirements/{code}`, `POST .../gap/context`). Gap status is **derived by rule** (e.g. missing evidence ⇒ gap), never guessed.

5. Recommendations

Rule-based recommendations with explicit source rules (`compliance/recommendations/summary`, `.../controls/{code}`, `.../requirements/{code}`, `POST .../generate`, `POST .../context`). Each recommendation traces to the rule that produced it (`ComplianceReasoningRuleSet`).

6. Copilot

`POST /compliance/copilot/message` (+ conversations endpoints). The Copilot orchestrates retrieval + **deterministic reasoning** + (optional) RAG context + prompt → provider, and is **citation-enforced**. Default **mock mode**; real-model mode is operator-enabled.

7. Executive dashboard

Read-only aggregation for demonstrations/executives: `compliance/executive/dashboard`, `scorecard`, `timeline`, `explainability`, `platform`. All values derive from **real engine data** — no fabricated percentages or activity.

8. Explainability

`compliance/executive/explainability` answers "why" questions ("Why is this requirement non-compliant?", "Why did I receive this recommendation?") from **deterministic reasoning** — every answer is traceable.

9. Citations

QynShield's core principle: **no source, no answer**. Corpus answers and Copilot responses cite the official source; uncited content is excluded. This is what makes outputs auditable.

10. Current API / backend status

● Built and exercised: corpus, graph, mapping, evidence, gap, recommendation, retrieval, copilot, executive. ● Feature-flagged: real-model Copilot, RAG runtime.

11. UI status

The current UI surface is the **executive/demonstration** layer + APIs. A full self-service compliance workspace UI is **roadmap** (Sprint 20+). Integrators can consume the APIs today (Doc 08).