



INTERNAL

Implementation Guide

Quenyx vOPS HUB — v1.0.0 RC1 · Document v2.0

Document Version	2.0
Software Version	v1.0.0 RC1
Applies To	Quenyx vOPS HUB v1.0.0 RC1
Classification	Internal
Owner	Professional Services
Status	Released
Last Updated	2026-06-29
Document Type	Implementation guide

REVISION HISTORY

Version	Date	Notes
1.0	2026	Initial v1 pack (through Sprint 19).
2.0	2026-06-29	Aligned to v1.0.0 RC1 (Documentation Pack v2.0).

Table of Contents

- 1. Customer onboarding
- 2. Workspace setup
- 3. Module enablement
- 4. QynSight setup
- 5. QynShield setup
- 6. Evidence model onboarding
- 7. AI enablement checklist
- 8. Integration checklist
- 9. Handover checklist

17 — Implementation Guide

Audience: Implementation partners. **Goal:** A repeatable path to onboard a customer onto Quenyx vOPS HUB.

1. Customer onboarding

1. Provision infrastructure (Ubuntu host(s), MySQL, Nginx) per Doc 10.
2. Deploy backend, frontend, gateway; run migrations + seeders.
3. Create the customer's **workspaces** (e.g. Production, Staging).
4. Create the admin user (rotate `SEED_ADMIN_PASSWORD`).
5. Invite the customer's users and assign roles.

2. Workspace setup

- Create one workspace per environment/business unit.
- Verify the workspace selector switches data correctly.
- Confirm audit logging is capturing actions (`/audit-logs`).

3. Module enablement

- Confirm entitlements (`/entitlements` , `/modules/access`).
- **QynSight** is visible by default. Use module **overrides** to grant additional modules where entitled — but **do not re-enable hidden modules in the UI** without product sign-off (current phase constraint).
- Confirm **QynShield** entitlement (`project.qynshield`) for compliance customers.

4. QynSight setup

1. Add **monitored targets/hosts**.
2. Install **agents** (generate enrollment token → download binary → enroll).
3. Configure **service definitions** and **alert rules** + monitoring profile.
4. Verify the **scheduler** and **queue worker** are running.
5. Confirm real-time monitoring, infra map, and (optional) port scans populate.

5. QynShield setup

1. Ensure the QynShield entitlement is granted.
2. Seed the corpus: `ComplianceCorpusSeeder` + `compliance:seed-source-documents` for **NCA ECC-2:2024**.
3. Verify counts: **5 domains, 108 controls, 108 requirements**, active **Revision v1**.

4. Validate corpus/graph/mapping/executive endpoints return data.

6. Evidence model onboarding

- Review evidence **types** and **statuses** with the customer.
- Establish how the customer will supply evidence per requirement (process + responsibilities).
- Run gap assessment to baseline current posture; review recommendations.

7. AI enablement checklist

- ☐ Decide whether to enable real-model AI (default: **mock**). Most demos stay in mock mode.
- ☐ If enabling: set `AI_PROVIDER=openai` , `AI_ENABLED=true` , `OPENAI_API_KEY` , `OPENAI_MODEL` .
- ☐ Keep `AI_PROMPT_LOGGING_ENABLED=false` and `AI_CONVERSATION_PERSISTENCE_ENABLED=false` unless the customer explicitly consents.
- ☐ Keep `RAG_INDEX_TENANT_EVIDENCE=false` .
- ☐ Confirm `GET /api/ai/platform/capabilities` reflects the intended configuration.

8. Integration checklist

- ☐ Workspace integrations configured (`/integrations`).
- ☐ Billing integrations configured if used (`/billing/integrations`).
- ☐ `GATEWAY_INTERNAL_SECRET` set on both backend and gateway.
- ☐ `GATEWAY_BASE_URL` set for agent enrollment.
- ☐ CORS restricted to the customer's frontend origin.

9. Handover checklist

- ☐ Admin credentials rotated and stored securely.
- ☐ Scheduler + queue worker verified running.
- ☐ Backups scheduled (DB + storage).
- ☐ Health checks (`/api/health` , gateway `/health`) green.
- ☐ QynSight populating; QynShield corpus verified.
- ☐ AI flags reviewed and documented for the customer.
- ☐ Track-B verification (Doc QA) run on the customer environment.
- ☐ Runbook (Doc 18) shared with the customer's ops team.