



INTERNAL

Notification Guide (QynNotify)

Quenyx vOPS HUB — v1.0.0 · Document v1.0

Document Version	1.0
Software Version	v1.0.0
Applies To	Quenyx vOPS HUB v1.0.0 — Sprint 24
Classification	Internal
Owner	Platform Engineering
Status	Released
Document Type	Module guide

Table of Contents

- | [What QynNotify is](#)
- | [How ingestion works \(NotificationService::ingest\)](#)
- | [Notification Intelligence](#)
- | [API \(UUID-only, workspace required\)](#)
- | [Configuration \(config/knowledge.php → notifications\)](#)
- | [Guarantees](#)

Notification Guide (QynNotify)

What QynNotify is

QynNotify is intelligent **notification routing**. Sprint 24 makes it deterministic, auditable, and honest: deduplication, correlation, urgency scoring, recipient selection, channel selection, and an escalation path — all computed from real data. AI digests and executive summaries reuse the shared Quenyx AI runtime. **There is no fake routing**: recipients are only ever real workspace members, and no message is dispatched until a real transport is connected (channel selection is recorded intent).

How ingestion works (`NotificationService::ingest`)

1. **Deduplication** — a deterministic `dedup_key = sha256(type|source|title)` collapses duplicates within a configurable window (`correlation_window_minutes`) into one notification, incrementing `dedup_count` instead of creating a new row.
2. **Correlation** — a deterministic `correlation_id` groups related signals (by source + type, or a caller-supplied id) for clustered triage.
3. **Urgency scoring** — `0-100` from severity weight (config), reduced by age, raised by repeats.
4. **Recipient selection** — real workspace members by role: critical/high → owners/admins; lower severities → all members. Falls back to the workspace owner for critical.
5. **Channel selection** — by severity (critical→sms, high→email, else in_app) from config.
6. **Escalation path** — an ordered, time-delayed list of recipients for critical/high.

Everything is audited via the shared platform audit logger.

Notification Intelligence

`NotificationIntelligenceService` narrates real active notifications through `ModuleAiNarrator` :

- **Digest** — concise on-call digest: what is most urgent, which signals correlate, next action.
- **Executive summary** — leadership-facing posture summary.
- **Copilot** — grounded Q&A over active notifications + correlation groups.

API (UUID-only, `workspace` required)

Base: `/api/qynnotify` (Sanctum + `throttle:ai-workspace`). Reads/writes require `accessAi` ; AI surfaces require `can_use_ai` .

Method	Endpoint	Purpose
GET	/notifications	List notifications + correlation groups
POST	/notifications	Ingest a signal (dedup/correlate/route)
POST	/notifications/{uuid}/read	Mark read
POST	/intelligence/digest	AI digest
POST	/intelligence/executive	AI executive summary
POST	/intelligence/copilot	Notification copilot

Configuration (config/knowledge.php → notifications)

- severity_weight — urgency base per severity.
- correlation_window_minutes — deduplication/correlation window.
- channels — available delivery channels.

Guarantees

Deterministic · auditable · real recipients only (no fake routing) · workspace isolation · RBAC · UUID-only · EN/AR.