



INTERNAL

Administrator Guide

Quenyx vOPS HUB — v1.0.0 RC1 · Document v2.0

Document Version	2.0
Software Version	v1.0.0 RC1
Applies To	Quenyx vOPS HUB v1.0.0 RC1
Classification	Internal
Owner	Operations
Status	Released
Last Updated	2026-06-29
Document Type	Administrator guide

REVISION HISTORY

Version	Date	Notes
1.0	2026	Initial v1 pack (through Sprint 19).
2.0	2026-06-29	Aligned to v1.0.0 RC1; native monitoring administration; Unified AI Workspace administration.

Table of Contents

1. Login	0
2. Workspace management	0
3. Project management	0
4. Roles	0
5. Users	0
6. Module subscriptions	0
7. QynSight administration	0
8. QynShield administration	0
9. AI settings	0
10. Audit logs	0
11. Integrations	0
12. Limitations	0
Unified AI Workspace administration (Sprint 20)	0

12 — Administrator Guide

Audience: Platform administrators. **Scope:** Admin tasks supported by the current product at v1.0.0 RC1 (including the Unified AI Workspace, Sprint 20).

1. Login

- Sign in at the SPA with your credentials (`POST /api/auth/login`). The seeded admin is `admin@quenyx.test` with the password set via `SEED_ADMIN_PASSWORD` at deploy time. **Rotate it after first login.**
- Manage your own profile/password under `auth/me` .

2. Workspace management

- A **workspace** = a **project** (the tenant boundary). Create/list/update/delete via the Projects UI or `/api/workspaces` .
- The seeder provisions **Production Env** and **Staging Env** by default (adjust in `ProjectSeeder`).

3. Project management

- Each workspace has its own monitoring data, compliance scope, members, subscription, audit log, and integrations. Switch the active workspace from the workspace selector.

4. Roles

- Members are attached to a workspace via **memberships** with a **role**. Manage via the Memberships UI or `/api/workspaces/{project}/memberships` (invite, update role, remove).
- Authorization is enforced by `ProjectPolicy` — only members can access a workspace's data.

5. Users

- Users register/are invited, then accept an invite token (`POST /api/invites/{token}/accept`) to join a workspace.

6. Module subscriptions

- View entitlements: `GET /api/workspaces/{project}/entitlements` and `.../modules/access` .
- Manage subscription: `.../subscription` (GET/PUT).
- **Per-module override:** `PUT /api/workspaces/{project}/modules/{moduleKey}/override` — grants/ revokes a module for a workspace. Overrides are **audited**.
- Today the **sidebar shows QynSight only** (other modules are hidden by a frontend flag); module entitlement data still exists for all modules.

7. QynSight administration

- Configure **monitored targets/hosts** (`observe/targets`), **service definitions**, and **alert rules** (create/update/toggle/delete) and **monitoring profiles**.
- Manage **agents**: create enrollment tokens, list/revoke tokens, view metadata, remove agents.
- Ensure the **scheduler** (cron) and **queue worker** run (see Doc 10) — otherwise checks/port scans won't run.

8. QynShield administration

- Requires the **QynShield entitlement** (`project.qynshield`) on the workspace.
- Corpus is seeded by operators (NCA ECC-2:2024 v1). Admins consume `corpus/graph/mapping/evidence/` `gap/recommendation/executive` APIs; there is no in-UI corpus authoring (official-source-only model).

9. AI settings

- AI is configured via **environment variables**, not a UI toggle today (see Doc 10 §11).
- Defaults are safe: mock provider, AI off, no prompt logging, no conversation persistence, RAG off, no tenant-evidence indexing. Change only deliberately.

10. Audit logs

- `GET /api/workspaces/{project}/audit-logs` — review sensitive actions (module overrides, executive reads, copilot, etc.). Use for access reviews and incident investigation.

11. Integrations

- Workspace integrations and billing integrations via `.../integrations` and `.../billing/integrations` . Configure per-workspace settings; secrets are stored as configuration, not in code.

12. Limitations

- No self-service AI toggle UI yet (env-driven).
- QynShield UI beyond executive/demo is roadmap.
- Hidden modules cannot be enabled in the sidebar without changing the frontend flag (out of scope pre-Sprint 20).

Unified AI Workspace administration (Sprint 20)

Open **AI Workspace** from the top-level sidebar (beside Integrations), then select a workspace. Tabs: Overview, Chat, Conversations, History, Activity, Memory, Prompt Templates, Skills, Capabilities, Usage, Costs, Providers, Permissions, Administration, Notifications.

- **Access:** any workspace member can open the AI Workspace; **owner/admin** can administer.
- **Providers** (Administration → Providers): set the per-workspace model and (optionally) an encrypted API key. Secrets are write-only — they are stored encrypted and never shown again; the UI only indicates whether a secret is configured. AI execution still requires the platform AI flags.
- **Permissions** (Administration → Permissions): per-role matrix (`Use AI` , `Manage templates` , `Manage providers` , `View costs` , `Administer`). Rows are additive overrides on top of role defaults; the `owner` row is always full and locked.
- **Cost tracking:** amounts appear only when pricing is configured in `config/ai.php` (`ai.workspace.pricing`); otherwise token usage is shown without monetary values.
- **Audit:** provider/template/permission changes and conversations are recorded in the audit log and surfaced under Activity / Notifications.
- **Disable:** set `AI_WORKSPACE_ENABLED=false` to hide the surface (returns 404 from the API).