



QUENYX

V O P S H U B

INTERNAL

Global Timeline Guide

Quenyx vOPS HUB — v1.0.0 RC1 · Document v1.0

Document Version	1.0
Software Version	v1.0.0 RC1
Applies To	Quenyx vOPS HUB v1.0.0 RC1 — Sprint 24
Classification	Internal
Owner	Platform Engineering
Status	Released
Document Type	Platform capability guide

Table of Contents

	What the Global Timeline is
	Sources
	API (UUID-only, workspace required)
	UI
	Guarantees

Global Timeline Guide

What the Global Timeline is

A **platform-wide, chronological read-model** (Sprint 24) that unifies events from every module into one ordered stream so operators can see what happened across the HUB, in time order, in one place. It **aggregates existing rows** — it never duplicates or fabricates events, and it writes nothing.

Sources

`GlobalTimelineService` reads from real tables and normalizes each into a typed timeline event (`{ type, uuid, title, summary, occurred_at, source }`), sorted descending and bounded by a configurable limit:

- **Incidents** — opened/updated
- **Automation** — workflow executions / runbook runs
- **Tickets** — created/updated
- **Notifications** — ingested signals
- **Knowledge** — document created/updated

Each source is toggleable in `config/knowledge.php` → `timeline.sources`, and the maximum number of events is bounded by `timeline.limit`. Because it is a pure read-model, enabling a new source is additive and never affects writers.

API (UUID-only, `workspace` required)

Base: `/api/qynknow` (Sanctum + `throttle:ai-workspace`). Requires `accessAi`.

Method	Endpoint	Purpose
GET	<code>/timeline</code>	Unified chronological events across modules

Optional query params: `limit` (bounded by config), `sources[]` (subset of configured sources).

UI

The **Global Timeline** page renders the unified stream with per-type icons and source filters, reusing the standard workspace layout and the `useAiWorkspaceUuid()` context. It is read-only.

Guarantees

Read-model only (no duplication, no fabrication, no writes) · real rows only · workspace isolation · RBAC · UUID-only · EN/AR.