

# An implementation of the Gauss-Jordan method

Derek W. Harrison

May 11, 2022

## Introduction

The Gauss-Jordan method is implemented with row sorting instead of row swapping to compute the inverse of a matrix in  $O(n^3)$  time. The pseudocode of the method is given in the next section. The procedure GAUSS-JORDAN( $A$ ,  $n$ ,  $C$ ) performs the inversion and takes as input a square matrix  $A$  and the size of the input matrix  $n$  and stores the inverse of  $A$  in  $C$ . Note the procedure does not check if the input matrix is singular. Merge sort is used to sort the rows of the matrices according to the number of leading zeros. It is the underlying algorithm of the SORT-MAT( $M$ ,  $n$ ,  $C$ ) procedure used to sort the matrices.

## Algorithm

```
function GAUSS-JORDAN( $A, n, C$ )
  INIT-MAT( $C, n$ )
  let  $M[0..n-1]$  be a new array
  //Convert to row echelon form
  for  $c = 0; c < n; c = c + 1$  do
    if  $A[c][c] == 0$  then
      GET-ORDER( $A, n, M$ )
      SORT-MAT( $M, n, A$ )
      SORT-MAT( $M, n, C$ )
    end if
    //Normalize rows
    for  $j = c + 1; j < n; j = j + 1$  do
       $A[c][j] = A[c][j] / A[c][c]$ 
    end for
    for  $j = 0; j < n; j = j + 1$  do
       $C[c][j] = C[c][j] / A[c][c]$ 
    end for
     $A[c][c] = 1.0$ 
    //Delete elements in rows below
    for  $r = c + 1; r < n; r = r + 1$  do
      if  $A[r][c] \neq 0$  then
        for  $j = c + 1; j < n; j = j + 1$  do
           $A[r][j] = -A[r][c] \cdot A[c][j] + A[r][j]$ 
        end for
        for  $j = 0; j < n; j = j + 1$  do
           $C[r][j] = -A[r][c] \cdot C[c][j] + C[r][j]$ 
        end for
         $A[r][c] = 0$ 
      end if
    end for
  end for
  //Backtrack to convert to reduced row echelon form
  for  $c = n - 1; c > 0; c = c - 1$  do
    for  $r = c - 1; r > -1; r = r + 1$  do
      if  $A[r][c] \neq 0$  then
        for  $j = 0; j < n; j = j + 1$  do
           $C[r][j] = -A[r][c] \cdot C[c][j] + C[r][j]$ 
        end for
         $A[r][c] = 0$ 
      end if
    end for
  end for
end function
```

```

function INIT-MAT( $A, n$ )
  for  $i = 0; i < n; i = i + 1$  do
    for  $j = 0; j < n; j = j + 1$  do
      if  $i == j$  then
         $A[i][j] = 1$ 
      else
         $A[i][j] = 0$ 
      end if
    end for
  end for
end function

```

```

function GET-ORDER( $A, n, M$ )
  for  $i = 0; i < n; i = i + 1$  do
     $c = 0$ 
    while  $A[i][c] == 0$  and  $c < n$  do
       $c = c + 1$ 
    end while
     $M[i].key = c$ 
     $M[i].prev = i$ 
  end for
end function

```

```

function SORT-MAT( $M, n, A$ )
  Sort rows in  $A$  according to the keys of elements in  $M$  using merge-sort.
end function

```