Timings of common tasks using the data.table package in R

Matthew Dowle

April 15, 2010

This document contains a series of tests, followed by a summary table of various timings and comparisons. Please go straight to the summary table first <here> in which each row has a link back to the test.

This document is reproducible. Simply run the .Rnw file yourself in your environment to confirm the results. Also see ?vignette, which says that edit(vignette("datatable-timings")) will extract the code from this document so you can easily work with it.

The .Rnw included in the package has N=10,000,000. This is a small number so that 'R CMD build' completes in a reasonable time (about 5 minutes). We don't want the nightly builds on R-Forge and CRAN to slow down just to run long timing comparisons. We have increased this to N=100,000,000 ourselves, and included the output on the datatable homepage (<link>).

Contents

1	Timing tests			
	1.1	Extraction	1	
	1.2	Grouping	2	
2 Summary table		2		

1 Timing tests

1.1 Extraction

This is a repeat of the test in section 1 of the Introduction vignette. The syntax is explained there. This demonstrates the large difference in speed between vector scans and binary search. Therefore, please avoid using == in the i expression.

```
> n = ceiling(1e7/26^2)
                          # 10 million rows
> DT = data.table(x=rep(LETTERS,each=26*n),
                  y=rep(letters,each=n),
                  v=rnorm(n*26^2),
                  key="x,y")
 tables()
     NAME
                NROW MB COLS KEY
[1,] DT
          10,000,068 153 x,y,v x,y
Total: 153MB
> tt=system.time(ans1 <- DT[DT$x=="R" & DT$y=="h",]); tt
         system elapsed
  user
         0.652
                  2.274
> ss=system.time(ans2 <- DT[J("R", "h"), mult="all"]); ss
         system elapsed
   user
  0.004
         0.000
                  0.005
> if(!identical(ans1,ans2)) stop("Test 1 not identical")
```

1.2 Grouping

Repeat from Introduction.

2 Summary table

```
> tt[3]
```

elapsed

2.274

> ss[3]

elapsed

0.005

- > toLatex(sessionInfo())
 - R version 2.10.1 (2009-12-14), i486-pc-linux-gnu
 - Locale: LC_CTYPE=en_GB.UTF-8, LC_NUMERIC=C, LC_TIME=en_GB.UTF-8, LC_COLLATE=en_GB.UTF-8, LC_MONETARY=C, LC_MESSAGES=en_GB.UTF-8, LC_PAPER=en_GB.UTF-8, LC_NAME=C, LC_ADDRESS=C, LC_TELEPHONE=C, LC_MEASUREMENT=en_GB.UTF-8, LC_IDENTIFICATION=C
 - Base packages: base, datasets, graphics, gr
Devices, methods, stats, tools, utils
 - Other packages: data.table~1.4