```python
import numpy as np

def incmatrix(genl1,genl2):
        m = len(genl1)
        n = len(genl2)
        M = None #to become the incidence matrix
        VT = np.zeros((n*m,1), int)  #dummy variable

#compute the bitwise xor matrix
M1 = bitxormatrix(genl1)
M2 = np.triu(bitxormatrix(genl2),1)

for i in range(m-1):
        for j in range(i+1, m):
                [r,c] = np.where(M2 == M1[i,j])
                for k in range(len(r)):
                        VT[(i)*n + r[k]] = 1;
                        VT[(i)*n + c[k]] = 1;
                        VT[(j)*n + r[k]] = 1;
                        VT[(j)*n + c[k]] = 1;

                        if M is None:
                                M = np.copy(VT)
                        else:
                                M = np.concatenate((M, VT), 1)

                        VT = np.zeros((n*m,1), int)

return M
```

Listing 1: Example from external file

```c
#include <stdio.h>
int main() {
        printf("Hello, World!"); /*printf() outputs the quoted strin
        return 0;
}
```

Listing 2: Hello World in C

`minted` makes a nice job of typesetting listings 1, 2 and 3.

List of source codes

1 Example from external file 1

```
function fact (n)--defines a factorial function
if n == 0 then
return 1
else
return n * fact(n-1)
end
end

print("enter a number:")
a = io.read("*number") -- read a number
print(fact(a))
```

Listing 3: Example from the Lua manual

2 Hello World in C 1
3 Example from the Lua manual 2