

DOG BREED IDENTIFICATION USING TRANSFER LEARNING

1. Introduction

Dog breed identification from images is a challenging computer vision task due to visual similarities between breeds, variations in lighting, pose, and background. Manual identification is often inaccurate and time-consuming.

This project presents an **AI-based dog breed classification system** using **transfer learning** with a pre-trained **VGG19 Convolutional Neural Network (CNN)**. The model is trained on a labeled dataset of dog images and deployed using a **Streamlit web application** to provide real-time predictions.

2. Problem Statement

Identifying dog breeds manually is difficult, especially for people without expert knowledge and in cases of mixed or visually similar breeds. Existing solutions are either costly or not easily accessible.

The problem is to **automate dog breed identification from images** using deep learning, ensuring accuracy and ease of use.

3. Objectives

- To build a **deep learning model** for dog breed classification using transfer learning.
- To preprocess and augment image data for better model generalization.
- To accurately classify dog breeds from uploaded images.
- To deploy the trained model using a **web-based interface**.
- To provide real-time predictions with a simple and user-friendly UI.

4. Scope of the Project

- Supports classification of **multiple dog breeds** from images.
- Can be extended to support additional breeds.
- Suitable for real-world applications such as pet adoption platforms, veterinary support, and animal welfare systems.

5. Tools and Technologies Used

Programming Language

- Python

Libraries & Frameworks

- TensorFlow / Keras – Model training and loading
- OpenCV – Image preprocessing
- NumPy – Numerical operations
- Streamlit – Web application deployment

Development Tools

- Jupyter Notebook – Model development
- Git & GitHub – Version control

6. Dataset Description

- **Source:** Kaggle – Dog Breed Identification Dataset
- **Data Organization:** Images organized into separate folders for each breed.
- **Image Format:** JPG / JPEG / PNG

7. Methodology

7.1 Data Preprocessing

- Images resized to **224 × 224 pixels**.
- Pixel values normalized to range **0–1**.
- Data augmentation applied during training to reduce overfitting.

7.2 Model Architecture

- Pre-trained **VGG19** model used as the base.
- Top classification layers removed.
- Custom dense layers added for multi-class classification.
- Softmax activation used in the output layer.

7.3 Training

- Transfer learning approach used to leverage pre-trained weights.
- Model trained on labeled dog breed images.
- Performance evaluated using accuracy and confusion matrix.

7.4 Deployment

- Trained model saved as dog_breed.h5.
- Integrated with **Streamlit** for real-time predictions.
- Users upload images through the web interface.

8. System Architecture

1. User uploads a dog image via the Streamlit UI.
2. Image is preprocessed (resize + normalization).
3. Preprocessed image is passed to the trained VGG19 model.
4. Model predicts probabilities for each class.
5. The class with highest probability is displayed as output.

9. Project Workflow

1. Dataset collection and organization
2. Image preprocessing and augmentation
3. Model training using VGG19
4. Model evaluation
5. Saving trained model
6. Web application integration
7. Real-time prediction

10. Folder Structure

```

├── main.py
├── dog_breed.h5
├── requirements.txt
└── README.md

```



11. Results


- The model successfully predicts dog breeds from uploaded images.
- Predictions are displayed instantly through the web interface.

- The system provides both the uploaded image and predicted breed name.
- Real-time performance with fast response time.

Sample Output:

The Dog Breed is: Bernese Mountain Dog





```
C:\Windows\System32\cmd.e x + v
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be e
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
1/1 ----- 0s 308ms/step
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be e
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be e
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be e
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
WARNING:absl:Compiled the loaded model, but the compiled metrics have yet to be built. 'model.compile_metrics' will be e
mpty until you train or evaluate the model.
WARNING:absl:Error in loading the saved optimizer state. As a result, your model is starting with a freshly initialized
optimizer.
1/1 ----- 0s 239ms/step
```

12. Advantages

- Easy-to-use web interface
- High accuracy using transfer learning
- Real-time predictions
- Scalable to more breeds
- Cost-effective solution

13. Limitations

- Limited number of dog breeds supported
- Performance depends on image quality
- Mixed-breed dogs may reduce accuracy
- Requires retraining for new classes

14. Future Enhancements

- Increase number of supported dog breeds
- Use advanced architectures like EfficientNet
- Add confidence score visualization
- Deploy on cloud platforms
- Support mobile-friendly UI
- Integrate breed information and care tips

15. Conclusion

This project demonstrates the effectiveness of **transfer learning** for image classification tasks. By using a pre-trained VGG19 model, accurate dog breed recognition is achieved with limited data and computational resources. The Streamlit-based deployment makes the system accessible and practical for real-world applications in pet adoption, veterinary support, and animal welfare.