

# NII International Internship program

# Segmented Fusion

Tracking

20171020

Sylvia

Advisors: Prof. A.Sugimoto

Ass.Prof. D.Thomas

# Last Meeting

- ♣ Previously
  - ♣ Segmentation
- ♣ To-do
  - ♣ Local and global tracking
  - ♣ Robust Non-rigid Motion Tracking Using L0

Guo, Kaiwen, et al. "Robust non-rigid motion tracking and surface reconstruction using l0 regularization." *Proceedings of the IEEE International Conference on Computer Vision*. 2015.

Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas

# Global Tracking


- ♣ Since the mistake on the tracking part, the global transform will be done twice in the last version.
- ♣ When there is large camera motion, the global tracking would failed. Maybe it can be solved by using skeleton translation as initialized transformation. However, this problem will be solve in local tracking automatically.



global tracking

# Local Tracking



- ♣ When the junctions of skeleton are not well, the local tracking would failed, especially when the junctions don't have depth value.



previous frame tracking results

# Local Tracking

- ♣ The result is still not correct at all, since the ICP cannot find the best correspondence in local tracking.



new frame tracking results

old local tracking

new local tracking



# Local Tracking





old local tracking




new local tracking

# Progress Results



old version




New version

Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas



# Progress Results



old version




New version


Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas

# Progress Results



old version




New version


Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas

# Progress Results



old version



New version

Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas

# Progress Problem

- ♣ The number of correspondence is zero
- ♣ Weighted ICP is worse



Local and Global tracking

Presenter: Sylvia

Advisors: Prof. A.Sugimoto, Ass.Prof. D.Thomas

# Next step

- ♣ Solve the problem in ICP
- ♣ Stitching